Departmental Concurrence

Policy

 $\boxtimes$ 

Consent

### SUBMITTAL TO THE BOARD OF SUPERVISORS **COUNTY OF RIVERSIDE, STATE OF CALIFORNIA**

SUBMITTAL DATE: December 22, 2009

**FROM:** Economic Development Agency

**SUBJECT:** Roy's Desert Resource Center

**RECOMMENDED MOTION:** That the Board of Supervisors:

- 1. Ratify change order No. 4 in the amount of \$500,000 to complete the project's Kitchen and provide a building security system;
- 2. Authorize the Assistant County Executive Officer EDA or designee to execute the change order on behalf of the County; and
- 3. Approve a revised project contingency of \$725,000.

BACKGROUND: On July 21, 2009, the Board of Supervisors approved the construction agreement between W.E. O'Neil Construction Co. and the County of Riverside for the Roy's Desert Resource Center, formerly known as, Desert Resource Center Build-Out.

(Continued)		ALF 16	Peld .		
		Robert Field Assistant Cou	unty Executive	Officer EDA	
FINANCIAL	Current F.Y. Total Cost:	\$ 725,000	In Current Ye	ar Budget:	Yes
DATA	Current F.Y. Net County Cost:	\$ 725,000	<b>Budget Adjus</b>	stment:	No
DAIA	Annual Net County Cost:	\$0	For Fiscal Ye	ar:	09/10
SOURCE OF FU	JNDS: General Fund from within budget	the DPSS		itions To Be ted Per A-30	
			Requ	ires 4/5 Vote	
C.E.O. RECOM	MENDATION: ADDR	OVE			

**County Executive Office Signature** 

Economic Development Agency Roy's Desert Resource Center December 22, 2009 Page 2

#### **BACKGROUND**: (Continued)

Initial project funding was sufficient to plumb the facility to receive a full service kitchen, but insufficient to provide for the kitchen equipment and its installation. Until the kitchen can be completed, meals are prepared offsite and shipped to the facility at an increased cost per meal which means fewer families could be served. The project has now received \$500,000 from the Department of Social Services (DPSS) budget for the purpose of completing the kitchen and installing a building security system.

The shelter component of the project was completed in early December 2009, and put into immediate operation serving the Desert Region's Homeless population (meals are not currently prepared in the facility). The Contractor has been working on the kitchen infrastructure, and this funding will allow the completion of the kitchen utilizing both new and used kitchen equipment (to save cost) identified by the project's design team.

Change Order No. 4 will exceed the 10% contingency allowance, so Board approval is required. The change order will compensate W.E. O'Neil Construction Co. in the amount not to exceed \$500,000 for work essential to make the facility secure, and capable of preparing meals from its own kitchen.

Time is of the essence in completing the facility's kitchen as hundreds of additional individuals and families throughout Riverside County have become homeless due to current economic conditions (nearly half are woman and children). Public health and safety are best served in an economical manner when a Homeless Shelter can prepare food on site in direct proportion to the number of individuals who arrive each day in need of various services.

As such, it would not be of economic advantage to bid out this additional work at this stage of the project, particularly given the integral nature of the security system to completion of the infrastructure of the building, and the urgent need for services in the community. It is the County's intent to procure these items expeditiously via a change order to the general contractor. The project contingency amount of \$725,000 includes 10% of project contingency plus \$500,000 for the change order.

The Board of Supervisors approved all the necessary budget adjustments associated with this amendment without the use of contingency funds as part of the first quarter budget report on December 1, 2009 (item 3.34), and no further budget adjustments are required.

## COUNTY OF RIVERSIDE ECONOMIC DEVELOPMENT AGENCY

## CHANGE ORDER NO. 4

Date: 1/5/2010		Project:	Roy's Desert Resource	e Center	
To Contractor:	-500	Project No		3957	
W.E. O'Neil Construction Co. 3990 E. Concours Drive, Suite		Distributio			
Ontario, CA 91764	3 400	Project Mar Contractor	nager Construction Inspector	1 Manager	
Officially, CA 31704		Fiscal	Architect/En	ndineer	
You are directed to make the followin	α chanαes. Ch				: each item to
include all charges or indirect arising			,,		,
4) 40			•		
Allowance for Kitchen Equipm	ent, Securtiy S	System, Signage	Allowance up	to: \$500	,000.00
The specifications, where pertinent, s	hall apply to th			-	
This Change Order provides for a time	e extension of	19	calendar days.		
Original Contract Duration (calendar days): Prior Authorized Time Extension (calendar d	ave).				
Revised Construction Duration (calendar day	ays). /s):				
Original Contract Completion Date:	, -,	1/9/2010			
Revised Contract Completion Date:		4/13/2010	Per the attached propos	al from	
			W.E. O'Neil Construction	n Co. of CA.	
NOTE: This change order is not effective	a until approvad	by the Chair Bee	ard of Cuponinara Assis	tant Caunty	Evocutivo
Officer EDA or designee, as indi		by the Chair, Boa	ira oi Supervisors, Assis	tarit County	Executive
					·
The undersigned contractor has give	n careful consi	deration to the c	hange proposed, inclu	ding its effe	ct on other
work already contracted for, and here furnish all materials, except as may o					
specified, and will accept as full paym					
, , , , , , , , , , , , , , , , , , , ,		Original Con		\$	1,838,347.00
			zed [X <u>IADD</u> [ ]DED	\$	183,560.91
Contractor	Date		ct Prior to this Change	\$	2,021,907.91
			,		-
			Changes on this C.O.:		
Assistant County Executive Officer EDA	Date		500,000.00		
or Designee		Deduction \$			
Architect	Date	NFT IX) Ac	ddition [ ] Deduction	\$	500,000.00
				<b>T</b>	000,000.00
		Amount of C	ontract Authorized		
Project Manager	Date	Including this	s Change Order	\$	2,521,907.91
Durauant to					
Pursuant to:					
[] Board Policy B-11 [] M.O. and Date					
[] W.O. and Date	<u> </u>		•		
			Change Order Form - Rev 10-	28-09	

.

FORM APPROVED COUNTY COUNSEL

BY: MARSHAL VICTOR DATE



W. E. O'Neil Const Co of CA 909 N. Sepulveda Blvd. Suite 400 El Segundo, CA 90245 Phone: 310-643-7900 Fax: 310-643-6541

January 07, 2010

Rizaldy Baluyot W. E. O'Neil Const Co of CA 3133 Mission Inn Avenue Suite 400 Riverside, CA 92507

Reference:

0709407 - Desert Resource Center

WEO PCI#:

EXT0059 - Furnish and install kitchen equipment - Revision 4

Dear Rizaldy Baluyot.

We hereby submit our proposal in the amount of \$366,742.00 associated with the above referenced change to the contract documents for the following:

Furnish and install the revised Kitchen Equipment per Drawing K.1-1CS - Delta 2, released on 11/11/09 and including the following Items 2 to 5, 9, 11, 12, 13, 14, 17 to 19, 21, 23, 25, 29, 31 to 34, 37, 41, 42, 46, 47, 48, 51, 52, 53, 54, 57 to 59, 62 to 65, 67 to 69, 71 to 75 per attached list of items titled Revised Delta 2.

Quotation allows for 28 calendar days at \$1,465 per day. Costs associated with Extended General Conditions shall be adjusted to reflect actual calendar days. No Extended General Conditionals shall be charged for time between January 9, 2010 (Actual Contract Completion Date) and commencement of the kitchen equipment installation for items identified herein.

WE O'Neil excludes the following:

- 1. Excludes MEP redesign, MEP relocations or field rerouting required for the new equipment.
- 2. Kitchen Equipment design revisions and MEP design work are excluded and will be provided by others.
- 3. Any conflicts between the attached list of equipment vs. Kitchen Equipment Drawings is excluded. Additional accessories not listed are also excluded.

We have enclosed a General Summary with the applicable back-up for your review.

If approved, please direct issuance of a formal Change Order in the above amount, by authorized signature below.

Respectfully,

W.E. O'NEIL CONSTRUCTION CO. OF CALIFORNIA

Erik Johnson Project Manager

Desert Resource Center 3990 Concours Suite 400 Ontario CA 91764 909 466 5300

W. E. O'Neil Const Co of CA
Signature:
Print Name:
Date:



## W. E. O'Neil Const Co of CA PCI Breakdown

# PCI#: EXT0059 Furnish and install kitchen equipment - Revision 4

Desert Resource Center Project # ( 19531 McLane Street Palm Springs, CA 92262		
Company	Description	Estimated Cost
Duray-Ducan	Furnish the revised Kitchen Equipment per Drawing K.1-1CS - Delta 2, released on 11/11/09 and including the following Items 2 to 5, 9, 11, 12, 13, 14, 17 to 19, 21, 23, 25, 29, 31 to 34, 41, 42, 46, 47, 48, 51, 52, 53, 54, 57 to 59, 62 to 65, 67 to 69, 71 to 75 per attached list of items titled Revised Delta 2.	\$ 308,053.00
W.E. O'Neil	28 calendar days General Conditions	\$ 41 000 00
W.E. O'Neil	Fee (5%)	41,020.00
W.E. O'Neil	Palm Springs City Tax (0.50%)	\$ 17,464.00 \$ 205.00

Total Cost for this PCI: \$

366,742.00

NOV 30,2009

#### **REVISED DELTA 2**

Page 1 of 11 7463D3

Project: Desert Resource Center 19531 McLane Street Palm Springs, CA 92262-0000

From:

Donald Durward Duray/J.F. Duncan Industries- CA 9301 Stewart & Gray Road Downey, CA 90241-5315 (562) 862-4269 Fax: (562) 869-1850 To:

Mr John Finn
WE O' Neil Construction
3990 Concours Dr.
Suite 400
Ontario, CA 91764
(909) 466-5300 Fax: (909) 466-0643

Revised Delta 2 quotation. Includes extending counter length and table length at dishwasher.

Millwork Pricing: Since plastic laminates vary remarkably in price, and are not usually specified when bidding, our only option is to bid a standard price as follows: Plastic laminate not to exceed \$ 1.30 a square foot.

Also removed previously purchased items by WE O'Neil

	Item	Qty	Description	Se	l Each	Sell Total
. <u>/</u>	1	1	COLD STORAGE ROOM - PER PLANS & SPECIFICATIONS Refrigerator Manufacturers Inc.	22,	565.83	22,665.83
-	2	1	REFRIGERATION SYSTEM Omni Temp Refrigeration Model No. WDEA2-AC-H-2-A-3 Limited extended compressor warranty	24,9	78.70	24,978.70
V	3A	1 lt	METRO SHELVING TO CONSIST OF THE FOLLOWING: Metro Model No. METROMAX	1,0	37.28	1,037.28
		o ea	MQ2436G MetroMax Q™ Shelf, 24" W, 36" L, open grid polymer with Micr MX63UP MetroMax i™ Post, 63" H, for use with stem casters, adjusts at 1 5PCBX MetroMax Q™ Polymer Stem Caster, brake, 5" diameter, 1-1/4" w			
/	3B	1 11	METRO SHELVING TO CONSIST OF THE FOLLOWING: Metro Model No. METROMAX	4,6	75.68	4,575.68
2		32 ea	MQ2448G MetroMax Q™ Shelf, 24" W, 48" L, open grid polymer with Mici MX63UP MetroMax I™ Post, 63" H, for use with stem casters, adjusts at 1 5PCBX MetroMax Q™ Polymer Stem Caster, brake, 5" diameter, 1-1/4" w			
0	3C	1 lt	METRO SHELVING TO CONSIST OF THE FOLLOWING: Metro Model No. METROMAX	2,4	62.40	2,462.40
		16 ea 16 ea	MQ2454G MetroMax Q™ Shelf, 24" W, 54" L, open grid polymer with Micr MX63UP MetroMax i™ Post, 63" H, for use with stem casters, adjusts at 1			

Duray/J.F. Duncan Industries- CA

NOV 30,2009		Desert Resource Center		Page 2 of 11 7463D3
Item	Qty	Description	Sell Each	Sell Total
	16 e	a 5PCBX MetroMax Q™ Polymer Stem Caster, brake, 5" diameter, 1-1/4" w		
/ 4A	1 It	METRO SHELVING TO CONSIST OF THE FOLLOWING: Metro Model No. METROMAX	591.32	591.32
(	4 e	a MQ1842G MetroMax Q <sup>™</sup> Shelf, 18" W, 42" L, open grid polymer with Micr a MX74UP MetroMax i <sup>™</sup> Post, 74" H, for use with stem casters, adjusts at 1 a 5PCBX MetroMax Q <sup>™</sup> Polymer Stem Caster, brake, 5" diameter, 1-1/4" w		
48	1 It	METRO SHELVING TO CONSIST OF THE FOLLOWING: Metro Model No. METROMAX	657.97	657.97
	4 e	a MQ2448G MetroMax Q™ Shelf, 24" W, 48" L, open grid polymer with Mici a MX74UP MetroMax i™ Post, 74" H, for use with stem casters, adjusts at 1 a 5PCBX MetroMax Q™ Polymer Stem Caster, brake, 5" diameter, 1-1/4" w		
4C	1 It	METRO SHELVING TO CONSIST OF THE FOLLOWING: Metro Model No. METROMAX	1,425.04	1,425.04
	8 ea	a MQ2454G MetroMax Q™ Shelf, 24" W, 54" L, open grid polymer with Mici a MX74UP MetroMax i™ Post, 74" H, for use with stem casters, adjusts at 1 a 5PCBX MetroMax Q™ Polymer Stem Caster, brake, 5" diameter, 1-1/4" w		
5	1 It	TRACK SHELVING TO CONSIST OF THE FOLLOWING: Metro	4,213.14	4,213.14
	5 ea 35 ea 1 ea 1	MQTTE18 MetroMax Q™ Top-Track Stationary End Unit Kit, 18" W, included MQTTM18C MetroMax Q™ Top-Track Mobile Unit Kit, 18" W, includes: can MQ1848G MetroMax Q™ Shelf, 18" W, 48" L, open grid polymer with Micra TTS11NA Super Erecta®, MetroMax Q™ Top-Track Track Set, 11' L, included the cut charge: cut track to 10'-3"  TTWM Top-Track™ Wall Mount Bracket, includes 1 pair of wall brackets to Discrepancy in the written spec. calls out for (2)stationary end unit kits and		
× ×	1	POT WASHING SINK UNIT Duray/J.F. Duncan Industries Inc		Existing
X	1 ea	DISPOSER Salvajor Model No. 200-CA-18-MRSSLD		Deleted
	1 ea	208v/60hz/3-ph, 6.6 amps LRS 6-1/2" rubber sink stopper SLE8SS Seismic leg plate, for 3/4 HP - 2 HP disposer leg 980105 Mounting bracket for MRSS-LD, ARSS-2, ARSS, ARSS-LD		Deleted Deleted Deleted Deleted
Z	1	SPARE NUMBER Spare Number		Spare No.
*	1 ea	HOSE REEL ASSEMBLY BusBoy by Nemco Model No. BSR225-SS		Deleted
***	1	SPARE NUMBER Spare Number	-	Spare No.

Duray/J.F. Duncan Industries- CA

NOV 30,20	09 Qty	Desert Resource Center  Description	Sell Each	Page 3 of 11 7463D3 Sell Total
<b>7</b> 9	1 lt	RACK UNIT TO INCLUDE THE FOLLOWING:	1,143.92	1,143.92
	8 ea	MQ2448G MetroMax Q <sup>™</sup> Shelf, 24" W, 48" L, open grid polymer with Micro MX63UP MetroMax i <sup>™</sup> Post, 63" H, for use with stem casters, adjusts at 1 5PCBX MetroMax Q <sup>™</sup> Polymer Stem Caster, brake, 5" diameter, 1-1/4" w		
100	1	SPARE NUMBER Spare Number		Spare No.
√ 11	1 It	RACK UNIT TO INCLUDE THE FOLLOWING: Metro	1,143.92	1,143.92
	8 ea	MQ2448G MetroMax Q™ Shelf, 24" W, 48" L, open grid polymer with Mici MX63UP MetroMax i™ Post, 63" H, for use with stem casters, adjusts at 1 5PCBX MetroMax Q™ Polymer Stem Caster, brake, 5" diameter, 1-1/4" w		
_12	1	PREP SINK UNIT Duray/J.F. Duncan Industries Inc	5,222.86	5,222.86
ر <del>13</del>	1 ea	DISPOSER Salvajor Model No. 200-CA-18-MRSSLD	2,742.21	2,742.21
	1 ea	208v/60hz/3-ph, 6.6 amps LRS 6-1/2" rubber sink stopper SLE8SS Seismic leg plate, for 3/4 HP - 2 HP disposer leg 980105 Mounting bracket for MRSS-LD, ARSS-2, ARSS, ARSS-LD		
₩		HOSE REEL ASSEMBLY BusBoy by Nemco Model No. BSR225-SS		Deleted
√14	1 ea	PRE-RINSE UNIT Fisher Model No. 13390	203.60	203.60
*	2	MOBILE TABLE UNIT - PER PLANS & SPECIFICATIONS Duray/J.F. Duncan Industries Inc		Existing
K	1	SPARE NUMBER Spare Number		Spare No.
V 17		CAN OPENER, MANUAL Edlund Model No. U-12L 3 ea per case	214.49	214.49
. 40	1	1 yr. limited warranty, std.		
<b>√</b> 18	1	TABLE - PER PLANS & SPECIFICATIONS Duray/J.F. Duncan Industries Inc	3,144.62	3,144.62
<del>/ 19</del>	1 ea	FOOD PROCESSOR, ELECTRIC Robot Coupe Model No. R6-02VC	3,236.58	3,236.58
<b>20</b>	1	SPARE NUMBER Spare Number		Spare No.
21	1 ea	MIXER/SLICER STAND	1,193.54	1,193.54

Duray/J.F. Duncan Industries- CA

NOV 30,20	009	Desert Resource Center		Pi	age 4 of 11 7463D3
Item	Qty	Description	Sell	Each	Sell Total
	1 1	Sammons Equipment/Shammi Industr Model No. 2607-2530-SL 5" polyurethane casters, in lieu of standard Additional brakes on 2 casters (pair) Accessory utensil/pots & pans storage rack			
Z	1 e	a MIXER, FOOD Globe Model No. SP20		*:00 <del>0000000000000000000000000000000000</del>	Existing
	1 e: 1 e:	2 year parts (excludes wear/expendable parts), 1 year labor warranty - CO 115/60/1, 10 amp a XXBOWL-20 Bowl, 20 qt., stainless steel a XXBEAT-20 Flat Beater, for 20 qt. mixer, stainless steel a XXBEAT-20SS Flat Beater, for 20 qt. mixer, stainless steel a XXHOOK-20SS Spiral Dough Hook, for 20 qt. mlxer, stainless steel			Existing Existing Existing Existing Existing Existing Existing
23	1 ea	a MIXER/SLICER STAND Sammons Equipment/Shammi Industr Model No. 2607-2730-3 5" polyurethane casters, in lieu of standard Additional brakes on 2 casters (pair)	1,1	28.17	1,128.17
24	1 ea	a SLICER, FOOD Bizerba Model No. SE12D PRO W/LIFT 120v/60/1-ph, 2.42 amps, 165 watts			Existing
<b>2</b> 5	1	TABLE WITH SINK Duray/J.F. Duncan Industries Inc	3,6	29.34	3,629.34
<u>×6</u>	1 ea	ICE MAKER, CUBE-STYLE Scotsman Ice Systems Model No. C1030SR-3A		·····	Existing
	1 ea 1 ea 1 ea 1 ea	3 year parts & labor warranties 5 year parts & labor warranties on Evaporator 5 year parts on compressor and condenser  KVS Prodigy™ Vari-Smart™ Ice Level Control, program ice bin levels to rr  KSB Prodigy SmartBoard™, uses additional operational data for fast diagr  B948S Ice Bin, w/top-hinged front-opening door,up to 893-lb ice storage ca  KBT22A Bin Top, for use with all 30" modular cubers, flakers or nugget ma  KLP7 Legs w/Flanged Feet, 6", for B series bins or HD dispensers			Existing Existing Existing Existing Existing Existing Existing Existing Existing
	1 ea 1 ea 1 ea 1	KHOLDER Ice Scoop Holder, fits all modular ice storage bins, stainless sta ADS-AP2 AquaPatrol™ Water Filtration System, double system, designed ERC311-32A Condenser Unit, Remote Refrigeration, designed for outdoor 3 year parts & labor warranties RTE40 Precharged R-404A Tubing, 40 ft. Installation			Existing Existing Existing Existing Existing Existing Existing
24	1	FLOOR GRATE AND PAN - PER PLANS & SPECIFICATIONS  Duray/J.F. Duncan Industries Inc  Previously purchased by WE O'Neil	IN PR	158	Included
28	1 ea	REFRIG REACH-IN DELETED PER WATT'S Comments	9,46	3.58	9,463.58

Duray/J.F. Duncan Industries- CA

NOV 30,2009		Desert Resource Center			Page 5 of 11 7463D3
Item	Qty	Description	Sell	Each	Sell Total
	1 1 1 2 1	Traulsen Model No. RHT232WUT-HHS  115v/60/1ph, w/cord & plug attached, standard  1 yr service/labor, 5 yr compressor & 2 yr control warranty (std.) Left door hinged left/right hinged right, standard Additional chrome plated shelf S/S flanged legs, 6" high (set of 4)			The second of th
29	2	MOBILE TABLE UNIT - PER PLANS & SPECIFICATIONS Duray/J.F. Duncan Industries Inc	1,8	23.76	3,647.52
<b>X</b> C	1	SPARE NUMBER Spare Number			Spare No.
31	3 ea 3 3 3 3	RACK, MOBILE TRAY, NARROW OPENING Sammons Equipment/Shammi Industr Model No. 9587-UA-13 5" polyurethane casters Wheel brakes (pair) Floor lock (5") Corner bumpers (set of 4) Vertical pan stop	1,1	06.40	3,319.20
32	1 1 1 1 ea 1	RANGE, GAS, HEAVY-DUTY, 34" Garland/US Range Model No. MST44R-E One year limited parts and labor warranty, covers products purchased and Natural gas, specify elevation if over 2,000 ft 1" Rear gas connection,including "Tee" in manifold,end cap & cover (Cons 2591998 Gas Flex Hose w/Quick Disconnect & Restraining Device, 1" N.F Casters with polyurethane wheels NOTE: Oven base ranges require either Highshelf or backguard M34LPBG Master Series Low Profile Backguard/Flue Riser, 10" H x 34" W	5,6	15.38	5,615 38
33		FAUCET, POT FILLER T & S Brass Model No. B-0610-JJ	3	63.54	727.08
34	1 1 1	BRAISING PAN, GAS Cleveland Model No. SGL30TR One year limited warranty, standard Natural Gas 120v/60/1-ph, 1.8 amps, std. PT1 Power tilt with hand tilt override PCS Pan Carrier, for floor models	13,9	29.62	13,929.62
35.	1	FLOOR GRATE AND PAN - PER PLANS & SPECIFICATIONS  Duray/J.F. Duncan Industries Inc  Previously purchased by WE O'Neil	18	}	Included
<b>36</b> .	1 ea	CONVECTION OVEN, GAS Garland/US Range Model No. MCO-GS-20-S			Existing

Duray/J.F. Duncan Industries-CA

NOV 30,2009		Desert Resource Center		Page 6 of 11 7463D3
Item	Qty	Description	Sell Each	
	1 1 1 1 1 ea	One year limited parts and labor warranty, covers products purchased and Natural gas, specify elevation if over 2,000 ft 120v/60/1-ph, 2@9.4 amps, std. Swivel casters w/front brakes (set of four) 1591502 Gas Flex Hose w/Quick Disconnect & Restraining Device, 3/4" N		Existing Existing Existing Existing Existing
✓ 37A	1 ea 1 1 1	COMBI OVEN, GAS, HALF SIZE RATIONAL Model No. SCC 61G Standard warranty: 2 year parts and labor warranty with registration of unit Natural Gas 120/60/1ph Rational Certified Installation (price does NOT include installation kits) 8720.1560US Installation Kit "10", for gas SCC/CM 61G (120/60/1), SCC/C Mobile stacking kit for item #37B	16,111.94	
₩ 37B	1 1 ea 1	gas flex hose w/quick disconnect & 2-restraining device, 3/4" NPT x 5'  COMBI OVEN, GAS, HALF SIZE  RATIONAL Model No. SCC 61G  Standard warranty: 2 year parts and labor warranty with registration of unit	16,111.94	16,111.94
<b>3</b> 8	1 1 1 ea	Natural Gas 120/60/1ph Rational Certified Installation (price does NOT include installation kits) 8720.1560US Installation Kit "10", for gas SCC/CM 61G (120/60/1), SCC/C		
<b>7</b> 4	1 1 1 1 ea 1	RANGE, GAS, HEAVY-DUTY, 34" Garland/US Range Model No. MST44R-E One year limited parts and labor warranty, covers products purchased and Natural gas, specify elevation if over 2,000 ft 1" Rear gas connection,including "Tee" in manifold,end cap & cover (Cons 2591998 Gas Flex Hose w/Quick Disconnect & Restraining Device, 1" N.F Casters with polyurethane wheels NOTE: Oven base ranges require either Highshelf or backguard M34LPBG Master Series Low Profile Backguard/Flue Riser, 10" H x 34" W		Existing Existing Existing Existing Existing Existing Existing Existing Existing
<b>3</b> ⁄ <u>/</u> 4	1 ea  1  1  1  1  1 ea  1 ea  1 ea  1 ea  1 ea	RANGE, GAS, HEAVY-DUTY, 17" Garland/US Range Model No. MST4S-E One year limited parts and labor warranty, covers products purchased and Natural gas, specify elevation if over 2,000 ft 1" Rear gas connection, including "Tee" in manifold, end cap & cover (Cons 2591998 Gas Flex Hose w/Quick Disconnect & Restraining Device, 1" N.F CK1128 Swivel Casters, set of four (4) 2 locking, 2 non-locking M17LPBG Master Series Low Profile Backguard/Flue Riser, 10" H x 17" W S/S side - left S/S side - right		Deleted  Deleted
<b>3</b> 99	1	SPARE NUMBER Spare Number		Spare No.

Duray/J.F. Duncan Industries- CA

NO	V 30,2009		Desert Resource Center		Page 7 of 11
Iten	1	Qty	Description	Sell Each	7463D3 Sell Total
40	The Committee of the Co	1	SPARE NUMBER Spare Number		Spare No.
41		1 ea	RANGE, GAS, HEAVY-DUTY, 34" Garland/US Range Model No. MST47R-E	5,732.63	5,732.63
		1 1 1 1 ea	One year limited parts and labor warranty, covers products purchased and Natural gas, specify elevation if over 2,000 ft 1-1/4" Front gas connection is std.  CK1128 Swivel Casters, set of four (4) 2 locking, 2 non-locking		
		1 ea 1 ea	NOTE: Oven base ranges require either Highshelf or backguard M34LPBG Master Series Low Profile Backguard/Flue Riser, 10" H x 34" W 2670400 Natural Gas Regulator, 1-1/4" N.P.T. (Consult spec sheet and sp		
-42A		2 ea	FRYER, GAS Dean Industries Model No. HD50GDD	7,523.09	15,046.18
		2 2 2 2 2 ea 1 ea 1	Natural gas 120v/60/1-ph, fryer control Electronic ignition Basket lifts w/mechanical timer NOTE: Casters are required with basket lifts, for gas fryers 806-1700 Quick Disconnect, 3/4" x 48" 75UFF(2) Super Cascade Fryer Filter, built-under (2) fryers, 4 gallons per 120v/60/1-ph, 6.2 amps for filter system Casters, set of 4, std		
42B	· · · · · · · · · · · · · · · · · · ·	1 ea	DRAIN CABINET Dean Industries Model No. 15MC	683.42	683,42
		1 - 1 .	NOTE: Must specify location of cabinet in fryer line-up 120v/60/1, 6.9amps, standard Cabinet top: Solid top (no cut out std.)		
42C		1	DRAIN CABINET Dean Industries Model No. 15MC NOTE: Must specify location of cabinet in fryer line-up 120v/60/1, 6.9amps, standard Cabinet top: Dump station w/food warmer	1,223.86	1,223.86
45	antidata (1949-1944) (1944-1944) (1944-1944) (1944-1944) (1944-1944) (1944-1944) (1944-1944) (1944-1944) (1944	1	EXHAUST VENTILATOR, TYPE 1 - PER PLANS & SPECS Halton Company *DURAY hanger rods & closure panels Previously purchased by WE O'Neil	PC/58	ncluded
<b>X</b> C		1	EXHAUST VENTILATOR, TYPE 1 - PER PLANS & SPECIFICATIONS Halton Company	Pe/53	Included Included
<b>¥</b> 5			Previously purchased by WE O'Neil		Included Included
•			Duray/J.F. Duncan Industries CA	00/58	Included

NOV 30,2009		Desert Resource Center			Page 8 of 11 7463D3
Item	Qty	Description	Sel	Each	Sell Total
*Acceptance of a different section of the section o		Ansul Fire Protection Model No. R102			- All Color (Color Color
	1	Permit Fee			Included
		Previously purchased by WE O'Neil			Included
46	1	TABLE WITH SINK Duray/J.F. Duncan Industries Inc	4,4	95.78	4,495.78
47	1	CLEAN DISHTABLE - PER PLANS & SPECIFICATIONS Duray/J.F. Duncan Industries Inc	2,0	17.65	2,017.65
<b>3</b> 48'	1 ea	DISHWASHER, CONVEYOR TYPE Champion Model No. 44DRWS			Deleted
	1	One year limited warranty, std.			Deleted
	1	Single-point electrical connection, std			Deleted
	1	Electric tank heat w/thermostat & low-water cutoff, 18 kw, std.			Deleted
	1	Booster Heater, 16 kw electric, built-in, 70 degree rise			Deleted
	1	208y/60/3, 115 0 amps (dishwasher & 16 kw hooster)		-	Deleted
	1	Right to left operation			Deleted
	1	24" Vertical clearance through machine (Contact factory for price)			Deleted
	1	Stainless steel vent cowl w/7" stack & locking dampers (set)			Deleted
	1	Table limit switch (unmounted)(recommended on all conveyor models)			Deleted
	1	Water pressure regulating valve (mounted only on KL & WaterSaver serie:			Deleted
	1	Cantilever side loader, 24", with hood			Deleted
<del>- 48</del>	1 ea	DISHWASHER, CONVEYOR TYPE Champion Model No. 44DRWS	20,2	256.45	20,256.45
	1	One year limited warranty, std.			
	1	Single-point electrical connection, std			
	1	Electric tank heat w/thermostat & low-water cutoff, 18 kw, std.			
	1	Booster Heater, 16 kw electric, built-in, 70 degree rise			Included
	1	208v/60/3, 115.0 amps (dishwasher & 16 kw booster)			
	1	Right to left operation			
	1	Table limit switch (unmounted)(recommended on all conveyor models)			
<del>99</del>	2	EXHAUST DUCTS, TYPE II, HEAT & VAPOR			Existing
		Duray/J.F. Duncan Industries Inc			
50	1	SPARE NUMBER	***************************************		Spare No.
		Spare Number			
51	1	SOILED DISHTABLE Duray/J.F. Duncan Industries Inc	11,5	12.10	11,512.10
<b>52</b>	1 ea	DISPOSER Salvajor Model No. 200-SA-6-MRSS-LD	2,4	73.22	2,473.22
	1	208v/60hz/3-ph, 6.6 amps			
		M2357 Rubber scrap ring			
	1 ea	SLE8SS Seismic leg plate, for 3/4 HP - 2 HP disposer leg			

Duray/J.F. Duncan Industries- CA

NOV 30,20	009	Desert Resource Center		Page 9 of 11 7463D3
Item	Qty	Description	Sell Each	Sell Total
	1 ea	980105 Mounting bracket for MRSS-LD, ARSS-2, ARSS, ARSS-LD		
580	1 ea	HOSE REEL ASSEMBLY BusBoy by Nemco Model No. BSR225-SS		Deleted
53	1 ea	PRE-RINSE UNIT Fisher Model No. 13390	203.60	203.60
54	1	COUNTER WITH SINK Duray/J.F. Duncan Industries Inc	4,211.01	4,211.01
	1	*** OPTIONAL *** ( ) GREEN Millwork	2,220.00	2220.00
<b>&gt;</b> 50	1 ea	HEATED CABINET, MOBILE Carter-Hoffmann Model No. PH1835		Existing
	1 1 1	1 Year parts and labor (exclusions apply) Stainless steel 1" tubular handle in lieu of aluminum Dutch door Thermometer protector cover		Existing Existing Existing Existing
<b>5</b> 60	1 1 1	REFRIG REACH-IN Traulsen Model No. RHT232WUT-HHS  115v/60/1ph, w/cord & plug attached, standard 1 yr service/labor, 5 yr compressor & 2 yr control warranty (std.) Left door hinged left/right hinged right, standard	9.463.58 4775 Co	076258
thronium/ethorne group and a second	2 1	Additional chrome plated shelf S/S flanged legs, 6" high (set of 4)		
57	1	S/S COUNTER - PER PLANS & SPECIFICATIONS Duray/J.F. Duncan Industries Inc	1,975.23	1,975.23
	1	*** OPTIONAL *** ( ) GREEN Millwork	1,280.00	1280.00
58	1	COUNTER - PER PLANS & SPECIFICATIONS Duray/J.F. Duncan Industries Inc	4,108.00	4,108.00
59	1	TRAY STANDS - PER PLANS & SPECIFICATIONS	727.05	727.05
	1	Duray/J.F. Duncan Industries Inc GREEN Millwork	-	
60.	1	SPARE NUMBER Spare Number		Spare No.
Ø	1 ea	DISPLAY CASE, REFRIGERATED SELF-SERVE Federal Industries Model No. RSSM-560SC		Deleted
	1 1 1 1	Self-contained refrigeration standard 120/208v-240v/60/1, 1 hp., 15.0 amps Five year compressor warranty (nc) (for self-contained units only) Self contained line-ups (with two or more units plexiglass divider is provide Laminate special color (Formica/Wilsonart) standard offerings - Note: othe		Deleted Deleted Deleted Deleted Deleted

Duray/J.F. Duncan Industries- CA

NOV 30,2009	Desert Resource Center		. F	Page 10 of 11 7463D3	
Item	Qty	Description	Sell Each	Sell Total	
	1	Sound deadening kit, foam insulated base Rear access doors		Deleted	
	4			Deleted	
	1	Black interior (including shelves)		Deleted	
	1	Mirrored stainless steel interior ends		Deleted	
	1	Security night cover		Deleted	
<b>6</b> 40		Cord & plug (6 ft.) (for self-contained units only)		Deleted	
<b>XX</b>	1	SPARE NUMBER Spare Number		Spare No.	
62	1 ea	DROP-IN COLD FOOD UNIT	3,138.33	3,138.33	
		Marsal and Sons Inc. Model No. 8173	5,100.00	0,100.00	
	1	115v/60/1-ph, 6' cord w/NEMA 5-15P plug, std.			
63	1	SERVING COUNTER - PER PLANS & SPECIFICATIONS	30,007.80	30,007.80	
		Duray/J.F. Duncan Industries Inc			
	1	GREEN Millwork			
	1 lt	BRASSMTH ZG7500-2 ZGuard sneeze guards (Total of 6 units) Per Delta			
	1.	Finish TBD			
	1 ea	BRASSMTH MWU5 Below counter mount heavy duty flange			
64	1 ea	FOOD WARMER, DROP-IN, ELECTRIC	1,944.84	1,944.84	
	1	Wells Model No. MOD-400TDM			
65		21709 Drain Screen			
00	2 ea	DROP-IN COLD FOOD UNIT  Marsal and Sons Inc. Model No. 8145	2,619.90	5,239.80	
	2	115v/60/1-ph, 6' cord w/NEMA 5-15P plug, std.			
<b>36</b>	1 ea	DISPLAY CASE, REFRIGERATED SELF-SERVE		Deleted	
		Federal Industries Model No. RSSM-460SC		Deleted	
	1	Self-contained refrigeration standard		Deleted	
	1	120/208v-240v/60/1, 3/4 hp., 13.0 amps		Deleted	
	1	Five year compressor warranty (nc) (for self-contained units only)		Deleted	
	1	Self contained line-ups (with two or more units plexiglass divider is provide		Deleted	
	1	Laminate special color (Formica/Wilsonart) standard offerings - Note: othe		Deleted	
	1	Sound deadening kit, foam insulated base		Deleted	
	1	Rear access doors		Deleted	
	1	Black interior (including shelves) Mirrored stainless steel interior ends		Deleted	
	1	Security night cover		Deleted	
	1	Cord & plug (6 ft.) (for self-contained units only)		Deleted	
Ser .	1	SPARE NUMBER		Deleted	
	•	Spare Number		Spare No.	
37	1	SERVING COUNTER - PER PLANS & SPECIFICATIONS	8,900.67	8,900.67	
		Duray/J.F. Duncan Industries Inc	0,900.07	0,800.07	

Duray/J.F. Duncan Industries- CA

	NOV 30,2009	Desert Resource Center		Page 11 of 11 7463D3	
	Item	Qty	Description	Sell Each	Sell Total
,	\$	1	GREEN Millwork		
	68	1 ea	DISPENSER, RACK Eagle Group Model No. 359139	929.42	929.42
V	69		COFFEE BREWER WITH SATELLITES Bunn-O-Matic Model No. DUAL-0010 EQHP-10-0004 39000.0004 EQHP-10 Easy Clear® Water Filter, high perf	2,091.55	2,091.55
	<b>X</b> 0	1	SPARE NUMBER Spare Number		Spare No.
	71	1 lt	CORNER GUARDS - PER PLANS & SPECIFICATIONSC 25 REQ'D Duray/J.F. Duncan Industries Inc	1,666.23	1,666.23
سمن	72	1 ea	WATER FILTER ASSEMBLY Everpure Model No. EV9797-22	557.43	557.43
/	73	1 ea	AIR CURTAIN Curtron Model No. IBD-TQ-2-36-1	735.50	735.50
~	74	1 ea	CART, DISH Cambro Model No. TDC30-180	660.42	660.42
/	75	2 ea	CART, UTILITY Cambro Model No. BC235-180  # FA	381.69	763.38 2,096.00
		-		Γotal	281,970.84
			Grand 1		308,053.00