

**SUBMITTAL TO THE BOARD OF SUPERVISORS
COUNTY OF RIVERSIDE, STATE OF CALIFORNIA**

726A



FROM: TLMA – Transportation Department

SUBMITTAL DATE:
May 29, 2014

SUBJECT: Whittier Avenue Sidewalk and Resurfacing Project, Yale Street to Cornell Street in the Community of East Hemet. 3rd/3rd District; [\$845,700]; Federal Funds 36%, Local Funds 64%

RECOMMENDED MOTION: That the Board of Supervisors:

1. Approve one addendum to the plans and specifications issued prior to the April 2, 2014, bid opening; and
2. Accept the low bid of R-JS General Construction, Inc. of Riverside, CA in the amount of \$845,700; and
3. Award the contract to R-JS General Construction, Inc. and authorize the Chairman of the Board to execute the contract documents; and
4. Approve the project's proposed budget as shown on Attachment "A."

JCP:jrj:sb

Patricia Romo

Patricia Romo

Juan C. Perez, Director of Transportation and Land Management

Assistant Director of Transportation

FINANCIAL DATA	Current Fiscal Year:	Next Fiscal Year:	Total Cost:	Ongoing Cost:	POLICY/CONSENT (Per Exec. Office)
COST	\$ 0	\$ 845,700	\$ 845,700	\$ 0	Consent <input type="checkbox"/> Policy <input checked="" type="checkbox"/>
NET COUNTY COST	\$ 0	\$ 0	\$ 0	\$ 0	
SOURCE OF FUNDS: Federal Safe Routes to School (36%), SB 821 Local Transportation Funds (12%), and Measure A/Western (52%). There are no General Funds used for these projects.				Budget Adjustment: No	
				For Fiscal Year: 2014/2015	

C.E.O. RECOMMENDATION:

APPROVE

BY: *Tina Granda*

Tina Granda

County Executive Office Signature

MINUTES OF THE BOARD OF SUPERVISORS

FORM APPROVED COUNTY COUNSEL
BY: *J. K. Victor* 6/2/14
DATE
MARSHAL VICTOR

- A-30
- Positions Added
- 4/5 Vote
- Change Order

Prev. Agn. Ref.: 3/11/14, Item 3-40

District: 3/3

Agenda Number:

3-67

Departmental Concurrence

SUBMITTAL TO THE BOARD OF SUPERVISORS, COUNTY OF RIVERSIDE, STATE OF CALIFORNIA
FORM 11: Whittier Avenue Sidewalk and Resurfacing Project, Yale Street to Cornell Street in the Community of East Hemet. 3rd/3rd District; [\$845,700]; Federal Funds 36%, Local Funds 64%

DATE: May 29, 2014

PAGE: 2 of 2

BACKGROUND:

Summary

By Minute Order dated March 11, 2014 (Agenda Item 3-40), the Board of Supervisors authorized the Clerk of the Board to advertise for the construction of the Whittier Avenue Sidewalk Project, Yale Street to Cornell Street in the community of East Hemet.

During the advertisement period, one addendum was issued to all registered plan holders as a supplement to the plans and specifications. Bidders are required to acknowledge and take into account all issued addenda on their Contractor's Bid in order to be considered for award. The addendum was issued to include additional road resurfacing work and also to clarify and modify the approved contract documents. The addendum is attached and designated as Addendum No. 1.

Five bids were received on April 2, 2014, ranging from \$845,700 to \$1,001,187. The basis for the selection of a contractor is the lowest responsive and responsible bid. The lowest responsible bid was submitted by R-JS General Construction, Inc. (R-JS), in the amount of \$845,700, which is \$2,610 (0.3%) higher than the Engineer's Estimate. The bid received from R-JS is within the bid target range set forth for this project.

The construction duration set for this project is for two (2) months, and construction is anticipated to be completed during summer of 2014.

The contractor has executed the contract, and provided bond documents, which meet the requirements of the contract.

Federal Aid No.: SRTSL – 5956 (212)

Project No. C2-0142 (Sidewalk improvement)

C4-0080 (Resurfacing improvement)

Impact on Residents and Businesses

The proposed improvements will improve safety for pedestrians and motorists and will provide an Americans with Disabilities Act (ADA) compliant path.

The new road surface will extend the life of the road by at least 15 years.

SUPPLEMENTAL:

Additional Fiscal Information

The contract is recommended to be awarded to R-JS for the total amount of \$845,700. The project is funded with Federal Safe Routes to School funds, SB 821 Local Transportation funds, for which the County successfully competed and obtained, and with Measure A/Western funds. There are no General Funds used for these projects.

Contract History and Price Reasonableness

N/A

Attachment "A"

Riverside County Transportation Department

Project: **WHITTIER SIDEWALK & RESURFACING PROJECT : YALE ST. to CORNELL ST.**

Project No.(s): **C2-0142 & C4-0080**

Expenses as of: 5-16-2014

Project Costs and Budget

Activity	Incurred Costs	Projected Costs	Total Costs	Existing Budget	Proposed Budget
Preliminary Survey	27,922		28,000	46,000	28,000
Environmental	93,545		94,000	25,000	94,000
Design	177,927		178,000	60,000	178,000
Right-of-way					
Utilities				10,000	
Construction		845,700	931,000	462,000	931,000
Construction Contingency		84,570			
Construction Engineering & Inspection	14,971	111,029	126,000	69,000	126,000
Construction Survey		36,000	66,000	36,000	66,000
Totals:	314,365	1,077,299	1,423,000	708,000	1,423,000

Project Funding

Code	Name	Existing Budget	Proposed Budget
132	SRTS - Safe Routes to Schools	510,000	442,000
240	SB 821 (Local Transportation Funds)	163,000	113,000
300	Measure A/Western	35,000	868,000
Totals		708,000	1,423,000



Comments

Updated with R-JS General Construction unit costs from April 2, 2014 Bid.

COUNTY OF RIVERSIDE
TRANSPORTATION DEPARTMENT

WHITTIER AVENUE
SIDEWALK SAFETY PROJECT
YALE ST TO CORNELL ST
IN THE COMMUNITY OF EAST HEMET

PROJECT No. C2-0142
FEDERAL AID No. SRTSL 5956 (212)



VICINITY MAP
TOWNSHIP 5S RANGE 1W SECTION 14, & 15
COUNTY ROAD BOOK PAGE No. 110

Form 11 Attachment

Contract/Lease/Purchase Summary Data

Contract (for Services)

- Approval/Renewal
- Sole Source
- Personal Services
- Independent Contractor
- Other than Low Bid
- Change Order
- Public Works

Lease

- Approval/Renewal
- Multi-Year Lease
- Equipment
- Real Property
- Change Order

Purchase (for Materials)

- Sole Source
- Other than Low Bid
- Change Order

Selection Committee Member Names (RFP=s Only)

User Department:	Transportation Department
-------------------------	----------------------------------

N/A

Vendor/Lessor Name:	R-JS General Construction
----------------------------	----------------------------------

Minority Status:

M W DV None

Vendor/Lessor Location:	Riverside, CA
--------------------------------	----------------------

Local Preference Applied: Yes No N/A

Local Preference Award Cost \$
(5% maximum preference)

Local Preference FYTD: Cost \$

of Orders

Applicable Board Policy #

Comments:

RFQ/RFP Process:

Date Mailed:
Response Date:
of Responses:
of Qualified Responses:

Bidding Process:

Bid Range: \$845,700.00 to \$1,001,187.00
Local Bid Range: N/A
Responsive and
Responsible Bid Range: \$845,700.00 to \$1,001,187.00

Note: Selection of low bid based on the sum of all bid schedules, whether or not all bid schedules are awarded.

Contract/Lease Renewals Only

Existing Agreement Items

Proposed Agreement Items

1. Rates
2. Terms
3. Conditions
4. Legal Issues
5. Accountability
6. Utilities

(continue on blank sheet if necessary)

NOTE: COMPETITIVELY BID PUBLIC WORKS CONTRACT

**Riverside County Transportation Department
Summary of Bids**

PROJECT: Whittier Avenue Sidewalk and Resurfacing Project, Yale Street to Cornell Street, in the Community of East Hemet

Advertised: March 11, 2014 (Agenda Item: 3-40)
Addenda: 1(3/20/14)

Bids Open: 2 pm Date: Wednesday, April 2, 2014

PROJECT No. C2-0142, C4-0080, SRTSL-5956(212)

ITEM NO.	ITEM CODE	CONTRACT ITEM	UNITS	COUNTY'S ESTIMATE			R-JS General Construction Riverside, CA 92509		
				QUANTITY	UNIT PRICE	ENG ESTIMATE		BID UNIT PRICE	BID ESTIMATE
1	066102	DUST ABATEMENT	LS	1	4,000.00	4,000.00	2,500.00	2,500.00	
2	074020	WATER POLLUTION CONTROL	LS	1	3,000.00	3,000.00	3,500.00	3,500.00	
3	120100	TRAFFIC CONTROL SYSTEM	LS	1	8,000.00	8,000.00	6,000.00	6,000.00	
4	170101	DEVELOP WATER SUPPLY	LS	1	5,000.00	5,000.00	2,800.00	2,800.00	
5	160101	CLEARING AND GRUBBING	LS	1	15,000.00	15,000.00	8,000.00	8,000.00	
6	152370	RELOCATE MAILBOX	EA	24	250.00	6,000.00	80.00	1,920.00	
7	152379	RELOCATE FENCE AND GATE	LF	266	25.00	6,650.00	35.00	9,310.00	
8	152381	RELOCATE GATE	EA	2	1,000.00	2,000.00	350.00	700.00	
9	152390	RELOCATE ROADSIDE SIGN	EA	14	150.00	2,100.00	275.00	3,850.00	
10	152440	ADJUST MANHOLE TO GRADE	EA	10	500.00	5,000.00	850.00	8,500.00	
11	160120	REMOVE TREE	EA	6	3,000.00	18,000.00	500.00	3,000.00	
12	153103	COLD PLANE ASPHALT CONCRETE PAVEMENT	SQYD	14,130	3.00	42,390.00	4.00	56,520.00	
13	190101	ROADWAY EXCAVATION	CY	210	50.00	10,500.00	35.00	7,350.00	
14	260201	CLASS 2 AGGREGATE BASE	CY	150	50.00	7,500.00	50.00	7,500.00	
15	390130	HOT MIX ASPHALT	TON	2,500	75.00	187,500.00	95.00	237,500.00	
16	013903	PLACE ASPHALT CONCRETE DIKE (CRS 212) (6")	LF	550	25.00	13,750.00	9.00	4,950.00	
17	394002	PLACE ASPHALT CONCRETE (MISCELLANEOUS AREA)	SQYD	40	10.00	400.00	20.00	800.00	
18	017305	MINOR CONCRETE (CURB AND GUTTER) (CRS 201)	LF	2,320	15.00	34,800.00	35.00	81,200.00	
19	017310	MINOR CONCRETE (DRIVEWAY APPROACH) (CRS 207)	SqFT	3,900	10.00	39,000.00	8.00	31,200.00	
20	731516	MINOR CONCRETE (DRIVEWAY)	SqFT	3,000	10.00	30,000.00	6.00	18,000.00	
21	017302	MINOR CONCRETE (CROSS-GUTTER) (CRS 209)	SqFT	6,400	8.00	51,200.00	5.50	35,200.00	
22	017303	MINOR CONCRETE (SPANDREL) (CRS 209)	SqFT	5,400	8.00	43,200.00	5.50	29,700.00	
23	731521	MINOR CONCRETE (SIDEWALK)	SqFT	8,400	7.00	58,800.00	4.50	37,800.00	
24	731502	MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION)	SqFT	200	10.00	2,000.00	4.50	900.00	
25	731501	MINOR CONCRETE (MONOLITHIC CURB AT BACK OF WALK)	LF	1,400	7.00	9,800.00	9.00	12,600.00	
26	017315	MINOR CONCRETE (CURB RAMP) (CRS 403 - CASE A)	EA	2	3,500.00	7,000.00	1,450.00	2,900.00	
27	017316	MINOR CONCRETE (CURB RAMP) (CRS 403 - CASE B)	EA	9	2,500.00	22,500.00	1,450.00	13,050.00	
28	731623	MINOR CONCRETE (CURB RAMP) (APWA 111-4 CASE D, TYPE 1)	EA	8	1,500.00	12,000.00	1,200.00	9,600.00	
29	731655	CURB RAMP DETECTABLE WARNING SURFACE	EA	5	500.00	2,500.00	650.00	3,250.00	
30	719530	PRIVATE DRAIN THROUGH CURB (CRS 310)	EA	2	250.00	500.00	50.00	100.00	
31	840519	THERMOPLASTIC CROSSWALK AND PAVEMENT MARKING	LS	1	5,000.00	5,000.00	8,500.00	8,500.00	
32	015602	FUNDING AWARENESS SIGN	EA	4	1,000.00	4,000.00	1,500.00	6,000.00	
33	760090	MOBILIZATION, DEMOBILIZATION, AND FINAL CLEANUP	LS	1	40,000.00	40,000.00	20,000.00	20,000.00	
34	390137	RUBBERIZED HOT MIX ASPHALT (GAP GRADED)	TON	1,800	80.00	144,000.00	95.00	171,000.00	
PROJECT TOTAL							843,090.00		845,700.00
ITEMS 1 - 34									

**Riverside County Transportation Department
Summary of Bids**

**PROJECT: Whittier Avenue Sidewalk and Resurfacing Project, Yale Street to
Cornell Street, in the Community of East Hemet**

Advertised: March 11, 2014 (Agenda Item: 3-40)
Addenda: 1(3/20/14)

Bids Open: 2 pm Date: Wednesday, April 2, 2014

PROJECT No. C2-0142, C4-0080, SRTSL-5956(212)

ITEM NO.	ITEM CODE	CONTRACT ITEM	UNITS	2		3		
				Quantity	Bid Unit Price	Bid Estimate	Bid Unit Price	Bid Estimate
1	066102	DUST ABATEMENT	LS	1	2,500.00	2,500.00	7,000.00	7,000.00
2	074020	WATER POLLUTION CONTROL	LS	1	2,500.00	2,500.00	5,000.00	5,000.00
3	120100	TRAFFIC CONTROL SYSTEM	LS	1	16,000.00	16,000.00	36,000.00	36,000.00
4	170101	DEVELOP WATER SUPPLY	LS	1	510.00	510.00	7,000.00	7,000.00
5	160101	CLEARING AND GRUBBING	LS	1	15,000.00	15,000.00	24,000.00	24,000.00
6	152370	RELOCATE MAILBOX	EA	24	300.00	7,200.00	200.00	4,800.00
7	152379	RELOCATE FENCE AND GATE	LF	266	25.00	6,650.00	30.00	7,980.00
8	152381	RELOCATE GATE	EA	2	1,100.00	2,200.00	1,500.00	3,000.00
9	152390	RELOCATE ROADSIDE SIGN	EA	14	125.00	1,750.00	200.00	2,800.00
10	152440	ADJUST MANHOLE TO GRADE	EA	10	650.00	6,500.00	900.00	9,000.00
11	160120	REMOVE TREE	EA	6	1,400.00	8,400.00	1,300.00	7,800.00
12	153103	COLD PLANE ASPHALT CONCRETE PAVEMENT	SQYD	14,130	1.20	16,956.00	3.11	43,944.30
13	190101	ROADWAY EXCAVATION	CY	210	40.00	8,400.00	48.00	10,080.00
14	260201	CLASS 2 AGGREGATE BASE	CY	150	40.00	6,000.00	48.00	7,200.00
15	390130	HOT MIX ASPHALT	TON	2,500	72.00	180,000.00	72.50	181,250.00
16	013903	PLACE ASPHALT CONCRETE DIKE (CRS 212) (6")	LF	550	14.00	7,700.00	8.76	4,818.00
17	394002	PLACE ASPHALT CONCRETE (MISCELLANEOUS AREA)	SQYD	40	54.00	2,160.00	63.00	2,520.00
18	017305	MINOR CONCRETE (CURB AND GUTTER) (CRS 201)	LF	2,320	28.00	64,960.00	30.00	69,600.00
19	017310	MINOR CONCRETE (DRIVEWAY APPROACH) (CRS 207)	SQFT	3,900	7.00	27,300.00	7.11	27,729.00
20	731516	MINOR CONCRETE (DRIVEWAY)	SQFT	3,000	7.00	21,000.00	7.11	21,330.00
21	017302	MINOR CONCRETE (CROSS-GUTTER) (CRS 209)	SQFT	6,400	13.00	83,200.00	11.50	73,600.00
22	017303	MINOR CONCRETE (SPANDREL) (CRS 209)	SQFT	5,400	13.00	70,200.00	11.50	62,100.00
23	731521	MINOR CONCRETE (SIDEWALK)	SQFT	8,400	5.50	46,200.00	4.85	40,740.00
24	731502	MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION)	SQFT	200	5.50	1,100.00	10.00	2,000.00
25	731501	MINOR CONCRETE (MONOLITHIC CURB AT BACK OF WALK)	LF	1,400	8.00	11,200.00	14.00	19,600.00
26	017315	MINOR CONCRETE (CURB RAMP) (CRS 403 - CASE A)	EA	2	2,400.00	4,800.00	2,100.00	4,200.00
27	017316	MINOR CONCRETE (CURB RAMP) (CRS 403 - CASE B)	EA	9	2,400.00	21,600.00	2,100.00	18,900.00
28	731523	MINOR CONCRETE (CURB RAMP) (APWA 111-4 CASE D, TYPE 1)	EA	8	2,400.00	19,200.00	2,100.00	16,800.00
29	731655	CURB RAMP DETECTABLE WARNING SURFACE	EA	5	400.00	2,000.00	500.00	2,500.00
30	719530	PRIVATE DRAIN THROUGH CURB (CRS 310)	EA	2	225.00	450.00	500.00	1,000.00
31	840519	THERMOPLASTIC CROSSWALK AND PAVEMENT MARKING	LS	1	5,000.00	5,000.00	10,908.70	10,908.70
32	015602	FUNDING AWARENESS SIGN	EA	4	725.00	2,900.00	750.00	3,000.00
33	760090	MOBILIZATION, DEMOBILIZATION, AND FINAL CLEANUP	LS	1	72,562.00	72,562.00	36,000.00	36,000.00
34	390137	RUBBERIZED HOT MIX ASPHALT (GAP GRADED)	TON	1,800	86.00	154,800.00	86.00	154,800.00
PROJECT TOTAL						898,898.00		929,000.00
ITEMS 1 - 34								

**Riverside County Transportation Department
Summary of Bids**

Advertised: March 11, 2014 (Agenda Item: 3-40)

Addenda: 1(3/20/14)

Bids Open: 2 pm Date: Wednesday, April 2, 2014

PROJECT: Whittier Avenue Sidewalk and Resurfacing Project, Yale Street to Cornell Street, in the Community of East Hemet

PROJECT No. C2-0142, C4-0080, SRTSL-9956(212)

ITEM NO.	ITEM CODE	CONTRACT ITEM	UNITS	QUANTITY	4		5	
					BID UNIT PRICE	BID ESTIMATE	BID UNIT PRICE	BID ESTIMATE
1	066102	DUST ABATEMENT	LS	1	3,200.00	3,200.00	6,599.00	6,599.00
2	074020	WATER POLLUTION CONTROL	LS	1	9,000.00	9,000.00	4,999.00	4,999.00
3	120100	TRAFFIC CONTROL SYSTEM	LS	1	16,000.00	16,000.00	10,999.00	10,999.00
4	170101	DEVELOP WATER SUPPLY	LS	1	2,000.00	2,000.00	4,800.00	4,800.00
5	160101	CLEARING AND GRUBBING	LS	1	125,000.00	125,000.00	78,390.00	78,390.00
6	152370	RELOCATE MAILBOX	EA	24	190.00	4,560.00	300.00	7,200.00
7	152379	RELOCATE FENCE AND GATE	LF	266	23.00	6,118.00	28.00	7,448.00
8	152381	RELOCATE GATE	EA	2	520.00	1,040.00	995.00	1,990.00
9	152390	RELOCATE ROADSIDE SIGN	EA	14	175.00	2,450.00	550.00	7,700.00
10	152440	ADJUST MANHOLE TO GRADE	EA	10	750.00	7,500.00	800.00	8,000.00
11	160120	REMOVE TREE	EA	6	1,150.00	6,900.00	800.00	4,800.00
12	153103	COLD PLANE ASPHALT CONCRETE PAVEMENT	SQYD	14,130	3.80	53,694.00	8.25	116,572.50
13	190101	ROADWAY EXCAVATION	CY	210	105.00	22,050.00	95.00	19,950.00
14	260201	CLASS 2 AGGREGATE BASE	CY	150	145.00	21,750.00	37.00	5,550.00
15	390130	HOT MIX ASPHALT	TON	2,500	76.00	190,000.00	88.00	220,000.00
16	013903	PLACE ASPHALT CONCRETE DIKE (CRS 212) (6")	LF	550	11.30	6,215.00	13.25	7,287.50
17	394002	PLACE ASPHALT CONCRETE (MISCELLANEOUS AREA)	SQYD	40	70.00	2,800.00	80.00	3,200.00
18	017305	MINOR CONCRETE (CURB AND GUTTER) (CRS 201)	LF	2,320	18.40	42,688.00	16.75	38,860.00
19	017310	MINOR CONCRETE (DRIVEWAY APPROACH) (CRS 207)	SQFT	3,900	6.00	23,400.00	4.98	19,422.00
20	731516	MINOR CONCRETE (DRIVEWAY)	SQFT	3,000	7.30	21,900.00	4.25	12,750.00
21	017302	MINOR CONCRETE (GROSS-GUTTER) (CRS 209)	SQFT	6,400	7.50	48,000.00	7.95	50,880.00
22	017303	MINOR CONCRETE (SPANDREL) (CRS 209)	SQFT	5,400	7.50	40,500.00	7.95	42,930.00
23	731521	MINOR CONCRETE (SIDEWALK)	SQFT	8,400	4.10	34,440.00	3.15	26,460.00
24	731502	MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION)	SQFT	200	10.30	2,060.00	4.00	800.00
25	731501	MINOR CONCRETE (MONOLITHIC CURB AT BACK OF WALK)	LF	1,400	12.00	16,800.00	12.00	16,800.00
26	017315	MINOR CONCRETE (CURB RAMP) (CRS 403 - CASE A)	EA	2	2,760.00	5,520.00	2,090.00	4,180.00
27	017316	MINOR CONCRETE (CURB RAMP) (CRS 403 - CASE B)	EA	9	2,700.00	24,300.00	2,000.00	18,000.00
28	731623	MINOR CONCRETE (CURB RAMP) (APWA 111-4 CASE D, TYPE 1)	EA	8	2,700.00	21,600.00	2,000.00	16,000.00
29	731656	CURB RAMP DETECTABLE WARNING SURFACE	EA	5	1,000.00	5,000.00	600.00	3,000.00
30	719530	PRIVATE DRAIN THROUGH CURB (CRS 310)	EA	2	200.00	400.00	600.00	1,200.00
31	840519	THERMOPLASTIC CROSSWALK AND PAVEMENT MARKING	LS	1	8,700.00	8,700.00	12,900.00	12,900.00
32	015602	FUNDING AWARENESS SIGN	EA	4	850.00	3,400.00	880.00	3,520.00
33	760090	MOBILIZATION, DEMOBILIZATION, AND FINAL CLEANUP	LS	1	29,500.00	29,500.00	20,000.00	20,000.00
34	390137	RUBBERIZED HOT MIX ASPHALT (GAP GRADED)	TON	1,800	100.00	180,000.00	110.00	198,000.00
PROJECT TOTAL						988,485.00		1,001,187.00
ITEMS 1 - 34								



COUNTY OF RIVERSIDE TRANSPORTATION AND LAND MANAGEMENT AGENCY



Juan C. Perez, P.E., T.E.
Director of Transportation

Transportation Department

ADDENDUM NUMBER 1

Dated March 20, 2014

to the
Specifications and Contract Documents
for the construction of

Whittier Avenue Sidewalk Project
Yale Street to Cornell Street
In the Community of East Hemet
Project No. C2-0142 and C4-0080
Federal Aid No. SRTSL-5956(212)

Bids Due: **Wednesday, April 2, 2014; 2:00 p.m.**
14th Street Transportation Annex
3525 14th Street; Riverside, CA 92501
(951) 955-6780

This Addendum is issued pursuant to Section 2-1.03 of the Contract Documents for the reference project. This Addendum is issued as a supplement to the specification and special provisions for the referenced project. The revisions to the plans and specifications shall become a part of the Contract Documents, and each bidder shall acknowledge receipt thereof on the Contractor's Bid. Bidders are directed to sign this addendum as acknowledged, and attach the signed addendum to the contractor's submitted Bid.

Note: During the advertisement period of this project, this document and attachments (if any) are available upon request at the office of the Transportation Department, and are available as a free download at the Transportation Department's website:

http://www.rctlma.org/trans/con_bid_advertisements.html

MODIFICATIONS / CLARIFICATIONS TO SPECIAL PROVISIONS:

- Item 1: Project No. C4-0080**
A new project number is added to the contract documents which represent resurfacing of Whittier Avenue from Yale Street to Cornell Street. This is an additional work which was not initially included in the Whittier Avenue sidewalk project.
- Item 2: Revised Proposal**
Refer to "Proposal" pages B2. Proposal (page B2) is deleted and replaced with revised "Proposal" attached herewith as **Attachment "A"**. The following revisions have been made to the bid Proposal:
- a. The quantity of following bid items has been revised:
 - Item 10, Items 13 through 16, Items 21 and Item 22

- b. The description and unit of measurement of following bid item has been revised:
 - Items 12, Cold Plane Asphalt Concrete- SQYD.
- c. The following new bid item has been added:
 - Item 34, "Rubberized Hot Mix Asphalt(Gap Graded)"

See Attachment "A"

Item 3: Wedge Plane Asphalt Concrete

Refer to section 10-1.19 "Wedge Plane Asphalt Concrete" on page 87. This section has been deleted and replaced with the following:

COLD PLANE ASPHALT CONCRETE PAVEMENT:

The Contractor shall cold plane the asphalt concrete pavement to a depth as shown on the approved plans or as directed by the Engineer.

The cold plane machine shall have a header cut at least 72 inches wide and shall be operated so as not to produce fumes or smoke.

The depth, width and shape of the cut shall be as indicated on the plans. The outside lines of the planed area shall be neat and uniform. The road surfacing to remain in place shall not be damaged in any way.

The material planed from the roadway surface, including material deposited in existing gutters or on the adjacent traveled way shall become the property of the Contractor and shall be immediately removed from the site of the work and disposed of as provided in Section 7-1.13, "Disposal of Material Outside the Highway Right of Way", of the Standard Specifications. The removal crew shall follow within 50 feet of the planer, unless otherwise directed by the Engineer.

Nothing in these Special Provisions shall relieve the Contractor from his responsibilities as provided in Section 7-1.09, "Public Safety" of the Standard Specifications.

Payment:

The contract unit bid price paid per square yard for Cold Plane Asphalt Concrete Pavement shall include full compensation for providing all labor, tools, equipment and disposing of the grindings and no additional compensation will be allowed therefor.

Item 4: Hot Mix Asphalt Concrete

Refer to section 10-1.22 "Hot Mix Asphalt" on page 89. Paragraph 1 and 2 has been deleted and replaced with the following:

The asphalt concrete shall be Type "A" and Type "C" in conformance with the plans to the requirements of Section 39 of the Standard Specifications and its amendments and the following:

Aggregate grading shall be three-quarter inch (3/4") for HMA Type "A".

Aggregate grading shall be one inch (1") for HMA Type "C".

The grade of asphalt binder mixed with aggregate for HMA Type "A" and "C" must be PG 64-10.

The aggregate for HMA Type "C" must comply with the 1-inch grading as presented in the following table.

**Aggregate Gradation
 (Percentage Passing)
 HMA Type C**

<u>1-inch HMA Type C</u>		
Sieve Sizes	Target Value Limits	Allowable Tolerance
1"	100	—
3/4"	88 - 93	TV ±5
1/2"	72 - 85	TV ±6
3/8"	55 - 70	TV ±6
No. 4	35 - 52	TV ±7
No. 8	22 - 40	TV ±5
No. 30	8 - 24	TV ±4
No. 50	5 - 18	TV ±4
No. 200	3 - 7	TV ±2

The aggregate shall conform to the following quality requirements prior to the addition of asphalt binder.

Aggregate Quality		
Quality Characteristic	Test Method	Requirement
Percent of crushed particles ^a Coarse aggregate (% min.) Two fractured faces	CT 205	95
Fine aggregate (Passing No. 4 sieve and retained on No. 8 sieve.) (% min.) One fractured face		90
Los Angeles Rattler (% Max.) ^a Loss at 100 rev. Loss at 500 rev.	CT 211	12 40
Sand equivalent ^{a, b} (min.)	CT 217	47
Fine aggregate angularity (% min.) ^a	AASHTO T 304 Method A	45
Flat and elongated particles (% max. by weight @ 5:1.) ^a	ASTM D 4791	10

Note:

^a Combine aggregate in the JMF proportions.

^b Reported value must be the average of 3 tests from a single sample.

During mix design, determine the optimum binder content (OBC) at 5 percent air voids content. Determine the proposed JMF from a mix design that complies with the following table:

Hot Mix Asphalt Mix Design Requirements

Quality Characteristic	Test Method or Lab Procedure	Requirement	
Design air voids content (%)		4.0	5.0
Air voids content ^a (%)	CT 367	4.0	5.0
Voids in mineral aggregate (% min.) ^b 1" grading with NMAS = 1" with NMAS = 3/4"	LP-2	12 13	13 14
Voids filled with asphalt (%) 1" grading	LP-3	65.0 – 75.0	60.0 – 70.0
Dust proportion ^c (P200/Pbe)	LP-4	0.6 – 1.3	0.6 – 1.3
Stabilometer value (min.)	CT 366	37 ^d	37 ^d

Notes:

^a Calculate the air voids content of each specimen using CT 309 and LP-1. Modify CT 367, Paragraph C5, to use the exact air voids content specified in the selection of OBC.

^b Minimum VMA is dependent upon NMAS of JMF. NMAS is defined as one sieve size larger than the first sieve to retain more than 10 percent.

^c Asphalt content based on dry weight of aggregate

^d Follow CT 366: 150 tamps at 500 psi tamping pressure and 230 °F compaction temperature; cool specimens to 140 °F; apply 12,600 lb leveling load; and perform stabilometer test at 140 °F.

Item 5: Rubberized Hot Mix Asphalt (Gap Graded)

The following Special Provision is added to the Contract Documents and made part hereof:

ASPHALT RUBBER HOT MIX ASPHALT- (GAP GRADED):

Asphalt Rubber Hot Mix (Gap Graded) (ARHM-GG), shall conform to the provisions for Type "A" asphalt concrete in Section 39, "Asphalt Concrete" of the Standard Specifications and these Special Provisions with the exception that ARHM-GG shall be spread at a temperature of not less than 285⁰ F and not more than 350⁰ F, measured in the hopper of the paving machine.

Binder for ARHM-GG shall be Type 2 asphalt-rubber binder with an asphalt modifier as specified in these Special Provisions.

The grade of asphalt-rubber binder shall be PG 64-16.

The asphalt modifier will be a resinous, high flash point, aromatic hydrocarbon compound and shall conform to the requirements following:

REQUIREMENTS FOR ASPHALT MODIFIER

Property	ASTM Test Method	Value
Flash Point, C.L.O.C., * ⁰ C (* ⁰ F)	D92	207 (405) min
Viscosity,cSt @ 100 ⁰ C (212 ⁰ F)	D445	X±3*
Molecular Analysis Asphaltenes, percent by mass	D2007	0.1 max
Aromatics, percent by mass	D2007	55 min

*The symbol "X" is the viscosity of the asphalt modifier the Contractor proposes to furnish. The value "X" which the Contractor proposes shall be between the limits of 19 and 36 and shall be submitted in writing to the Engineer. Any proposed change requested by the Contractor in the value "X" shall require a new asphalt-rubber binder design.

The amount of asphalt-rubber binder to be added to the aggregate shall be between 6.7% and 8.7% by dry weight of the aggregate. The exact amount will be determined by the Engineer. The temperature of the aggregate at the time the asphalt-rubber binder is added shall be not more than 350⁰ F.

Rubber for use in asphalt-rubber binder shall be free of loose fabric, wire and other contaminants except that up to 3% (by weight of rubber) calcium carbonate or talc may be added to prevent rubber particles from sticking together. The rubber shall be sufficiently dry so as to be free flowing and not produce foaming when blended with the hot asphalt.

A sample of the asphalt-rubber binder proposed for use on the project, consisting of four one-quart cans, together with the proposed formulation of the binder shall be furnished

to the Engineer at least two weeks before ARHM-GG pavement construction is scheduled to begin.

The method and equipment for combining the rubber and the asphalt shall be so designed and accessible that the Engineer can readily determine the percentage by weight for each material being incorporative into the mixture.

Equipment utilized in the production and proportioning of the asphalt-rubber binder shall include the following:

An asphalt heating tank with hot oil heat transfer to heat the asphalt to the necessary temperature before blending with the granulated rubber. This unit shall be equipped with a thermostatic heat control device.

A mechanical blender for proper proportioning and thorough mixing of the asphalt and rubber. This unit shall have both an asphalt totalizing meter (gallons or liters) and a flow rate meter (gallons per minute or liters per minute).

An asphalt-rubber storage tank equipped with a heating system to maintain the proper temperature of the binder and an internal mixing unit capable of maintaining a homogeneous mixture of asphalt and rubber.

An asphalt-rubber supply system equipped with a pump and metering device capable of adding the binder by volume to the aggregate at the percentage specified or ordered.

The equipment utilized in the manufacture of asphalt rubber binder shall keep the mix in a continuous blend state. The batch method is not acceptable.

The swell, moisture vapor susceptibility, and the stabilometer value requirement in Section 39-2.02, "Aggregate" of the Standard Specifications shall not apply to ARHM-GG.

Before opening a traffic lane to public traffic, when directed by the Engineer, a sand cover shall be spread uniformly over areas where ARHM-GG has been placed.

Sand shall be free from clay or organic material and shall be of such size that from 90% to 100% will pass a No. 4 sieve and not more than 5% will pass a No. 200 sieve.

Sand shall be spread at the approximate rate of from one to two pounds per square yard.

Traffic shall not be allowed on the ARHM-GG for at least one hour after final rolling operations have been completed.

Pneumatic tired rollers shall not be used to compact ARHM-GG.

The asphalt-rubber mixture shall not be used as a binder after it has been retained for more than 48 hours.

Type 2 Asphalt-Rubber Binder

Type 2 asphalt-rubber binder shall be a uniform and reacted mixture of compatible paving grade asphalt, extender oil, and reclaimed vulcanized rubber.

Extender oil shall be a resinous, high flash point aromatic hydrocarbon conforming to the following:

Viscosity, SUS @ 100° F (ASTM D 88)	2500 minute
Flash Point, COC, Degree F (ASTM D 92)	405 minute
Molecular Analysis (ASTM D 2007)	
Asphaltenes, % by weight	0.1 maximum
Aromatics, % by weight	55 minimum

The asphalt and extender oil, when combined shall form a material that is chemically compatible with the rubber.

The rubber used in Type 2 asphalt-rubber binder shall be reclaimed vulcanized rubber and shall contain between 22 percent and 39 percent by weight, natural rubber when tested in accordance with ASTM D 297. The rubber shall conform to the following grading when tested in accordance with ASTM C 136:

Sieve Size	Percentage Passing
No. 8	100
No. 10	98-100
No. 16	45-75
No. 30	2-20
No. 50	0-6
No. 100	0-2

The rubber shall contain no particles longer than 3/16 inch in length.

The extender oil shall be added to the asphalt at a rate between 2 percent and 6 percent by weight of the asphalt, the exact amount shall be determined by the asphalt-rubber supplier. The asphalt shall be at a temperature of not less than 350° F nor more than 425° F when the extender oil is added.

The asphalt-extender oil blend and rubber shall be combined and mixed together in the blender unit to produce a homogeneous mixture.

The amount of rubber to be added to the asphalt-extender oil blend shall be 18 percent and 22 percent by weight of the total combined mixture of asphalt, extender oil, and rubber. The exact amount shall be determined by the asphalt-rubber supplier. The asphalt-extender oil blend shall be at a temperature of not less than 350° F nor more than 425° F when the rubber is added. After the material has reacted for at least 45 minutes, the asphalt-rubber shall be metered into the mixing chamber of the asphalt concrete production plant at the percentage specified or ordered.

The asphalt-rubber mixture shall be reacted for a minimum of 45 minutes from the time the rubber is added to the asphalt-extender oil blend. The temperature of the asphalt-rubber mixture shall be maintained between 375⁰ F and 425⁰ F during the reaction period.

The asphalt-rubber mixture shall possess the following physical property after the reaction period:

Viscosity at 400 ⁰ F (ASTM D 2196) (Brookfield)	600-2000 cp
---	-------------

Asphalt-rubber shall consist of the following:

After reacting the PG 64-16, asphalt modifier and rubber, the asphalt-rubber binder shall conform to the following requirements:

<u>Test Parameter</u>	<u>Specification Limits</u>
Field Viscosity, Haake at 375 ⁰ F in centipoise ASTM D 2669	1500-4000
Penetration, Cone at 77 ⁰ F in 1/10 MM ASTM D 217	45 ± 25
Resilience 77 ⁰ F in percent rebound ASTM D 3407	18 Minimum
Field Softening Point in degree F ASTM D 36	145 ± 20

Contractor shall have available a Haake Viscometer conforming to ASTM D 2669.

The asphalt-rubber mixture after reaching the desired consistency shall not be held at temperatures over 375⁰ F for more than 4 hours.

General Requirements

The aggregate for ARHM-GG shall conform to the following grading and shall meet the quality requirements for "Type A" as specified in Section 39-2.02, "Aggregate" of the Standard Specifications.

For ½" maximum size aggregate, use the following grading:

<u>Sieve Size</u>	<u>Limits of Proposed Gradation</u>	<u>Operating Range</u>	<u>Contract Compliance</u>
3/4"		100	100
1/2"		90-100	90-100
3/8"	78-92	X ₊ 5	X ₊ 7
#4	28-42	X ₊ 5	X ₊ 7
#8	15-25	X ₊ 4	X ₊ 5
#30	5-15	X ₊ 4	X ₊ 5
#200		2-7	0-8

The Los Angeles Rattler requirement in Section 39-2.02, "Aggregate" of the Standard Specifications shall be amended to read "40 percent maximum loss at 500 revolutions".

ARHM-GG shall be spread at a temperature of not less than 285⁰ F and not more than 350⁰ F, measured in the hopper of the paving machine, with ambient temperature of not less than 55⁰ F.

Measurement

The mixture of ARHM-GG will be measured by the ton in the same manner specified for asphalt concrete in Section 39-8.01, "Measurement" of the Standard Specifications.

Method of Payment

The contract price paid per ton for Rubberized Hot Mix Asphalt (Gap Graded) shall include full compensation for furnishing all labor, materials, tools, equipment, and incidentals, and for doing all the work involved in placing ARHM-GG complete in place, including header cutting as directed by the Engineer, furnishing and applying asphalt binder, furnishing and spreading sand cover if directed by the Engineer, as shown on the plan, as specified in the Standard Specifications and these Special Provisions, and as directed by the Engineer.

Item 6: Federal Minimum Wages Update.

Refer to Appendix C entitled "Federal Prevailing Wages Decision", pages 1 through 23. Delete and replace these pages with the following:


Federal wage determination, General Decision No. CA140036, Modification No. 5, dated **03/14/2014** CA36, shall apply to this project. This document is available upon request from the Transportation Department: (951) 955-6780, and also posted on following County website:
http://www.rctlma.org/trans/con_bid_advertisements.html

MODIFICATIONS / CLARIFICATIONS TO PLANS:

Item 7: Plan (Sheets 1 through 8)

The entire set of plans has been replaced by this addendum. Bidders are advised to use revised set of plans and discard the previously issued plans.

Recommended by:



Michael O. Mueting, PE



Concurrence:

 3/20/14

Khalid Nasim, PE
Engineering Division Manager

Acknowledged: _____ **Date:** _____

(Contractor)

JRJ:jjrj

Note: Refer to Section 2-1.03, "Addenda". Submission of all addendum pages and non-bidding document attachments of addendum are not necessary for Bid submittal. Submittal of this acknowledgement page is adequate for Bid reception. Bidders are reminded to list addendum number(s) received on the first page of the Bid form (Proposal).

**Whittier Avenue Sidewalk Project
Yale Street to Cornell Street
in the Community of East Hemet
Project No. C2-0142 and C4-0080
Federal Aid No. SRTSL – 5956 (212)**

Attachment A to Addendum 1
Dated: 3/20/2014

PROPOSAL (REVISED)

ITEM No.	ITEM CODE	ITEM	UNIT	ESTIMATED QUANTITY	ITEM PRICE (IN FIGURES)	TOTAL (IN FIGURES)
1	066102	DUST ABATEMENT	LS	1		
2	074020	WATER POLLUTION CONTROL	LS	1		
3	120100	TRAFFIC CONTROL SYSTEM	LS	1		
4	170101	DEVELOP WATER SUPPLY	LS	1		
5	160101	CLEARING AND GRUBBING	LS	1		
6	152370	RELOCATE MAILBOX	EA	24		
7	152379	RELOCATE FENCE AND GATE	LF	266		
8	152381	RELOCATE GATE	EA	2		
9	152390	RELOCATE ROADSIDE SIGN	EA	14		
10	152440	ADJUST MANHOLE TO GRADE	EA	10		
11	160120	REMOVE TREE	EA	6		
12	153103	COLD PLANE ASPHALT CONCRETE PAVEMENT	SQYD	14,130		
13	190101	ROADWAY EXCAVATION	CY	210		
14	260201	CLASS 2 AGGREGATE BASE	CY	150		
15	390130	HOT MIX ASPHALT	TON	2,500		
16	013903	PLACE ASPHALT CONCRETE DIKE (CRS 212) (6")	LF	550		
17	394002	PLACE ASPHALT CONCRETE (MISCELLANEOUS AREA)	SQYD	40		
18	017305	MINOR CONCRETE (CURB AND GUTTER) (CRS 201)	LF	2,320		
19	017310	MINOR CONCRETE (DRIVEWAY APPROACH) (CRS 207)	SQFT	3,900		
20	731516	MINOR CONCRETE (DRIVEWAY)	SQFT	3,000		
21	017302	MINOR CONCRETE (CROSS-GUTTER) (CRS 209)	SQFT	6,400		
22	017303	MINOR CONCRETE (SPANDREL) (CRS 209)	SQFT	5,400		
23	731521	MINOR CONCRETE (SIDEWALK)	SQFT	8,400		
24	731502	MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION)	SQFT	200		
25	731501	MINOR CONCRETE (MONOLITHIC CURB AT BACK OF WALK)	LF	1,400		
26	017315	MINOR CONCRETE (CURB RAMP) (CRS 403 - CASE A)	EA	2		
27	017316	MINOR CONCRETE (CURB RAMP) (CRS 403 - CASE B)	EA	9		
28	731623	MINOR CONCRETE (CURB RAMP) (APWA 111-4 CASE D, TYPE 1)	EA	8		
29	731656	CURB RAMP DETECTABLE WARNING SURFACE	EA	5		
30	719530	PRIVATE DRAIN THROUGH CURB (CRS 310)	EA	2		
31	840519	THERMOPLASTIC CROSSWALK AND PAVEMENT MARKING	LS	1		
32	015602	FUNDING AWARENESS SIGN	EA	4		
33	760090	MOBILIZATION, DEMOBILIZATION, AND FINAL CLEANUP	LS	1		
34	390137	RUBBERIZED HOT MIX ASPHALT (GAP GRADED)	TON	1,800		

PROJECT TOTAL: _____ \$

Contract

**Whittier Avenue
Sidewalk and Resurfacing Project
Yale Street to Cornell Street
in the Community of East Hemet
Project No. C2-0142 and C4-0080
Federal Aid No. SRTSL-5956 (212)**

THIS CONTRACT, made and concluded, in duplicate as of the date set forth below, between the County of Riverside, party of the first part, and **R-JS General Construction** Contractor, party of the second part.

ARTICLE I:

WITNESSETH, that for and in consideration of the payments and agreements hereinafter mentioned, to be made and performed by the said party of the first part, and under the conditions expressed in the two bonds, bearing even date with these presents, and hereunto annexed, the said party of the second part agrees with the said party of the first part, at his own proper cost and expense, to do all the work and furnish all the materials, except such as are mentioned in the specifications to be furnished by said party of the first part, necessary to construct and complete in a good, workmanlike and substantial manner and to the satisfaction of the County of Riverside, the work described in the Special Provisions and the Project Plans described below, including any addenda No. 1 issued thereto, and also in conformance with the California Department of Transportation Standard Plans dated May 2006, the Standard Specifications dated May 2006 and the Labor Surcharge and Equipment Rental Rates in effect on the date the work is accomplished, which said Special Provisions, Project Plans, Standard Plans, Standard Specifications, and Labor Surcharge and Equipment Rental Rates are hereby specially referred to and by such reference made a part hereof.

The work to be done is shown on Plans entitled **Whittier Avenue Sidewalk and Resurfacing Project, Yale Street to Cornell Street in the Community of East Hemet, Project No. C2-0142, C4-0080, Federal Aid No. SRTSL-5956(212)**, Plan number **958-M**, approved **February 7, 2014**, on file with the County Surveyor, which said project plans are hereby made a part of this Contract.

ARTICLE II:

The said party of the first part hereby promises and agrees with the said Contractor to employ, and does hereby employ, the said Contractor to provide the materials and to do the work according to the terms and conditions herein contained and referred to, for the prices hereinafter set forth, and hereby contracts to pay the same at the time, in the manner and upon the conditions herein set forth; and the said parties for themselves, their heirs, executors, administrators, successors and assigns, do hereby agree to the full performance of the covenants herein contained.

ARTICLE III:

The State general prevailing wage rates determined by the Director of Industrial Relations are hereby made a part of this contract. It is further expressly agreed by and between the parties hereto that should there be any conflict between the terms of this instrument and the bid or proposal of said Contractor, then this instrument shall control and nothing herein shall be considered as an acceptance of the said terms of said proposal conflicting herewith.

ARTICLE IV:

By my signature hereunder, as Contractor, I certify that I am aware of the provisions of Section 3700 of the Labor Code which require every employer to be insured against liability for worker's compensation or to undertake self insurance in conformance with the provisions of that code, and I will comply with such provisions before commencing the performance of the work of this contract.

ARTICLE V:

And the said Contractor agrees to receive and accept the following prices as full compensation for furnishing all materials and for doing all the work contemplated and embraced in this Contract; also for all loss or damage, arising out of the nature of the work aforesaid, or from the action of the elements, or from any unforeseen difficulties or obstructions which may arise or be encountered in the prosecution of the work until its acceptance by the County of Riverside, and for all risks of every description connected with the work; also for all expenses incurred by or in consequence of the suspension or discontinuance of work and for well and faithfully completing the work, and the whole thereof, in the manner and according to the plans and specifications, and the requirements of the Engineer under them, to wit:

**Whittier Avenue Sidewalk and Resurfacing Project
Yale Street to Cornell Street in the Community of East Hemet
Project No. C2-0142 and C4-0080
Federal Aid No. SRTSL-5956 (212)**

Contract

ITEM No.	ITEM CODE	ITEM	UNIT	ESTIMATED QUANTITY	ITEM PRICE (IN FIGURES)	TOTAL (IN FIGURES)
1	066102	DUST ABATEMENT	LS	1	2,500.00	2,500.00
2	074020	WATER POLLUTION CONTROL	LS	1	3,500.00	3,500.00
3	120100	TRAFFIC CONTROL SYSTEM	LS	1	6,000.00	6,000.00
4	170101	DEVELOP WATER SUPPLY	LS	1	2,800.00	2,800.00
5	160101	CLEARING AND GRUBBING	LS	1	8,000.00	8,000.00
6	152370	RELOCATE MAILBOX	EA	24	80.00	1,920.00
7	152379	RELOCATE FENCE AND GATE	LF	266	35.00	9,310.00
8	152381	RELOCATE GATE	EA	2	350.00	700.00
9	152390	RELOCATE ROADSIDE SIGN	EA	14	275.00	3,850.00
10	152440	ADJUST MANHOLE TO GRADE	EA	10	850.00	8,500.00
11	160120	REMOVE TREE	EA	6	500.00	3,000.00
12	153103	COLD PLANE ASPHALT CONCRETE PAVEMENT	SQYD	14,130	4.00	56,520.00
13	190101	ROADWAY EXCAVATION	CY	210	35.00	7,350.00
14	260201	CLASS 2 AGGREGATE BASE	CY	150	50.00	7,500.00
15	390130	HOT MIX ASPHALT	TON	2,500	95.00	237,500.00
16	013903	PLACE ASPHALT CONCRETE DIKE (CRS 212) (6")	LF	550	9.00	4,950.00
17	394002	PLACE ASPHALT CONCRETE (MISCELLANEOUS AREA)	SQYD	40	20.00	800.00
18	017305	MINOR CONCRETE (CURB AND GUTTER) (CRS 201)	LF	2,320	35.00	81,200.00
19	017310	MINOR CONCRETE (DRIVEWAY APPROACH) (CRS 207)	SQFT	3,900	8.00	31,200.00
20	731516	MINOR CONCRETE (DRIVEWAY)	SQFT	3,000	6.00	18,000.00
21	017302	MINOR CONCRETE (CROSS-GUTTER) (CRS 209)	SQFT	6,400	5.50	35,200.00
22	017303	MINOR CONCRETE (SPANDREL) (CRS 209)	SQFT	5,400	5.50	29,700.00
23	731521	MINOR CONCRETE (SIDEWALK)	SQFT	8,400	4.50	37,800.00

Contract (continued)

ITEM No.	ITEM CODE	ITEM	UNIT	ESTIMATED QUANTITY	ITEM PRICE (IN FIGURES)	TOTAL (IN FIGURES)
24	731502	MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION)	SQFT	200	4.50	900.00
25	731501	MINOR CONCRETE (MONOLITHIC CURB AT BACK OF WALK)	LF	1,400	9.00	12,600.00
26	017315	MINOR CONCRETE (CURB RAMP) (CRS 403 - CASE A)	EA	2	1,450.00	2,900.00
27	017316	MINOR CONCRETE (CURB RAMP) (CRS 403 - CASE B)	EA	9	1,450.00	13,050.00
28	731623	MINOR CONCRETE (CURB RAMP) (APWA 111-4 CASE D, TYPE 1)	EA	8	1,200.00	9,600.00
29	731656	CURB RAMP DETECTABLE WARNING SURFACE	EA	5	650.00	3,250.00
30	719530	PRIVATE DRAIN THROUGH CURB (CRS 310)	EA	2	50.00	100.00
31	840519	THERMOPLASTIC CROSSWALK AND PAVEMENT MARKING	LS	1	8,500.00	8,500.00
32	015602	FUNDING AWARENESS SIGN	EA	4	1,500.00	6,000.00
33	760090	MOBILIZATION, DEMOBILIZATION, AND FINAL CLEANUP	LS	1	20,000.00	20,000.00
34	390137	RUBBERIZED HOT MIX ASPHALT (GAP GRADED)	TON	1,800	95.00	171,000.00

PROJECT TOTAL Eight hundred forty five thousand, seven hundred dollars and zero cents **\$845,700.00**
 ITEMS 1-34 "WORDS"

**Whittier Avenue Sidewalk and Resurfacing Project
Yale Street to Cornell Street in the Community of East Hemet**

**Project No. C2-0142 and C4-0080
Federal Aid No. SRTSL – 5956 (212)**

IN WITNESS WHEREOF the parties hereto have executed this Contract as of the date set forth below.

COUNTY OF RIVERSIDE

R-JS GENERAL CONSTRUCTION

BY: _____

BY: Ron Medina

Chairman, Board of Supervisors

TITLE: president
(If Corporation, affix Seal)

DATED: _____

ATTEST:

ATTEST:

Kecia Harper-Ihem, Clerk of the Board

RAMON MEDINA

BY: _____

TITLE: VICE PRESIDENT

Deputy

Licensed in accordance with an act providing for the registration of Contractors,

License No. 928560

FORM APPROVED COUNTY COUNSEL
BY: [Signature] 6/2/14
MARSHAL VICTOR DATE

Federal Employer Identification Number:
26-3764015

BY _____

"County"

"Corporation"
(Seal)

CORPORATE RESOLUTION

OF

R-JS General Construction

(Name of Corporation)

RESOLVED, that it is desirable and in the best interest of this corporation that it be registered as a broker-dealer in various states; that the President or any Vice President and the Secretary or an Assistant Secretary hereby are authorized to determine the states in which appropriate action shall be taken to register the Corporation as a broker-dealer; that said officers are hereby authorized to perform on behalf of this Corporation any and all such acts as they may deem necessary or advisable in order to comply with the applicable laws of any such states, and in connection therewith to execute and file all requisite papers and documents, including, but not limited to, applications, reports, surety bonds, irrevocable consents and appointments or attorneys for service of process; and the execution by such officers of any such paper or document or the doing by them of any act in connection with the foregoing matters shall conclusively establish their authority therefore from this Corporation and the approval and ratification by this Corporation of the papers and documents so executed and the action so taken.

CERTIFICATE

The undersigned hereby certifies that s/he is the Secretary of R-JS General Construction, a corporation organized and existing under the laws of the State of California; that the foregoing is a true and correct copy of a resolution duly adopted at a meeting of the Board of Directors of said corporation held on the 14 day of November, 2008, at which meeting a quorum was at all times present and acting; that the passage of said resolution was in all respects legal; and that said resolution is in full force and effect.

Dated this 12 day of May, 2014.

[CORPORATE SEAL]



Secretary Signature

Ramon Medina

Printed Name

Performance Bond

Recitals:

1. **R-JS General Construction** (Contractor) has entered into an Agreement with COUNTY OF RIVERSIDE (County) for construction of public work known as **Whittier Avenue Sidewalk and Resurfacing Project, Yale Street to Cornell Street in the Community of East Hemet, Project No. C2-0142, C4-0080, Federal Aid No. SRTSL-5956(212).**
2. _____, a _____ corporation (Surety), is the Surety under this Bond.

Agreement:

We, Contractor as Principal and Surety as Surety, jointly and severally agree, state, and are bound unto County, as obligee, as follows:

1. The amount of the obligation of this Bond is 100% of the estimated contract price for the Project of **\$845,700.00 (Eight hundred forty five thousand, seven hundred dollars and zero cents)** and inures to the benefit of County.
2. This Bond is exonerated by Contractor doing all things to be kept and performed by it in strict conformance with the Contract Documents for this project, otherwise it remains in full force and effect for the recovery of loss, damage and expense of County resulting from failure of Contractor to so act. All of said Contract Documents are incorporated herein.
3. This obligation is binding on our successors and assigns.
4. For value received, Surety stipulates and agrees that no change, time extension, prepayment to Contractor, alteration or addition to the terms and requirements of the Contract Documents or the work to be performed thereunder shall affect its obligations hereunder and waives notice as to such matters, except the total contract price cannot be increased by more than 10% without approval of Surety.

THIS BOND is executed as of _____.

By _____

By _____

By _____

Type Name _____

Its Attorney in Fact
"Surety"

Title _____

"Contractor"
(Corporate Seal)

(Corporate Seal)

NOTE: This Bond must be executed by both parties with corporate seal affixed. All signatures must be acknowledged. (Attach acknowledgements).

Payment Bond

(Public Works - Civil Code §9550 et seq.)

The makers of this Bond are **R-JS General Construction** as Principal and Original Contractor and _____, a corporation, authorized to issue Surety Bonds in California, as Surety, and this Bond is issued in conjunction with that certain public works contract to be executed between Principal and COUNTY OF RIVERSIDE a public entity, as Owner, for **\$845,700.00 (Eight hundred forty five thousand, seven hundred dollars and zero cents)**, the total amount payable. The amount of this bond is one hundred percent (100%) of said sum. Said contract is for public work generally consisting of **Whittier Avenue Sidewalk and Resurfacing Project, Yale Street to Cornell Street in the Community of East Hemet, Project No. C2-0142, C4-0080, Federal Aid No. SRTSL-5956(212)**.

The beneficiaries of this Bond are as is stated in 9554 of the Civil Code and requirements and conditions of this Bond are as is set forth in 9554, 9558, 9560 and 9564 of said code. Without notice, Surety consents to extension of time for performance, change in requirements, amount of compensation, or prepayment under said contract.

Dated: _____

Original Contractor – Principal

Surety

By _____

By _____

Title _____

Its Attorney In Fact
(Corporate Seal)

(If corporation, affix seal)
(Corporate Seal)

STATE OF _____
COUNTY OF _____

}

ss. SURETY'S ACKNOWLEDGEMENT

On _____ before me, _____ personally appeared, _____, known to me, or proved to me on the basis of satisfactory evidence, to be the person whose name is subscribed to the within instrument and acknowledged to me that he executed the same in his authorized capacities, and that by his signature on the instrument the person, or the entity upon behalf of which the person acted, executed the instrument.

WITNESS my hand and official seal.

Signature of Notary Public

Notary Public (Seal)

NOTE: This Bond must be executed by both parties with corporate seal affixed. All signatures must be acknowledged. (Attach acknowledgements).

Performance Bond

Recitals:

1. **R-JS General Construction** (Contractor) has entered into an Agreement with COUNTY OF RIVERSIDE (County) for construction of public work known as **Whittier Avenue Sidewalk and Resurfacing Project, Yale Street to Cornell Street in the Community of East Hemet, Project No. C2-0142, C4-0080, Federal Aid No. SRTSL-5956(212).**
State National Insurance Company, Inc. administered by:
Contractor Managing General Insurance Agency, Inc. a _____ Texas _____ corporation (Surety),
is the Surety under this Bond.

Agreement:

We, Contractor as Principal and Surety as Surety, jointly and severally agree, state, and are bound unto County, as obligee, as follows:

1. The amount of the obligation of this Bond is 100% of the estimated contract price for the Project of **\$845,700.00 (Eight hundred forty five thousand, seven hundred dollars and zero cents)** and inures to the benefit of County.
2. This Bond is exonerated by Contractor doing all things to be kept and performed by it in strict conformance with the Contract Documents for this project, otherwise it remains in full force and effect for the recovery of loss, damage and expense of County resulting from failure of Contractor to so act. All of said Contract Documents are incorporated herein.
3. This obligation is binding on our successors and assigns.
4. For value received, Surety stipulates and agrees that no change, time extension, prepayment to Contractor, alteration or addition to the terms and requirements of the Contract Documents or the work to be performed thereunder shall affect its obligations hereunder and waives notice as to such matters, except the total contract price cannot be increased by more than 10% without approval of Surety.

THIS BOND is executed as of May 8th, 2014
R-JS General Construction

By [Signature]
By Rodolfo Medwici

State National Insurance Company, Inc. administered by: Contractor
Managing General Insurance Agency, Inc.
By [Signature]
Type Name Stephanie Hope Shear

Title president

Its Attorney in Fact
"Surety"

"Contractor"
(Corporate Seal)

(Corporate Seal)

NOTE: This Bond must be executed by both parties with corporate seal affixed. All signatures must be acknowledged. (Attach acknowledgements).

**State National Insurance Company, Inc. Administered by:
CONTRACTOR MANAGING GENERAL INSURANCE AGENCY, INC.**

POWER OF ATTORNEY

KNOW BY ALL THESE PRESENTS That STATE NATIONAL INSURANCE COMPANY, INC. a corporation organized and existing under the laws of the State of Texas, having its principal office in Bedford, Texas does hereby constitute and appoint

Stephanie Hope Shear

its true and lawful attorney(s)-in-fact to execute, seal and deliver for and on its behalf as surety, the following bond described as:

Whittier Avenue Sidewalk and Resurfacing Project, Yale Street to Cornell Street in the Community of East Hemet Project No. C2-0142, C4-0080 and Federal Aid No. STRSL-5956(212)

for: Three Million and 00/100 Dollars (\$3,000,000)
and undertakings, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise.

The execution of such instrument(s) in pursuance of these present, shall be as binding upon STATE NATIONAL INSURANCE COMPANY, INC. as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at the principal office.

RESOLVED that the signature of any authorized officer and the seal of the Company may be affixed by facsimile to any Power of Attorney or certification thereof authorizing the execution and delivery of any bond, undertaking, contracts of indemnity and other writings obligatory in the nature thereof, and such signature and seal when so used shall have the same force and effect as though manually affixed.

IN WITNESS WHEREOF, STATE NATIONAL INSURANCE COMPANY, INC. has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, this 24th day of March, 2014.

STATE NATIONAL INSURANCE COMPANY, INC.


Terry L. Ledbetter, President

Trace Ledbetter, Secretary

STATE OF TEXAS
County of Tarrant

On this 24th day of March, 2014 before me came the individuals who executed the preceding instrument, to me personally known, and being by me duly sworn, said that each of the herein described and authorized officer of STATE NATIONAL INSURANCE COMPANY, INC.; that the seal affixed to said instrument is the Corporate Seal of said Company; that the Corporate Seal and each signature were duly affixed by order of the Board of Directors of said Company.

IN WITNESS WHEREOF, I have hereunto set my hand at Bedford, Texas the day and year above written.



[Notary Stamp]

Signature of Notary

I, Trace Ledbetter, Secretary of STATE NATIONAL INSURANCE COMPANY, INC., do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney executed by STATE NATIONAL INSURANCE COMPANY, INC., which is still in full force and effect.

IN WITNESS WHEREOF, I have thereunto set my hand and attested the seal of said Company this 8th day of May, 2014

Trace Ledbetter, Secretary

CALIFORNIA ALL - PURPOSE ACKNOWLEDGEMENT

State of California

County of Los Angeles

MAY 08 2014


On _____ before me, JAN MICHELLE RIVERA, NOTARY PUBLIC
DATE NAME, TITLE OF OFFICER

Personally appeared _____
STEPHANIE HOPE SHEAR
NAME(S) OF SIGNER(S)

Who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.



SIGNATURE OF NOTARY



NOTARY SEAL

Payment Bond
(Public Works - Civil Code §9550 et seq.)

The makers of this Bond are **R-JS General Construction** as Principal and Original Contractor and State National Insurance Company, Inc. administered by Contractor Managing General Insurance Agency, Inc. , a corporation, authorized to issue Surety Bonds in California, as Surety, and this Bond is issued in conjunction with that certain public works contract to be executed between Principal and COUNTY OF RIVERSIDE a public entity, as Owner, for **\$845,700.00 (Eight hundred forty five thousand, seven hundred dollars and zero cents)**, the total amount payable. The amount of this bond is one hundred percent (100%) of said sum. Said contract is for public work generally consisting of **Whittier Avenue Sidewalk and Resurfacing Project, Yale Street to Cornell Street in the Community of East Hemet, Project No. C2-0142, C4-0080, Federal Aid No. SRTSL-5956(212).**


The beneficiaries of this Bond are as is stated in 9554 of the Civil Code and requirements and conditions of this Bond are as is set forth in 9554, 9558, 9560 and 9564 of said code. Without notice, Surety consents to extension of time for performance, change in requirements, amount of compensation, or prepayment under said contract.

Dated: May 8th, 2014

R-JS General Construction

Original Contractor – Principal

State National Insurance Company, Inc. administered by:
Contractor Managing General Insurance Agency, Inc.

By 

Surety

By 

Title president

Stephanie Hope Shear
Its Attorney In Fact

(If corporation, affix seal)

(Corporate Seal)

(Corporate Seal)

STATE OF _____ }
COUNTY OF _____ } ss. SURETY'S ACKNOWLEDGEMENT

On _____ before me, _____ personally appeared, _____, known to me, or proved to me on the basis of satisfactory evidence, to be the person whose name is subscribed to the within instrument and acknowledged to me that he executed the same in his authorized capacities, and that by his signature on the instrument the person, or the entity upon behalf of which the person acted, executed the instrument.

WITNESS my hand and official seal.

Signature of Notary Public

Notary Public (Seal)

NOTE: This Bond must be executed by both parties with corporate seal affixed. All signatures must be acknowledged. (Attach acknowledgements).

**State National Insurance Company, Inc. Administered by:
CONTRACTOR MANAGING GENERAL INSURANCE AGENCY, INC.**

POWER OF ATTORNEY

KNOW BY ALL THESE PRESENTS That **STATE NATIONAL INSURANCE COMPANY, INC.** a corporation organized and existing under the laws of the State of Texas, having its principal office in Bedford, Texas does hereby constitute and appoint

Stephanie Hope Shear

its true and lawful attorney(s)-in-fact to execute, seal and deliver for and on its behalf as surety, the following bond described as:

Whittier Avenue Sidewalk and Resurfacing Project, Yale Street to Cornell Street in the Community of East Hemet Project No. C2-0142, C4-0080 and Federal Aid No. STRSL-5956(212)

for: Three Million and 00/100 Dollars (\$3,000,000)

and undertakings, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise.

The execution of such instrument(s) in pursuance of these present, shall be as binding upon **STATE NATIONAL INSURANCE COMPANY, INC.** as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at the principal office.

RESOLVED that the signature of any authorized officer and the seal of the Company may be affixed by facsimile to any Power of Attorney or certification thereof authorizing the execution and delivery of any bond, undertaking, contracts of indemnity and other writings obligatory in the nature thereof, and such signature and seal when so used shall have the same force and effect as though manually affixed.

IN WITNESS WHEREOF, **STATE NATIONAL INSURANCE COMPANY, INC.** has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, this 24th day of March, 2014.

STATE NATIONAL INSURANCE COMPANY, INC.


Terry L. Ledbetter, President

Trace Ledbetter, Secretary

**STATE OF TEXAS
County of Tarrant**

On this 24th day of March, 2014 before me came the individuals who executed the preceding instrument, to me personally known, and being by me duly sworn, said that each of the herein described and authorized officer of **STATE NATIONAL INSURANCE COMPANY, INC.**; that the seal affixed to said instrument is the Corporate Seal of said Company; that the Corporate Seal and each signature were duly affixed by order of the Board of Directors of said Company.

IN WITNESS WHEREOF, I have hereunto set my hand at Bedford, Texas the day and year above written.



[Notary Stamp]

Signature of Notary

I, Trace Ledbetter, Secretary of **STATE NATIONAL INSURANCE COMPANY, INC.**, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney executed by **STATE NATIONAL INSURANCE COMPANY, INC.**, which is still in full force and effect.

IN WITNESS WHEREOF, I have thereunto set my hand and attested the seal of said Company this 8th day of May, 2014

Trace Ledbetter, Secretary

CALIFORNIA ALL – PURPOSE ACKNOWLEDGEMENT

State of California

County of Los Angeles

MAY 08 2014


On _____ before me, **JAN MICHELLE RIVERA,** **NOTARY PUBLIC**
DATE NAME, TITLE OF OFFICER

Personally appeared _____ **STEPHANIE HOPE SHEAR**
NAME(S) OF SIGNER(S)

Who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.



SIGNATURE OF NOTARY



NOTARY SEAL

CALIFORNIA ALL-PURPOSE CERTIFICATE OF ACKNOWLEDGMENT

State of California

County of SAN BERNARDINO

On MAY 12, 2014 before me, A. R. PENA, NOTARY PUBLIC
(Here insert name and title of the officer)

personally appeared RODRIGO C. MEDINA


who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) ~~is~~ are subscribed to the within instrument and acknowledged to me that ~~he/she/they~~ executed the same in ~~his/her/their~~ authorized capacity(ies), and that by ~~his/her/their~~ signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

A. R. Pena
Signature of Notary Public

(Notary Seal)



ADDITIONAL OPTIONAL INFORMATION

DESCRIPTION OF THE ATTACHED DOCUMENT

(Title or description of attached document)

(Title or description of attached document continued)

Number of Pages _____ Document Date _____

(Additional information)

CAPACITY CLAIMED BY THE SIGNER

- Individual (s)
 Corporate Officer

(Title)

- Partner(s)
 Attorney-in-Fact
 Trustee(s)
 Other _____

INSTRUCTIONS FOR COMPLETING THIS FORM

Any acknowledgment completed in California must contain verbiage exactly as appears above in the notary section or a separate acknowledgment form must be properly completed and attached to that document. The only exception is if a document is to be recorded outside of California. In such instances, any alternative acknowledgment verbiage as may be printed on such a document so long as the verbiage does not require the notary to do something that is illegal for a notary in California (i.e. certifying the authorized capacity of the signer). Please check the document carefully for proper notarial wording and attach this form if required.

- State and County information must be the State and County where the document signer(s) personally appeared before the notary public for acknowledgment.
- Date of notarization must be the date that the signer(s) personally appeared which must also be the same date the acknowledgment is completed.
- The notary public must print his or her name as it appears within his or her commission followed by a comma and then your title (notary public).
- Print the name(s) of document signer(s) who personally appear at the time of notarization.
- Indicate the correct singular or plural forms by crossing off incorrect forms (i.e. ~~he/she/they~~, ~~is/are~~) or circling the correct forms. Failure to correctly indicate this information may lead to rejection of document recording.
- The notary seal impression must be clear and photographically reproducible. Impression must not cover text or lines. If seal impression smudges, re-seal if a sufficient area permits, otherwise complete a different acknowledgment form.
- Signature of the notary public must match the signature on file with the office of the county clerk.
 - ❖ Additional information is not required but could help to ensure this acknowledgment is not misused or attached to a different document.
 - ❖ Indicate title or type of attached document, number of pages and date.
 - ❖ Indicate the capacity claimed by the signer. If the claimed capacity is a corporate officer, indicate the title (i.e. CEO, CFO, Secretary).
- Securely attach this document to the signed document



- Company Profile
- Company Search
- Company Search Results
- Company Information
- Old Company Names
- Agent for Service
- Reference Information
- NAIC Group List
- Lines of Business
- Workers' Compensation Complaint and Request for Action/Appeals Contact Information
- Financial Statements PDF's
 - Annual Statements
 - Quarterly Statements
- Company Complaint
 - Company Performance & Comparison Data
 - Company Enforcement Action
 - Composite Complaints Studies
- Additional Info
 - Find A Company Representative In Your Area
 - View Financial Disclaimer

COMPANY PROFILE

Company Information

STATE NATIONAL INSURANCE COMPANY, INC.
1900 L. DON DODSON DRIVE
BEDFORD, TX 76021
800-877-4567

Old Company Names	Effective Date
STATE NATIONAL INSURANCE COMPANY INC	12/16/1994

Agent For Service

NANCY FLORES
 C/O CT CORPORATION SYSTEM
 818 WEST SEVENTH STREET
 LOS ANGELES CA 90017

Reference Information

NAIC #:	12831
California Company ID #:	4291-1
Date Authorized in California:	09/28/1995
License Status:	UNLIMITED-NORMAL
Company Type:	Property & Casualty
State of Domicile:	TEXAS

back to top

NAIC Group List

NAIC Group #: 0093 STATE NATL GRP

Lines Of Business

The company is authorized to transact business within these lines of insurance. For an explanation of any of these terms, please refer to the glossary.

- AUTOMOBILE
- BOILER AND MACHINERY
- BURGLARY
- FIRE
- LIABILITY
- MARINE
- MISCELLANEOUS
- PLATE GLASS
- SPRINKLER
- SURETY
- WORKERS' COMPENSATION

back to top