

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

Environmental Programs Division for review and approval (60.EPD.1). With the incorporation of this mitigation measure, the project will have a less than significant impact.

b-c) The project has been previously disturbed, however because of the presence of suitable habitat for Burrowing Owl, 30 days prior to the issuance of a grading permit, a pre-construction presence/absence survey for burrowing owl shall be conducted by a qualified biologist and the results of this presence/absence survey shall be provided in writing to the Environmental Programs Division. (COA 60.EPD.2) With the incorporation of this mitigation measure, the project will have a less than significant impact.

d) The project will not interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident migratory wildlife corridors, or impede the use of native wildlife nursery sites. Therefore, there is no significant impact.

e) The proposed project does not contain any riparian or riverine habitat. Therefore, will not have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or U. S. Fish and Wildlife Service. Therefore, there is no impact.

f) The project does not contain, nor propose to develop on wetlands; therefore will not have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means. Therefore, there is no impact.

g) The proposed project will not conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance. Therefore, there is no significant impact.

Mitigation: Within 30 days prior to the issuance of a grading permit, a pre-construction presence/absence survey for the burrowing owl shall be conducted by a qualified biologist and the results of this presence/absence survey shall be provided in writing to the Environmental Programs Department. (COA 60.EPD.2) Prior to a grading permit issuance, a lighting plan shall be submitted to the Environmental Programs Division for review and approval. (60.EPD.1)

Monitoring: Monitoring shall be conducted through the Building and Safety Plan Check Process.

CULTURAL RESOURCES Would the project

8. Historic Resources

a) Alter or destroy an historic site?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Cause a substantial adverse change in the significance of a historical resource as defined in California Code of Regulations, Section 15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Source: Project Application Materials, County Archaeologist Review

Findings of Fact:

a-b) The site currently does not contain any permanent structures. The project site was previously a quarry mine and has been graded under BGR971200 in 1997 and BGR130176 in 2014. Therefore, the likelihood of the project altering or destroying historic resources is less than significant. If,

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

however, during ground disturbing activities, unique historical resources are discovered, all ground disturbances shall halt until a meeting is held between the developer and archaeologist to discuss the significance of the find. (COA 10.PLANNING.2) This is a standard condition and not considered mitigation for CEQA purposes. Therefore, the impact is considered less than significant.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

9. Archaeological Resources	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Alter or destroy an archaeological site.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to California Code of Regulations, Section 15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Disturb any human remains, including those interred outside of formal cemeteries?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Restrict existing religious or sacred uses within the potential impact area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Cause a substantial adverse change in the significance of a tribal cultural resource as defined in Public Resources Code 21074?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Source: Project Application Materials, County Archaeologist Review

Findings of Fact:

a-b) The proposed project site was previously a quarry mine and has been graded under BGR971200 in 1997 and BGR130176 in 2014. Therefore, the likelihood of the project altering or destroying an archaeological site is less than significant. If, however, during ground disturbing activities, unique archaeological resources are discovered, all ground disturbances shall halt until a meeting is held between the developer, archaeologist, and Native American representative to discuss the significance of the find. (COA 10.PLANNING.2) This is a standard condition and not considered mitigation for CEQA purposes. Therefore, the impact is considered less than significant.

c) There may be a possibility that ground disturbing activities will expose human remains. The project is subject to State Health and Safety Code Section 7050.5 if human remains are discovered during ground disturbing activities. (COA 10.PLANNING.1) This is a standard condition and not considered mitigation for CEQA purposes. Therefore, the impact is considered less than significant.

d) The project will not restrict existing religious or sacred uses within the potential impact area. Therefore, there is no significant impact.

e) The project will not cause a substantial adverse change in the significance of a tribal cultural resource as defined in Public Resources Code 21074.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--	--------------------------------	--	------------------------------	-----------

10. Paleontological Resources				
a) Directly or indirectly destroy a unique paleontological resource, or site, or unique geologic feature?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Source: Riverside County General Plan, County Geologist review

Findings of Fact:

a) The proposed project site was previously a quarry mine and has been graded under BGR971200 in 1997 and BGR130176 in 2014 and has been significantly disturbed since that time. Therefore, the proposed project is not anticipated to directly or indirectly destroy a unique paleontological resource, or site, or unique geologic feature. Therefore, the impact is considered less than significant.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

GEOLOGY AND SOILS Would the project				
11. Alquist-Priolo Earthquake Fault Zone or County Fault Hazard Zones				
a) Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Be subject to rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Source: Riverside County General Plan Figure S-2 "Earthquake Fault Study Zones," GIS database, County Geologist review

Findings of Fact:

a-b) The project is located within a 1/2 mile unnamed fault in Elsinore fault zone. The project site is not located within an Alquist-Priolo Earthquake Fault Zone. California Building Code (CBC) requirements pertaining to commercial development will mitigate the potential impact to less than significant. As CBC requirements are applicable to all commercial development they are not considered mitigation for CEQA implementation purposes. Therefore, the impact is considered less than significant.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

12. Liquefaction Potential Zone				
a) Be subject to seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

Source: Riverside County General Plan Figure S-3 "Generalized Liquefaction", GIS Database, County Geologist review

Findings of Fact:

a) According to GIS database, the potential for liquefaction at the site is low. The project will have less than significant impact.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

13. Ground-shaking Zone

Be subject to strong seismic ground shaking?

Source: Riverside County General Plan Figure S-4 "Earthquake-Induced Slope Instability Map," and Figures S-13 through S-21 (showing General Ground Shaking Risk), County Geologist review

Findings of Fact:

The project is located within a 1/2 mile unnamed fault in Elsinore fault zone. The project site is not located within an Alquist-Priolo Earthquake Fault Zone. The principal seismic hazard that could affect the site is ground shaking resulting from an earthquake occurring along several major active or potentially active faults in Southern California. California Building Code (CBC) requirements pertaining to development will mitigate the potential impact to less than significant. As CBC requirements are applicable to all development, they are not considered mitigation for CEQA implementation purposes.

Mitigation: No mitigation measures are required.

Monitoring: No mitigation measures are required.

14. Landslide Risk

a) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, collapse, or rockfall hazards?

Source: Riverside County General Plan Figure S-5 "Regions Underlain by Steep Slope", County Geologist review

Findings of Fact:

a) The site is relatively flat, on-site land sliding or debris flow sources from higher elevations should not be considered to be a geologic constraint at this site. The proposed project is not located on soil that is unstable, or that would become unstable as a result of the project. Therefore, the impact is considered less than significant.

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

15. Ground Subsidence

a) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in ground subsidence?

Source: GIS database, Riverside County General Plan Figure S-7 "Documented Subsidence Areas", County Geologist review

Findings of Fact:

a) The proposed project site was previously a quarry mine and has been graded under BGR971200 in 1997. To ensure that this site meets the required settlement parameters for construction, all soil settlement monitoring data collected for the fill operations and associated post-fill monitoring along with a report from the geotechnical consultant of record shall be submitted to the County Geologist for review before issuance of a building permit (COA 80.PLANNING.1). With the incorporation of this mitigation measure, the project will have a less than significant impact.

Mitigation: Prior to the issuance of a building permit, all soil settlement monitoring data collected for the fill operations and associated post-fill monitoring along with a report from the geotechnical consultant of record indicating that the site has met the required settlement parameters for construction shall be submitted to the County Geologist for review. (COA 80.PLANNING.1)

Monitoring: Monitoring shall be conducted through the Building and Safety Plan Check Process.

16. Other Geologic Hazards

a) Be subject to geologic hazards, such as seiche, mudflow, or volcanic hazard?

Source: Project Application Materials, County Geologist review

a) The proposed project is not subject to geologic hazards, such as seiche, mudflow, or volcanic hazard. The project will have less than significant impact.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

17. Slopes

a) Change topography or ground surface relief features?

b) Create cut or fill slopes greater than 2:1 or higher than 10 feet?

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
c) Result in grading that affects or negates subsurface sewage disposal systems?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Source: Project Application Materials, Building and Safety – Grading Review

Findings of Fact:

- a) The project will not significantly change the existing topography on the subject site. The grading will follow the natural slopes and not alter any significant elevated topographic features located on the site.
- b) The project will not cut or fill slopes greater than 2:1 or create a slope higher than 10 feet.
- c) The project does not result in grading that affects or negates subsurface sewage disposal systems.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

18. Soils				
a) Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Be located on expansive soil, as defined in Section 1802.3.2 of the California Building Code (2007), creating substantial risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Have soils incapable of adequately supporting use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Source: General Plan figure S-6 “Engineering Geologic Materials Map”, Project Application Materials, Building and Safety Grading review

- a) The development of the site could result in the loss of topsoil from grading activities, but not in a manner that would result in significant amounts of soil erosion. Implementation of Best Management Practices (BMPs) would reduce the impact to below a level of significance. Impacts would be less than significant.
- b) The project may be located on expansive soil; however, California Building Code (CBC) requirements pertaining to commercial development will mitigate the potential impact to less than significant. As CBC requirements are applicable to all development, they are not considered mitigation for CEQA implementation purposes.
- c) The project is not proposing the use of septic systems. Full sewer service will be provided. Therefore, the project will have less than significant impact.

Mitigation: No mitigation measures are required.

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

Monitoring: No monitoring measures are required.

19. Erosion

- a) Change deposition, siltation, or erosion that may modify the channel of a river or stream or the bed of a lake?
- b) Result in any increase in water erosion either on or off site?

<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Source: Building and Safety Grading review, Project Application Materials

Findings of Fact:

a) Implementation of the proposed project will involve grading and various construction activities. Standard construction procedures, and federal, state and local regulations implemented in conjunction with the site's storm water pollution prevention plan (SWPPP) and its Best Management Practices (BMPs) required under the National Pollution Discharge System (NPDES) general construction permit, will minimize potential for erosion during construction. These practices will keep substantial amounts of soil material from eroding from the project site and prevent deposition within receiving waters located downstream.

b) The potential for on-site erosion will increase due to grading and excavating activities during the construction phase. However, BMPs will be implemented for maintaining water quality and reducing erosion.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

20. Wind Erosion and Blowsand from project either on or off site.

- a) Be impacted by or result in an increase in wind erosion and blowsand, either on or off site?

<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	-------------------------------------	--------------------------

Source: Riverside County General Plan Figure S-8 "Wind Erosion Susceptibility Map," Ord. 460, Sec. 14.2 & Ord. 484

Findings of Fact:

a) The site is located in an area of Moderate Wind Erodibility rating. The General Plan, Safety Element Policy for Wind Erosion requires buildings and structures to be designed to resist wind loads which are covered by the California Building Code (CBC). With such compliance, the project will not result in an increase in wind erosion and blowsand, either on or off site. The project will have less than significant impact.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

GREENHOUSE GAS EMISSIONS Would the project

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
21. Greenhouse Gas Emissions				
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Source: Project application materials, "Air Quality Analysis Report 'The Quarry'", prepared by Chambers group, Inc., dated April 18, 2008; "Greenhouse Gas Impact Analysis 'The Quarry' Temescal Canyon Road, Corona, CA 92883", prepared by Enviroassessors, Inc., dated May 21, 2015

Findings of Fact:

a) Analysis by Enviroassessors, Inc. (May 21, 2015) indicates the project's mitigated total annual GHG emissions will be 2,976 metric tons of CO₂-equivalents (CO₂e) per year. The project shall implement operational mitigation measures that include implementing Trip Reduction Program, Transit Subsidy, encouraging Telecommuting and Alternative Work Schedules, Employee Vanpool/Shuttle, and provide Ride Sharing Program. The project shall also provide high efficiency lighting; use electric lawnmower, leaf blower, low VOC Paint, low VOC cleaning supplies; and install low flow bathroom faucet and toilets. (COA 10.PLANNING.35) With the implementation of this mitigation measure, the project's total GHG emissions will be below the threshold of 3,000 MTY CO₂e for residential and commercial project currently proposed by the South Coast Air Quality Management District. This project total includes both direct (amortized construction, area source and mobile emissions) and indirect (electricity, solid waste and water usage) GHG emissions. Hence, the project will not result in significant generation of greenhouse gases, either directly or indirectly, and will not have a significant impact on the environment due to greenhouse gas emissions.

b) The proposed project would not conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases. The County of Riverside has developed a Standard Operating Procedure for determining if a discretionary project would create a cumulative significant impact to global climate change. The Standard Operating Procedure was developed based on draft and adopted plans created by CARB, the Governor's Office of Planning and Research, and SCAQMD. In addition, the thresholds rely on GHG emission reduction targets developed by SCAG as well as the agencies mentioned above. As detailed above in Section A, the proposed project's GHG emissions were found to be within the thresholds of significance detailed in the Standard Operating Procedure. Therefore, the proposed project would not conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases.

Mitigation: The project shall implement operational mitigation measures that include implementing Trip Reduction Program, Transit Subsidy, encouraging Telecommuting and Alternative Work Schedules, Employee Vanpool/Shuttle, and provide Ride Sharing Program. The project shall also provide high efficiency lighting; use electric lawnmower, leaf blower, low VOC Paint, low VOC cleaning supplies; and install low flow bathroom faucet and toilets. (COA 10.PLANNING.35)

Monitoring: Monitoring shall be conducted through the Building and Safety Plan Check Process.

HAZARDS AND HAZARDOUS MATERIALS Would the project

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
22. Hazards and Hazardous Materials				
a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Impair implementation of or physically interfere with an adopted emergency response plan or an emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Source: Project Application Materials, Department of Environmental Health Review and Fire Department Review

Findings of Fact:

a-b) The project is proposing to construct a 64,190 sq. ft. manufacturing/warehouse facility. The project is not anticipated to create a significant hazard to the public or the environment transport, use, or disposal of hazardous materials or create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment. The Department of Environmental Health has required a business emergency plan for the storage of hazardous materials greater than 55 gallons, 200 cubic feet or 500 pounds, or any acutely hazardous materials or extremely hazardous materials (COA 90.E HEALTH. 1). This is a standard condition and not considered mitigation for CEQA purposes. Therefore, the impact is considered less than significant.

c) The project has been reviewed by the Riverside County Fire Department for emergency access, and will not impair the implementation or physically interfere with an adopted emergency response plan or an emergency evacuation plan.

d) The project is not located within one-quarter mile of an existing school. The project will have no significant impact.

e) The project is not located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
23. Airports				
a) Result in an inconsistency with an Airport Master Plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Require review by the Airport Land Use Commission?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) For a project within the vicinity of a private airstrip, or heliport, would the project result in a safety hazard for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Source: Riverside County General Plan Figure S-19 "Airport Locations," GIS database

a) The project site is not located within the vicinity of any public or private airport; therefore, the project will not result in an inconsistency with an Airport Master Plan.

b) The project site is not located within the vicinity of any public or private airport; therefore will not require review by the Airport Land Use Commission.

c) The project is not located within an airport land use plan and would not result in a safety hazard for people residing or working in the project area.

d) The project is not within the vicinity of a private airstrip, or heliport and would not result in a safety hazard for people residing or working in the project area.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

24. Hazardous Fire Area				
a) Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Source: Riverside County General Plan Figure S-11 "Wildfire Susceptibility," GIS database

Findings of Fact:

a) According to the General Plan, the proposed project site is located within a hazardous fire area. The proposed project will not expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands. The project shall adhere to all Fire Departments

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

requirements for projects located within high fire hazard areas and all buildings constructed on this property must comply with the special construction provisions contained in Riverside County Ordinance No. 787.2. These are standard conditions of approval and are not considered mitigation under CEQA. Therefore, the impact is considered less than significant.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

HYDROLOGY AND WATER QUALITY Would the project

25. Water Quality Impacts

a) Substantially alter the existing drainage pattern of the site or area, including the alteration of the course of a stream or river, in a manner that would result in substantial erosion or siltation on- or off-site?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Violate any water quality standards or waste discharge requirements?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Create or contribute runoff water that would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Place housing within a 100-year flood hazard area, as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Place within a 100-year flood hazard area structures which would impede or redirect flood flows?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g) Otherwise substantially degrade water quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
h) Include new or retrofitted stormwater Treatment Control Best Management Practices (BMPs) (e.g. water quality treatment basins, constructed treatment wetlands), the operation of which could result in significant environmental effects (e.g. increased vectors or odors)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Source: Riverside County Flood Control District Flood Hazard Report/Condition, Transportation Department Review

Findings of Fact:

a) According to the Riverside County Flood Control District (District), Temescal Wash, with a 100-year flow rate of 19,400 cfs, flows northerly and adjacent to the easterly property line of the project site. While the FEMA flood plain/floodway (Panel 06065C-1390G) may impact a small portion of the

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

project site, Temescal Wash has historically meandered over a wide portion of this site. A study related to this bank protection was prepared by the applicant's consulting engineer and submitted to the District for review. It was proposed to place buried rock, or 'launch rock' along the easterly property line. In the event of lateral erosion, the fill material/improvements over the launch rock could be washed away exposing the launch rock. If flows continued to scour the bank, the objective is for launch rock to slide down and fill in the scoured areas and continue to provide bank protection. The study provided design parameters for the launch rock. A typical section of the launch rock is shown on the exhibit. The District found the study acceptable. A grading plan (BGR130176), which included the construction of the launch rock, was prepared and the site was graded. Building and Safety provided the site inspection for the grading and deemed the site graded according to the plans around December 2014.

The launch rock is not a publically maintained facility. The ownership and the responsibility for the maintenance of the launch rock is the property owner(s) or a Property Owners Association. The launch rock should provide adequate scour protection to the buildings but damage could occur to the paved drive access between the building and the property line. The repair and/or replacement of any improvements, including the launch rock, are the sole responsibility of the property owner(s) or a Property Owners Association. (COA 10.FLOOD RI. 1) Therefore, the impact is considered less than significant.

b) In order to mitigate for water quality impacts the project shall provide best management treatment practices. The project has been conditioned prior to grading permit issuance to submit copies of the BMP improvement plans and a copy of the project specific WQMP shall be submitted for review. (COA 60.BS GRADE.11) Therefore, the impact is considered less than significant with mitigation incorporated.

c) The proposed project is located within the boundaries of the Lee Lake Water District. At this time, the water district has not indicated that the proposed project would have the potential to deplete groundwater or interfere with groundwater recharge. Therefore, the impact is considered less than significant.

d) Flows discharged from a large box culvert under Interstate 15 meander through an unimproved dirt ditch to an undersized storm drain culvert under Temescal Canyon Road. This storm drain then conveys flows southerly and discharges flows onto the property(s) to the east (APN 283-110-003 and/or APN 283-110-009). Extending this culvert may be required to accommodate the site's easterly ingress/egress driveway access. This storm drain also connects to an existing pipe which discharges storm runoff from the development located to the north of the project site. Flows not collected into the storm drain on the upstream side of Temescal Canyon Road could overtop the street and may impact the westerly portion of the project site. While this could result in some flooding of the parking area, the grading plan for the site shows the finished floor of the building elevated above the curb of the parking area and therefore should be safe from this flood hazard. However, a storm of unusual magnitude could cause damage. All onsite runoff, both PP 25397 and the future development of the vacant pad, should be directed to the water quality features located in the northerly portion of the property. The exhibit shows a catch basin in Temescal Canyon Road on the west side of the driveway. The outlet pipe from this catch basin also discharges onto the westerly property(s).

This project site shall accept any runoff from the existing development to north which currently flows onto the project site. Permission from the adjacent property owner(s) for the discharge of

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

concentrated flows onto the adjacent properties shall be obtained. (COA 10.FLOOD RI. 1) Therefore, the impact is considered less than significant.

e-f) The project proposed project will not place housing or structures within a 100-year flood hazard area. Therefore, there is no significant impact.

g) The proposed project is not anticipated to otherwise substantially degrade water quality. To avoid the substantial degradation of water quality, the project has been conditioned prior to the issuance of any grading or construction permits, to comply with the National Pollutant Discharge Elimination System, by developing and implementing a storm water pollution prevention plan, as well as a monitoring program and reporting plan for the construction site. The project has also been conditioned to submit a Final Water Quality Management Plan prior to grading permit issuance for review and approval. The WQMP addresses post-development water quality impacts from new development and re-development projects. These are standard conditions of approval and are not considered unique mitigation pursuant to CEQA. Therefore, the impact is considered less than significant.

h) The proposed project will include the construction of new or retrofitted stormwater Treatment Control Best Management Practices (BMPs). Prior to grading permit issuance, BMP improvement plans and any other necessary documentation shall be submitted for review. (COA 60. BS GRADE. 11) Therefore, the impact is considered less than significant with mitigation incorporated.

Mitigation: A copy of the BMP improvement plans along a copy of the project specific WQMP shall be submitted to the Transportation for review and approval. The applicant shall obtain inspection of all treatment control BMPs and/or clearance from the Building and Safety Department. All structural BMPs described in the project-specific WQMP shall be constructed and installed in conformance with approved plans and specifications (COA: 60.BS GRADE.11, 60.BS GRADE.13, 60.TRANS.01, 70.TRANS.1, 70.TRANS.2 90.BS GRADE.01, 90.BS GRADE.02).

Monitoring: Monitoring shall be conducted by the Transportation Department and by the Department of Building and Safety plan check process.

26. Floodplains

Degree of Suitability in 100-Year Floodplains. As indicated below, the appropriate Degree of Suitability has been checked.

NA - Not Applicable U - Generally Unsuitable R - Restricted

a) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner that would result in flooding on- or off-site?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Changes in absorption rates or the rate and amount of surface runoff?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam (Dam Inundation Area)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Changes in the amount of surface water in any water body?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

Source: Riverside County General Plan Figure S-9 "100- and 500-Year Flood Hazard Zones," Figure S-10 "Dam Failure Inundation Zone," Riverside County Flood Control District Flood Hazard Report/Condition, GIS database

Findings of Fact:

a-b) According to the Riverside County Flood Control District (District), Temescal Wash, with a 100-year flow rate of 19,400 cfs, flows northerly and adjacent to the easterly property line of the project site. While the FEMA flood plain/floodway (Panel 06065C-1390G) may impact a small portion of the project site, Temescal Wash has historically meandered over a wide portion of this site. A study related to this bank protection was prepared by the applicant's consulting engineer and submitted to the District for review. It was proposed to place buried rock, or 'launch rock' along the easterly property line. In the event of lateral erosion, the fill material/improvements over the launch rock could be washed away exposing the launch rock. If flows continued to scour the bank, the objective is for launch rock to slide down and fill in the scoured areas and continue to provide bank protection. The study provided design parameters for the launch rock. A typical section of the launch rock is shown on the exhibit. The District found the study acceptable. A grading plan (BGR130176), which included the construction of the launch rock, was prepared and the site was graded. Building and Safety provided the site inspection for the grading and deemed the site graded according to the plans around December 2014.

The launch rock is not a publically maintained facility. The ownership and the responsibility for the maintenance of the launch rock is the property owner(s) or a Property Owners Association. The launch rock should provide adequate scour protection to the buildings but damage could occur to the paved drive access between the building and the property line. The repair and/or replacement of any improvements, including the launch rock, are the sole responsibility of the property owner(s) or a Property Owners Association.

Flows discharged from a large box culvert under Interstate 15 meander through an unimproved dirt ditch to an undersized storm drain culvert under Temescal Canyon Road. This storm drain then conveys flows southerly and discharges flows onto the property(s) to the east (APN 283-110-003 and/or APN 283-110-009). Extending this culvert may be required to accommodate the site's easterly ingress/egress driveway access. This storm drain also connects to an existing pipe which discharges storm runoff from the development located to the north of the project site. Flows not collected into the storm drain on the upstream side of Temescal Canyon Road could overtop the street and may impact the westerly portion of the project site. While this could result in some flooding of the parking area, the grading plan for the site shows the finished floor of the building elevated above the curb of the parking area and therefore should be safe from this flood hazard. However, a storm of unusual magnitude could cause damage. All onsite runoff, both PP 25397 and the future development of the vacant pad, should be directed to the water quality features located in the northerly portion of the property. The exhibit shows a catch basin in Temescal Canyon Road on the west side of the driveway. The outlet pipe from this catch basin also discharges onto the westerly property(s).

This project site shall accept any runoff from the existing development to north which currently flows onto the project site. Permission from the adjacent property owner(s) for the discharge of concentrated flows onto the adjacent properties shall be obtained. (COA 10.FLOOD RI. 1) Therefore, the impact is considered less than significant.

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

c) The project will not place housing within a 100-year flood hazard area, as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map.

d) The project will not cause changes in the amount of surface water in any water body.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

LAND USE/PLANNING Would the project

27. Land Use

a) Result in a substantial alteration of the present or planned land use of an area?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	--------------------------	--------------------------	-------------------------------------	--------------------------

b) Affect land use within a city sphere of influence and/or within adjacent city or county boundaries?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	--------------------------	--------------------------	-------------------------------------	--------------------------

Source: Riverside County General Plan, GIS database, Project Application Materials

Findings of Fact:

a) The project proposes a manufacturing/warehouse facility. The project site is currently designated Community Development: Light Industrial (CD: LI) (0.25-0.60 Floor Area Ratio) on the Temescal Canyon Area Plan. A wide variety of light industrial uses and related uses, including, but not limited to, assembly and light manufacturing, repair and other service facilities, warehousing, distribution centers and supporting retail uses are allowed within the Community Development: Light Industrial (CD: LI) (0.25-0.60 Floor Area Ratio) Land Use designation. The proposed project will not result in the substantial alteration of the present or planned land use of an area. Therefore, there is no significant impact.

b) The project is located within the City of Corona sphere of influence. The project has been transmitted to the City of Corona. No information provided suggested that the proposed project would affect land uses within Corona or adjacent city or county boundaries. Therefore, impacts are less than significant.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

28. Planning

a) Be consistent with the site's existing or proposed zoning?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	--------------------------	--------------------------	-------------------------------------	--------------------------

b) Be compatible with existing surrounding zoning?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	--------------------------	--------------------------	-------------------------------------	--------------------------

c) Be compatible with existing and planned surrounding land uses?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	--------------------------	--------------------------	-------------------------------------	--------------------------

d) Be consistent with the land use designations and policies of the Comprehensive General Plan (including those of any applicable Specific Plan)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	--------------------------	--------------------------	-------------------------------------	--------------------------

e) Disrupt or divide the physical arrangement of an	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	--------------------------	--------------------------	-------------------------------------	--------------------------

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

established community (including a low-income or minority community)?

Source: Riverside County General Plan Land Use Element, Staff review, GIS database

Findings of Fact:

- a) The proposed project is consistent with the site's existing zoning of Manufacturing - Service Commercial (M-SC). The proposed use, a manufacturing/warehouse facility, is a permitted use, subject to approval of a plot plan in the Manufacturing-Service Commercial (M-SC) zone.
- b) The surrounding zoning is Specific Plan No. 176 (Wild Rose), Planning Area III-5 to the north, Manufacturing-Service Commercial (M-SC) to the south, Mineral Resources and Related Manufacturing (M-R-A) to the east, and Specific Plan No. 176 (Wild Rose), Planning Area III-2 to the west. The project will be compatible with the surrounding zoning classifications.
- c) The project site is designated Community Development: Light Industrial (CD: LI) (0.25-0.60 Floor Area Ratio) and surrounding properties are designated Community Development: Light Industrial (CD: LI) (0.25-0.60 Floor Area Ratio) to the north, south, and east and Community Development: Business Park (CD: BP) (0.25-0.60 Floor Area Ratio) to the west. There are existing industrial developments to the north and west of the project site. Therefore, the project is compatible with existing and planned surrounding land uses.
- d-e) The project is consistent with the land use designations and policies of the General Plan. In addition, the project will not disrupt or divide the physical arrangement of an established community. The project will have no significant impact.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

MINERAL RESOURCES Would the project

29. Mineral Resources

a) Result in the loss of availability of a known mineral resource that would be of value to the region or the residents of the State?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Be an incompatible land use located adjacent to a State classified or designated area or existing surface mine?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Expose people or property to hazards from proposed, existing or abandoned quarries or mines?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Source: Riverside County General Plan Figure OS-5 "Mineral Resources Area"

- a) The proposed project site is designated MRZ-2a which is considered to have areas where the available geologic information indicates that there are significant mineral deposits. The project site

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

was previously a quarry mine and has been graded under BGR971200 in 1997 and BGR130176 in 2014. Due to previous mining activities, the site has been exhausted of all resources. Therefore, the proposed project would have a less than significant impact on the loss of availability of a known mineral resource an area classified or designated by the State that would be of value to the region or the residents of the State. Therefore, the impact is considered less than significant.

b) The proposed project site is designated MRZ-2a which is considered to have areas where the available geologic information indicates that there are significant mineral deposits. The project site was previously a quarry mine and has been graded under BGR971200 in 1997 and BGR130176 in 2014. Due to previous mining activities, the site has been exhausted of all resources. Therefore shall not result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan. Therefore, the impact is considered less than significant.

c) The proposed project is adjacent to similar industrial and commercial uses. However, Mobile Sand and Gravel (surface mining) is approximately over ¼ of a mile to the north of the project site, and the Corona Clay Pits is approximately ½ a mile to the east of the project site. The project proposes industrial/commercial uses and is not anticipated to be incompatible with surface mining uses in the project vicinity. Therefore, the impact is considered less than significant.

d) The proposed site was previously a quarry mine and has been graded under BGR971200 in 1997 and BGR130176 in 2014. However, the quarry has since been filled and re-compacted. Therefore, the impact is considered less than significant.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

NOISE Would the project result in

Definitions for Noise Acceptability Ratings

Where indicated below, the appropriate Noise Acceptability Rating(s) has been checked.

NA - Not Applicable A - Generally Acceptable B - Conditionally Acceptable
 C - Generally Unacceptable D - Land Use Discouraged

30. Airport Noise

a) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport would the project expose people residing or working in the project area to excessive noise levels?

NA A B C D

b) For a project within the vicinity of a private airstrip, would the project expose people residing or working in the project area to excessive noise levels?

NA A B C D

Source: Riverside County General Plan Figure S-19 "Airport Locations," County of Riverside Airport Facilities Map

Findings of Fact:

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

a) The proposed project is not located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport. Therefore, there is no impact.

b) The proposed project is not within the vicinity of a private airstrip. Therefore, shall not expose people residing or working in the project area to excessive noise levels. Therefore, there is no impact.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

31. Railroad Noise

NA A B C D

Source: Riverside County General Plan Figure C-1 "Circulation Plan", GIS database, On-site Inspection

Findings of Fact: The project site is not located adjacent a railroad line. The project has no significant impact.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

32. Highway Noise

NA A B C D

Source: On-site Inspection, Project Application Materials

Findings of Fact: The project site is located approximately 300 feet from Interstate 15. However, the project is for a warehousing and distribution facility that does not create a noise sensitive use. The existing highway noise will have no significant impact on the project.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

33. Other Noise

NA A B C D

Source: Project Application Materials, GIS database

Findings of Fact: No additional noise sources have been identified near the project site that would contribute a significant amount of noise to the project. There will be no significant impact.

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

34. Noise Effects on or by the Project

a) A substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	--------------------------	--------------------------	-------------------------------------	--------------------------

b) A substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	--------------------------	--------------------------	-------------------------------------	--------------------------

c) Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	--------------------------	--------------------------	-------------------------------------	--------------------------

d) Exposure of persons to or generation of excessive ground-borne vibration or ground-borne noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	--------------------------	--------------------------	-------------------------------------	--------------------------

Source: Riverside County General Plan, Table N-1 (“Land Use Compatibility for Community Noise Exposure”); Project Application Materials

Findings of Fact:

a) Although the project will increase the ambient noise level in the immediate vicinity during construction, and the general ambient noise level will increase slightly after project completion, the impacts are not considered significant.

b) The project might create a substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project. However, all noise generated during project construction and the operation of the site must comply with the County’s noise standards, which restricts construction (short-term) and operational (long-term) noise levels. Therefore, any potential noise impact is considered less than significant.

c) The project will not cause exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies.

d) Persons might be exposed to ground-borne vibration or ground-borne noise levels during construction and operation of the project; however, to minimize ambient noise levels during construction and operation of the proposed project, construction and operation shall be restricted substantially to daylight hours.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

POPULATION AND HOUSING Would the project

35. Housing	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------	--------------------------	--------------------------	--------------------------	-------------------------------------

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere?				
b) Create a demand for additional housing, particularly housing affordable to households earning 80% or less of the County's median income?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Affect a County Redevelopment Project Area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Cumulatively exceed official regional or local population projections?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Source: Project Application Materials, GIS database, Riverside County General Plan Housing Element

Findings of Fact:

- a) The proposed project will not displace any housing, necessitating the construction of replacement housing elsewhere. The project will have no significant impact.
- b) The project will not create a demand for additional housing, particularly housing affordable to households earning 80% or less of the County's median income. The project will have no significant impact.
- c) The project will not displace substantial numbers of people, necessitating the construction of replacement housing elsewhere. The project will have no significant impact.
- d) The project will not affect a County Redevelopment Project Area. The project will have no significant impact.
- e) The project will not cumulatively exceed official regional or local population projections. The project will have no significant impact.
- f) Development of the project site will have a less than significant impact on inducing substantial population growth in an area either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure).

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

PUBLIC SERVICES Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered government facilities or the need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:

36. Fire Services

Source: Riverside County General Plan Safety Element

Findings of Fact:

The project area is serviced by the Riverside County Fire Department. Any potential significant effects will be mitigated by the payment of standard fees to the County of Riverside. The project will not directly physically alter existing facilities or result in the construction of new facilities. Any construction of new facilities required by the cumulative effects of surrounding projects would have to meet all applicable environmental standards. The project shall comply with County Ordinance No. 659 to mitigate the potential effects to fire services. (COA 90.PLANNING.28) This is a standard Condition of Approval and pursuant to CEQA is not considered mitigation.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

37. Sheriff Services

Source: Riverside County General Plan

Findings of Fact:

The proposed area is serviced by the Riverside County Sheriff's Department. The proposed project would not have an incremental effect on the level of sheriff services provided in the vicinity of the project area. Any construction of new facilities required by the cumulative effects of this project and surrounding projects would have to meet all applicable environmental standards. The project shall comply with County Ordinance No. 659 to mitigate the potential effects to sheriff services. (COA 90.PLANNING.28) This is a standard Condition of Approval and pursuant to CEQA, is not considered mitigation.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

38. Schools

Source: Corona-Norco Unified School District correspondence, GIS database

Findings of Fact: The project will not physically alter existing facilities or result in the construction of new or physically altered facilities. The proposed project is located within the Corona-Norco Unified School District. Any construction of new facilities required by the cumulative effects of this project and

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

surrounding projects would have to meet all applicable environmental standards. This project has been conditioned to comply with School Mitigation Impact fees in order to mitigate the potential effects to school services. (COA 80.PLANNING.18) This is a standard Condition of Approval and pursuant to CEQA, is not considered mitigation.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

39. Libraries

Source: Riverside County General Plan

Findings of Fact:

The proposed project will not create a significant incremental demand for library services. The project will not require the provision of new or altered government facilities at this time. Any construction of new facilities required by the cumulative effects of surrounding projects would have to meet all applicable environmental standards. This project shall comply with County Ordinance No. 659 to mitigate the potential effects to library services. (COA 90.PLANNING.28) This is a standard Condition of Approval and pursuant to CEQA is not considered mitigation.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

40. Health Services

Source: Riverside County General Plan

Findings of Fact:

The use of the proposed project would not cause an impact on health services. The site is located within the service parameters of County health centers. The project will not physically alter existing facilities or result in the construction of new or physically altered facilities. The project will have no impact. Any construction of new facilities required by the cumulative effects of this project and surrounding projects would have to meet all applicable environmental standards.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

RECREATION

41. Parks and Recreation

a) Would the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
b) Would the project include the use of existing neighborhood or regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Is the project located within a Community Service Area (CSA) or recreation and park district with a Community Parks and Recreation Plan (Quimby fees)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Source: GIS database, Ord. No. 659 (Establishing Development Impact Fees), Parks & Open Space Department Review

Findings of Fact:

a) The project would not include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment. The project will have no significant impact.

b) The project would not include the use of existing neighborhood or regional parks or other recreation facilities such that substantial physical deterioration of the facility would occur or be accelerated. The project will have no significant impact.

c) The project is not located within a County Service Area. The project will have no significant impact.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

42. Recreational Trails	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------

Source: Riverside County General Plan

Findings of Fact: The project does not create a need or impact a recreational trail in the vicinity of the project. The project will have no significant impact.

Mitigation: No mitigation measures are required.

Monitoring: No mitigation measures are required.

TRANSPORTATION/TRAFFIC Would the project

43. Circulation	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------

a) Conflict with an applicable plan, ordinance or policy establishing a measure of effectiveness for the performance of the circulation system, taking into account all modes of transportation, including mass transit and non-motorized travel and relevant components of the circulation system, including but not limited to intersections, streets, highways and freeways, pedestrian and bicycle paths, and mass transit?

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
b) Conflict with an applicable congestion management program, including, but not limited to level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Alter waterborne, rail or air traffic?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g. farm equipment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Cause an effect upon, or a need for new or altered maintenance of roads?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g) Cause an effect upon circulation during the project's construction?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
h) Result in inadequate emergency access or access to nearby uses?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
i) Conflict with adopted policies, plans or programs regarding public transit, bikeways or pedestrian facilities, or otherwise substantially decrease the performance or safety of such facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Source: Riverside County General Plan; Department of Transportation Review, Traffic Impact Study for The Quarry, prepared by Darnell & Associates, Inc., dated March 19, 2008

Findings of Fact:

a) The Transportation Department has reviewed the traffic study submitted for this project. The study has been prepared in accordance with County-approved guidelines. The Transportation Department generally concurs with the findings relative to traffic impacts.

The General Plan circulation policies require a minimum of Level of Service 'C', except that Level of Service 'D' may be allowed in community development areas at intersections of any combination of secondary highways, major highways, arterials, urban arterials, expressways or state highways and ramp intersections.

The study indicates that it is possible to achieve adequate levels of service for the following intersections based on the traffic study assumptions.

I-15 Southbound Ramps (NS) at: Weirick Road (EW)

I-15 Northbound Ramps (NS) at: Weirick Road (EW)

Temescal Canyon Road (NS) at: Weirick Road (EW)

Temescal Canyon Road (NS) at: Foster Road (EW)

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

Temescal Canyon Road (NS) at: Pulsar Court (EW)

Temescal Canyon Road (NS) at: Stellar Court (EW)

Temescal Canyon Road (NS) at: Dawson Canyon Road (EW)

I-15 Southbound Ramps (NS) at: Temescal Canyon Road (EW)

I-15 Northbound Ramps (NS) at: Temescal Canyon Road (EW)

Temescal Canyon Road (NS) at: Project Driveway (EW)

As such, the proposed project is consistent with this General Plan policy.

b) The project will not conflict with an applicable congestion management program, including, but not limited to level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways. The project will have no significant impact.

c-d) The project does not propose any design issues that would cause a change in air traffic patterns, alter waterborne, or rail and air traffic. The project will have no significant impact.

e-f) The project will not substantially increase hazards due to a design feature or cause an effect upon a need for new or altered maintenance of roads. The project will have no significant impact.

g) The project could cause an effect upon circulation during the project's construction; this impact will be temporary in nature. The impact is considered less than significant.

h) The project has been reviewed and conditioned by the Riverside County Fire Department. Accordingly, the Fire Department has approved the design of the project. The project will have no significant impact.

i) The project site will not conflict with adopted policies, plans or programs regarding public transit, bikeways or pedestrian facilities, or otherwise substantially decrease the performance or safety of such facilities. The project will have no significant impact.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

44. Bike Trails

Source: Riverside County General Plan

Findings of Fact: The project does not create a need or impact a bike trail in the vicinity of the project. The project will have no significant impact.

Mitigation: No mitigation measures are required.

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

Monitoring: No monitoring measures are required.

UTILITY AND SERVICE SYSTEMS Would the project

45. Water

a) Require or result in the construction of new water treatment facilities or expansion of existing facilities, the construction of which would cause significant environmental effects?

b) Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?

Source: Department of Environmental Health Review

Findings of Fact:

a) The project will receive potable water service from Lee Lake Water District. The Riverside County Department of Environmental Health has reviewed this project. The project does not require or will not result in the construction of new water treatment facilities or expansion of existing facilities, the construction of which would cause significant environmental effects. Therefore, the impact is considered less than significant.

b) There is a sufficient water supply available to serve the project from existing entitlements and resources. This project has been conditioned to comply with the requirements of the Riverside County Department of Environmental Health. Water shall be installed in accordance with the requirements of the Riverside County Department of Environmental Health.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

46. Sewer

a) Require or result in the construction of new wastewater treatment facilities, including septic systems, or expansion of existing facilities, the construction of which would cause significant environmental effects?

b) Result in a determination by the wastewater treatment provider that serves or may service the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?

Source: Department of Environmental Health (DEH) Review

Findings of Fact:

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

a) The Lee Lake Water District will service the project with sewer services. The Riverside County Department of Health has reviewed this project. The project will not require or will not result in the construction of new wastewater treatment facilities, including septic systems, or expansion of existing facilities, the construction of which would cause significant environmental effects.

b) This project has been conditioned to comply with the requirements of the Riverside County Department of Environmental Health. Water and sewer shall be installed in accordance with the requirements of the Riverside County Department of Environmental Health.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

47. Solid Waste

a) Is the project served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	--------------------------	--------------------------	-------------------------------------	--------------------------

b) Does the project comply with federal, state, and local statutes and regulations related to solid wastes including the CIWMP (County Integrated Waste Management Plan)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	--------------------------	--------------------------	-------------------------------------	--------------------------

Source: Riverside County General Plan, Riverside County Waste Management District correspondence

Findings of Fact:

a) The project will not substantially alter existing or future solid waste generation patterns and disposal services. The landfill that will serve the project has sufficient capacity to accommodate the project's anticipated solid waste disposal needs.

b) The development will comply with federal, state, and local statutes and regulations related to solid wastes (including the CIWMP- County Integrated Waste Management Plan).

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

48. Utilities

Would the project impact the following facilities requiring or resulting in the construction of new facilities or the expansion of existing facilities; the construction of which could cause significant environmental effects?

a) Electricity?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Natural gas?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Communications systems?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Storm water drainage?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Street lighting?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f) Maintenance of public facilities, including roads?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
g) Other governmental services?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Source: Riverside County General Plan

Findings of Fact:

a-c) The project will require utility services in the form of Electricity, Natural gas, and Communications systems. Utility service infrastructure is available to the project site and the project site and the project is not anticipated to create a need for new facilities.

d) Storm water drainage will be handled on-site.

e-f) Street lighting exists for access to the project site. The project will have an incremental impact on the maintenance of public facilities, including roads.

g) The project will not require additional governmental services.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

49. Energy Conservation

a) Would the project conflict with any adopted energy conservation plans?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

Source:

a) The proposed project will not project conflict with any adopted energy conservation plans. The project will have no significant impact.

Mitigation: No mitigation measures are required.

Monitoring: No monitoring measures are required.

MANDATORY FINDINGS OF SIGNIFICANCE

50. Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal, or eliminate important examples of the major periods of California history or prehistory?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

Source: Staff review, Project Application Materials

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

Findings of Fact: Implementation of the proposed project would not substantially degrade the quality of the environment, substantially reduce the habitat of fish or wildlife species, cause a fish or wildlife populations to drop below self-sustaining levels, threaten to eliminate a plant or animal community, or reduce the number or restrict the range of a rare or endangered plant or animal, or eliminate important examples of the major periods of California history or prehistory.

51. Does the project have impacts which are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, other current projects and probable future projects)?

Source: Staff review, Project Application Materials

Findings of Fact: The project does not have impacts which are individually limited, but cumulatively considerable.

52. Does the project have environmental effects that will cause substantial adverse effects on human beings, either directly or indirectly?

Source: Staff review, project application

Findings of Fact: The proposed project would not result in environmental effects which would cause substantial adverse effects on human beings, either directly or indirectly.

VI. EARLIER ANALYSES

Earlier analyses may be used where, pursuant to the tiering, program EIR, or other CEQA process, an effect has been adequately analyzed in an earlier EIR or negative declaration as per California Code of Regulations, Section 15063 (c) (3) (D). In this case, a brief discussion should identify the following:

Earlier Analyses Used, if any: Not Applicable

Location Where Earlier Analyses, if used, are available for review: Not Applicable

VII. AUTHORITIES CITED

Authorities cited: Public Resources Code Sections 21083 and 21083.05; References: California Government Code Section 65088.4; Public Resources Code Sections 21080(c), 21080.1, 21080.3, 21082.1, 21083, 21083.05, 21083.3, 21093, 21094, 21095 and 21151; *Sundstrom v. County of Mendocino* (1988) 202 Cal.App.3d 296; *Leonoff v. Monterey Board of Supervisors* (1990) 222 Cal.App.3d 1337; *Eureka Citizens for Responsible Govt. v. City of Eureka* (2007) 147 Cal.App.4th 357; *Protect the Historic Amador Waterways v. Amador Water Agency* (2004) 116 Cal.App.4th at 1109; *San Franciscans Upholding the Downtown Plan v. City and County of San Francisco* (2002) 102 Cal.App.4th 656.

Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	--	---------------------------------------	--------------

Revised: 8/19/2015 4:21 PM
File: EA.PP25397

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

EVERY DEPARTMENT

10. EVERY. 1 USE - PROJECT DESCRIPTION RECOMMND

The use hereby permitted is to construct a 64,190 sq. ft. manufacturing/warehouse facility with 36,290 sq. ft. of the building designated for manufacturing, 22,000 sq. ft. designated for warehouse, and a total of 5,900 sq. ft. designated for office use. The project also includes 121 standard parking spaces and four (4) accessible parking spaces.

10. EVERY. 2 USE - HOLD HARMLESS RECOMMND

The applicant/permittee or any successor-in-interest shall defend, indemnify, and hold harmless the County of Riverside or its agents, officers, and employees (COUNTY) from the following:

(a) any claim, action, or proceeding against the COUNTY to attack, set aside, void, or annul an approval of the COUNTY, its advisory agencies, appeal boards, or legislative body concerning the PLOT PLAN; and,

(b) any claim, action or proceeding against the COUNTY to attack, set aside, void or annul any other decision made by the COUNTY concerning the PLOT PLAN, including, but not limited to, decisions made in response to California Public Records Act requests.

The COUNTY shall promptly notify the applicant/permittee of any such claim, action, or proceeding and shall cooperate fully in the defense. If the COUNTY fails to promptly notify the applicant/permittee of any such claim, action, or proceeding or fails to cooperate fully in the defense, the applicant/permittee shall not, thereafter, be responsible to defend, indemnify or hold harmless the COUNTY.

The obligations imposed by this condition include, but are not limited to, the following: the applicant/permittee shall pay all legal services expenses the COUNTY incurs in connection with any such claim, action or proceeding, whether it incurs such expenses directly, whether it is ordered by a court to pay such expenses, or whether it incurs such expenses by providing legal services through its Office of County Counsel.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10. EVERY. 3 USE - DEFINITIONS RECOMMND

The words identified in the following list that appear in all capitals in the attached conditions of Plot Plan No.25397 shall be henceforth defined as follows:

APPROVED EXHIBIT A = Plot Plan No. 25397, Exhibit A, Site Plan, Amended No. 2, Site Plan, dated June 10, 2015.

APPROVED EXHIBIT B = Plot Plan No. 25397, Exhibit B, Elevations, Amended No. 2, Elevations, dated June 10, 2015.

APPROVED EXHIBIT C = Plot Plan No. 25397, Exhibit C, Floor Plan, Amended No. 2, Floor Plan, dated June 10, 2015.

APPROVED EXHIBIT L = Plot Plan No. 25397, Exhibit L, Landscaping Plan, Amended No. 1, dated Januray 22, 2015.

APPROVED EXHIBIT M = Plot Plan No. 25397, Exhibit M, Colors and Materials, Amended No. 2, dated June 10, 2015.

10. EVERY. 4 USE - 90 DAYS TO PROTEST RECOMMND

The project developer has 90 days from the date of approval of these conditions to protest, in accordance with the procedures set forth in Government Code Section 66020, the imposition of any and all fees, dedications, reservations and/or other exactions imposed on this project as a result of this approval or conditional approval of this project.

BS GRADE DEPARTMENT

10.BS GRADE. 1 USE - GENERAL INTRODUCTION RECOMMND

Improvements such as grading, filling, over excavation and recompaction, and base or paving which require a grading permit are subject to the included Building and Safety Department Grading Division conditions of approval.

10.BS GRADE. 3 USE - OBEY ALL GDG REGS RECOMMND

All grading shall conform to the California Building Code, Ordinance 457, and all other relevant laws, rules, and regulations governing grading in Riverside County and prior to commencing any grading which includes 50 or more cubic yards, the applicant shall obtain a grading permit from the Building and Safety Department.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.BS GRADE. 4 USE - DISTURBS NEED G/PMT RECOMMND

Ordinance 457 requires a grading permit prior to clearing, grubbing, or any top soil disturbances related to construction grading.

10.BS GRADE. 6 USE - NPDES INSPECTIONS RECOMMND

Construction activities including clearing, stockpiling, grading or excavation of land which disturbs less than 1 acre and requires a grading permit or construction Building permit shall provide for effective control of erosion, sediment and all other pollutants year-round. The permit holder shall be responsible for the installation and monitoring of effective erosion and sediment controls. Such controls will be evaluated by the Department of Building and Safety periodically and prior to permit Final to verify compliance with industry recognized erosion control measures.

Construction activities including but not limited to clearing, stockpiling, grading or excavation of land, which disturbs 1 acre or more or on-sites which are part of a larger common plan of development which disturbs less than 1 acre are required to obtain coverage under the construction general permit with the State Water Resources Control Board. You are required to provide proof of WDID# and keep a current copy of the storm water pollution prevention plan (SWPPP) on the construction site and shall be made available to the Department of Building and Safety upon request.

Year-round, Best Management Practices (BMP's) shall be maintained and be in place for all areas that have been graded or disturbed and for all material, equipment and/or operations that need protection. Stabilized Construction Entrances and project perimeter linear barriers are required year round. Removal BMP's (those BMP's which must be temporarily removed during construction activities) shall be in place at the end of each working day.

Monitoring for erosion and sediment control is required and shall be performed by the QSD or QSP as required by the Construction General Permit. Stormwater samples are required for all discharge locations and projects may not exceed limits set forth by the Construction General Permit Numeric Action Levels and/or Numeric Effluent Levels. A Rain Event Action Plan is required when there is a 50% or

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.BS GRADE. 6 USE - NPDES INSPECTIONS (cont.) RECOMMND

greater forecast of rain within the 48 hours, by the National Weather Service or whenever rain is imminent. The QSD or QSP must print and save records of the precipitation forecast for the project location area from (<http://www.srh.noaa.gov/forecast>) and must accompany monitoring reports and sampling test data. A Rain gauge is required on site. The Department of Building and Safety will conduct periodic NPDES inspections of the site throughout the recognized storm season to verify compliance with the Construction General Permit and Stormwater ordinances and regulations.

10.BS GRADE. 7 USE - EROSION CNTRL PROTECT RECOMMND

Graded but undeveloped land shall provide, in addition to erosion control planting, any drainage facility deemed necessary to control or prevent erosion. Additional erosion protection may be required during the rainy season from October 1, to May 31.

10.BS GRADE. 8 USE - DUST CONTROL RECOMMND

All necessary measures to control dust shall be implemented by the developer during grading. A PM10 plan may be required at the time a grading permit is issued.

10.BS GRADE. 9 USE - 2:1 MAX SLOPE RATIO RECOMMND

Graded slopes shall be limited to a maximum steepness ratio of 2:1 (horizontal to vertical) unless otherwise approved.

10.BS GRADE. 11 USE - MINIMUM DRNAGE GRADE RECOMMND

Minimum drainage grade shall be 1% except on portland cement concrete where .35% shall be the minimum.

10.BS GRADE. 13 USE - SLOPE SETBACKS RECOMMND

Observe slope setbacks from buildings & property lines per the California Building Code as amended by Ordinance 457.

10.BS GRADE. 14 USE - SLOPES IN FLOODWAY RECOMMND

Graded slopes which infringe into the 100 year storm flood way boundaries, shall be protected from erosion, or other flood hazards, by a method acceptable to the Building &

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.BS GRADE. 14 USE - SLOPES IN FLOODWAY (cont.) RECOMMND

Safety Department's Engineer - which may include Riverside County Flood Control & Water Conservation District's review and approval. However, no graded slope will be allowed which in the professional judgment of the Building & Safety Department Engineer blocks, concentrates or diverts drainage flows.

10.BS GRADE. 18 USE - OFFST. PAVED PKG RECOMMND

All offstreet parking areas which are conditioned to be paved shall conform to Ordinance 457 base and paving design and inspection requirements.

10.BS GRADE. 23 USE - MANUFACTURED SLOPES RECOMMND

Plant and irrigate all manufactured slopes equal to or greater than 3 feet in vertical height with drought tolerant grass or ground cover; slopes 15 feet or greater in vertical height shall also be planted with drought tolerant shrubs or trees in accordance with the requirements of Ordinance 457.

10.BS GRADE. 24 USE - FINISH GRADE RECOMMND

Finish grade shall be sloped to provide proper drainage away from all exterior foundation walls in accordance with the California Building Code and Ordinance 457.

BS PLNCK DEPARTMENT

10.BS PLNCK. 1 USE - BUILD & SAFETY PLNCK RECOMMND

The current conditional approval is for the proposed 64,190 sq.ft structure which will include office space, manufacturing, and warehouse space. The structure would be classified as a mixed use group B/F/S, or S2 occupancy. The manufacturing and warehouseing contents are unknwn at this time. Group "H" occupancy classification may be assigned once the specific contents are indicated. All occupancy classifications shall be designated at the building department plan review.

PERMIT ISSUANCE:

Per section 105.1 (2010 California Building Code, CBC):
Where any owner or authorized agent intends to construct,

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.BS PLNCK. 1 USE - BUILD & SAFETY PLNCK (cont.)

RECOMMND

enlarge, alter, repair, move, demolish or change the occupancy of a building or structure, or to erect, install, enlarge, alter, repair, remove, convert, or replace any electrical, gas, mechanical, or plumbing system, the regulation of which is governed by this code, or to cause any such work to be done, shall first make application to the building official and obtain the required permit. The applicant shall obtain the required building permit(s) from the building department prior to any construction or placement of any building, structure or equipment on the property.

The applicant shall obtain an approved final building inspection and certificate of occupancy from the building department prior to any use or occupancy of the building, or structure.

At no time shall the approval of the planning case exhibit allow for the construction or use of any building or structure.

In non-residential applications, separate building permits may include a permit for the structure (Shell building), signage, grading, tenant improvements, accessory structures and/or equipment, which may include trash enclosures, light standards, block walls/fencing etcà

CODE/ORDINANCE REQUIREMENTS:

The applicant shall obtain the required building permit(s) from the building department prior to any construction on the property. All building plans and supporting documentation shall comply with current adopted California Building Codes, Riverside County Ordinances, and California Title 25 regulations in effect at the time of building plan submittal and fee payment to the Building Department. All Building Department plan submittal and fee requirements shall apply.

NOTE: The new updated 2013 California Building Codes will be in effect as of January 1st 2014, as mandated by the state of California. Any building plan and fee payment submitted to the building department on or after January 1st, 2014 will be subject to the new updated California Building Code(s).

ACCESSIBLE PATH OF TRAVEL:

Please include a revised site plan to reflect all required accessible path of travel details. The revised site plan shall include the following information for the

PLOT PLAN: TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.BS PLNCK. 1 USE - BUILD & SAFETY PLNCK (cont.) (cont.) RECOMMND

required continuous paved accessible path of travel:

1. Connection to the public R.O.W.
2. Connection to all buildings. (If applicable)
3. Connection to accessible designed trash enclosures.
5. Connection to mail kiosks.
6. Connection to accessible parking loading/unloading areas.

THE DETAILS SHALL INCLUDE:

1. Accessible path construction type (Concrete or asphalt)
2. Path width.
3. Path slope%, cross slope%.
4. Ramp and curb cut-out locations.
5. Level landing areas at all entrance and egress points.

10.BS PLNCK. 2 USE CODE/ORD REQUIREMENTS RECOMMND

CODE/ORDINANCE REQUIREMENTS:

The applicant shall obtain the required building permit(s) from the building department prior to any construction on the property. All building plans and supporting documentation shall comply with current adopted California Building Codes, Riverside County Ordinances, and California Title 25 regulations in effect at the time of building plan submittal and fee payment to the Building Department. All Building Department plan submittal and fee requirements shall apply.

Please be aware that the approved site plan with accessibility requirements should be included with any building plan submittals. The plan review staff may have additional comments depending on the additional information or revisions provided during the plan review process.

Additional accessible requirements within the structure shall be reviewed during the building plan review.

The applicant shall obtain an approved final building inspection and certificate of occupancy from the building department prior to any use or occupancy of the building, or structure.

At no time shall the approval of the planning case exhibit allow for the construction or use of any building, structure, or equipment.

E HEALTH DEPARTMENT

10.E HEALTH. 1 LEE LAKE WATER DISTRICT W&S RECOMMND

Plot Plan 25397 is proposing to obtain potable water service and sanitary sewer service from Lee Lake Water

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.E HEALTH. 1 LEE LAKE WATER DISTRICT W&S (cont.) RECOMMND

District (LLWD). A "will-serve" letter from LLWD for water and sewer service dated August 20, 2013 has been submitted to the Department of Environmental Health. Please note that it is the responsibility of the facility to ensure that all requirements to obtain water and sewer service are met wit LLWD as well as all other applicable agencies.

10.E HEALTH. 2 USE - NO NOISE REPORTS RECOMMND

Based upon the information provided, a noise study is not required. However, the project shall be required to comply with the following:

1. Facility-related noise, as projected to any portion of any surrounding property containing a "sensitive receiver, habitable dwelling, hospital, school, library, or nursing home", must not exceed the following worst-case noise levels: 45 dB(A) - 10 minute noise equivalent level ("leq"), between the hours of 10:00 p.m. to 7:00 a.m. (nighttime standard) and 65 dB(A) - 10 minute leq, between 7:00 a.m. and 10:00 p.m. (daytime standard).

2. Whenever a construction site is within one-quarter (1/4) of a mile of an occupied residence or residences, no construction activities shall be undertaken between the hours of 6:00 p.m. and 6:00 a.m. during the months of June through September and between the hours of 6:00 p.m. and 7:00 a.m. during the months of October through May. Exception to these standards shall be allowed only with the written consent of the building official.

For any questions, please contact the Department of Environmental Health, Office of Industrial Hygiene at (951) 955-8982.

10.E HEALTH. 3 ENV CLEANUP PROGRAM-COMMENTS RECOMMND

If contamination or the presence of a naturally occurring hazardous material is discovered at the site, assessment, investigation, and/or cleanup may be required. Contact Riverside County Environmental Health - Environmental Cleanup Programs at (951) 955-8980, for further information.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

FIRE DEPARTMENT

10.FIRE. 1 USE-#01A - SHELL/FPE/COMM.

RECOMMND

THESE CONDITIONS ARE FOR A SHELL BUILDING ONLY. Shell building will receive a shell final only. No Certificate of Occupancy (human occupant and/or materials) will be issued until the building occupant has been identified with their occupancy classification and have been conditioned by Riverside County Fire Department. Occupant or tenant identification is imperative for oderly and prompt processing. Upon identification of the occupant or tenant a Fire Protection Analysis report maybe required prior to establishing the requirements for the occupancy permit. Failure to provide a comprehensive data analysis and/or technical information acceptable to the fire department may result in project delays.

10.FIRE. 2 USE-#04-HIGH PILE/RACK STORAGE

RECOMMND

A separate permit may be required for high-pile storage and/or racks. Sprinkler plans and/or sprinkler review must be submitted by a licensed sprinkler contractor with storage and/or rack plans to Riverside County Fire Department for review and approval of the 2013 CFC Complete information re: all commodities stored, rack dimensions, placement in building, sprinkler densities, etc. must be provided with suppression system for racks and/or high-pile storage review. A complete listing of commodities, classified using CFC 2013 Edition and NFPA 13, 2013 Edition guidelines by a licensed Fire Protection Engineer (or other consultant approved by this jurisdiction).

10.FIRE. 3 USE-#50-BLUE DOT REFLECTOR

RECOMMND

Blue retroreflective pavement markers shall be mounted on private street, public streets and driveways to indicate location of fire hydrants. Prior to installation, placement of markers must be approved by the Riverside County Fire Department.

10.FIRE. 4 USE* -#23-MIN REQ FIRE FLOW

RECOMMND

Minimum required fire flow shall be 2625 GPM for a 2 hour duration at 20 PSI residual operating pressure, which must be available before any combustibile material is placed on the job site. Fire flow is based on type IIIB

PLOT PLAN: TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.FIRE. 4 USE* -#23-MIN REQ FIRE FLOW (cont.) RECOMMND

construction per the 2013 CBC and Building(s) having a fire sprinkler system.

10.FIRE. 5 USE-#20-SUPER FIRE HYDRANT RECOMMND

Super fire hydrants) (6"x4"x 2-2 1/2") shall be located not less than 25 feet or more than 165 feet from any portion of the building as measured along approved vehicular travel ways.

10.FIRE. 6 USE-#19-ON/OFF NOT LOOPED HYD RECOMMND

A combination of on-site and off-site super fire hydrants, (6"x4"x 2-2 1/2") shall be provided spaced an average of 225 feet between fire hydrants and in no case shall fire hydrants be further than 450 feet from any portion on a street or road frontage as measured along approved vehicular travel ways. The required fire flow shall be available from any adjacent hydrant(s) in the system.

10.FIRE. 7 USE-#84-TANK PERMITS RECOMMND

Applicant or Developer shall be responsible for obtaining under/aboveground fuel, chemical and mixed liquid storage tank permits, from the Riverside County Fire Department and Environmental Health Departments. Plans must be submitted for approval prior to installation. Aboveground fuel/mixed liquid tanks(s) shall meet the following standard: Tank must be tested and labeled. The test must include the Projectile Penetration Test and the Heavy Vehicle Impact Test. A sample copy of the tank's label from an independent test laboratory must be included with your plans.

10.FIRE. 8 USE-#89-RAPID HAZMAT/ENTRY BOX RECOMMND

Rapid entry Hazardous Material data and key storage cabinet shall be installed on the outside of the building. Plans shall be submitted to the Riverside County Fire Department for approval prior to installation.

10.FIRE. 9 USE-#25-GATE ENTRANCES RECOMMND

Any gate providing access from a road to a driveway shall be located at least 35 feet from the roadway and shall open to allow a vehicle to stop without obstructing traffic on the road. Where a one-way road with a single

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.FIRE. 9 USE-#25-GATE ENTRANCES (cont.) RECOMMND

traffic lane provides access to a gate entrance, a 38 foot turning radius shall be used.

10.FIRE. 10 USE-#88A-AUTO/MAN GATES RECOMMND

Gate(s) shall be automatic operated, minimum 20 feet in width, with a setback of 35 feet from face of curb/flow line. Gate access shall be equipped with a rapid entry system. Plans shall be submitted to the Fire Department for approval prior to installation. Automatic/manual gate pins shall be rated with shear pin force, not to exceed 30 foot pounds. Automatic gates shall be equipped with emergency backup power. Gates activated by the rapid entry system shall remain open until closed by the rapid entry system.

10.FIRE. 11 MAP-#50-BLUE DOT REFLECTORS RECOMMND

Blue retroreflective pavement markers shall be mounted on private streets, public streets and driveways to indicate location of fire hydrants. Prior to installation, placement of markers must be approved by the Riverside County Fire Department.

FLOOD RI DEPARTMENT

10.FLOOD RI. 1 USE FLOOD HAZARD REPORT RECOMMND

Plot Plan 25397 (Fast Track 2013-06), Amendment No. 1, is a proposal to develop for commercial use an approximately 13-acre site in the Temescal Canyon area easterly of Interstate 15 on the north side of Temescal Canyon Road south of Leroy Road. This proposal will construct a manufacturing warehouse on the southerly portion of the site. The northerly portion of the site will remain a vacant pad for the future construction of a commercial development which will be processed under a separate plot plan application. This site was previously reviewed as Plot Plan 23259 and Parcel Map 35882. The site was once a mining pit operation which has been filled in and rough graded.

TEMESCAL WASH

Temescal Wash, with a 100-year flow rate of 19,400 cfs, flows northerly and adjacent to the easterly property line of the project site. While the FEMA flood plain/floodway

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.FLOOD RI. 1

USE FLOOD HAZARD REPORT (cont.)

RECOMMND

(Panel 06065C-1390G) may impact a small portion of the project site, Temescal Wash has historically meandered over a wide portion of this site. District staff have long held the position that development of this site requires some form of bank protection from this lateral erosion hazard posed by Temescal Wash.

A study related to this bank protection was prepared by the applicant's consulting engineer and submitted to the District for review. It was proposed to place buried rock, or 'launch rock' along the easterly property line. In the event of lateral erosion, the fill material/improvements over the launch rock could be washed away exposing the launch rock. If flows continued to scour the bank, the objective is for launch rock to slide down and fill in the scoured areas and continue to provide bank protection. The study provided design parameters for the launch rock. A typical section of the launch rock is shown on the exhibit. The District found the study acceptable.

A grading plan (BGR130176), which included the construction of the launch rock, was prepared and the site was graded. Building and Safety provided the site inspection for the grading and deemed the site graded according to the plans around December 2014.

The launch rock is not a publically maintained facility. The ownership and the responsibility for the maintenance of the launch rock is the property owner(s) or a Property Owners Association. The launch rock should provide adequate scour protection to the buildings but damage could occur to the paved drive access between the building and the property line. The repair and/or replacement of any improvements, including the launch rock, are the sole responsibility of the property owner(s) or a Property Owners Association.

ADDITIONAL FLOOD HAZARD/DRAINAGE ISSUES

Flows discharged from a large box culvert under Interstate 15 meander through an unimproved dirt ditch to an undersized storm drain culvert under Temescal Canyon Road. This storm drain then conveys flows southerly and discharges flows onto the property(s) to the east (APN 283-110-003 and/or APN 283-110-009). Extending this culvert may be required to accommodate the site's easterly

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.FLOOD RI. 1 USE FLOOD HAZARD REPORT (cont.) (cont.) RECOMMND

ingress/egress driveway access. This storm drain also connects to an existing pipe which discharges storm runoff from the development located to the north of the project site. Flows not collected into the storm drain on the upstream side of Temescal Canyon Road could overtop the street and may impact the westerly portion of the project site. While this could result in some flooding of the parking area, the grading plan for the site shows the finished floor of the building elevated above the curb of the parking area and therefore should be safe from this flood hazard. However, a storm of unusual magnitude could cause damage. All onsite runoff, both PP 25397 and the future development of the vacant pad, should be directed to the water quality features located in the northerly portion of the property. The exhibit shows a catch basin in Temescal Canyon Road on the west side of the driveway. The outlet pipe from this catch basin also discharges onto the westerly property(s).

This project site shall accept any runoff from the existing development to north which currently flows onto the project site. Permission from the adjacent property owner(s) for the discharge of concentrated flows onto the adjacent properties shall be obtained.

WATER QUALITY

A preliminary project-specific Water Quality Management Plan (WQMP) was submitted to the District which the District found acceptable. However, the development proposal has changed resulting in a new WQMP being required. The Transportation Department has received and is processing this document.

This project does not involve any existing or proposed District maintained facilities and the review and approval of the preliminary and final Water Quality Management Plan (WQMP), plus any associated drainage and grading plans, will be processed by the Transportation Department.

10.FLOOD RI. 2 USE LAUNCH ROCK/EMBKMENT PROT RECOMMND

A grading plan (BGR130176), which included the construction of the launch rock, was prepared and the site was graded. Building and Safety provided the site inspection for the grading and deemed the site graded according to the plans

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.FLOOD RI. 2 USE LAUNCH ROCK/EMBKMNT PROT (cont.) RECOMMND

around December 2014.

The launch rock is not a publically maintained facility. The ownership and the responsibility for the maintenance of the launch rock is the property owner(s) or a Property Owners Association. The launch rock should provide adequate scour protection to the buildings but damage could occur to the paved drive access between the building and the property line. The repair and/or replacement of any improvements, including the launch rock, are the sole responsibility of the property owner(s) or a Property Owners Association.

PLANNING DEPARTMENT

10.PLANNING. 1 USE-IF HUMAN REMAINS FOUND RECOMMND

IF HUMAN REMAINS ARE FOUND ON THIS SITE:
The developer/permit holder or any successor in interest shall comply with the following codes for the life of this project:

Pursuant to State Health and Safety Code Section 7050.5, if human remains are encountered, no further disturbance shall occur until the County Coroner has made the necessary findings as to origin. Further, pursuant to Public Resources Code Section 5097.98 (b), remains shall be left in place and free from disturbance until a final decision as to the treatment and their disposition has been made. If the Riverside County Coroner determines the remains to be Native American, the Native American Heritage Commission shall be contacted within the period specified by law. Subsequently, the Native American heritage Commission shall identify the "Most Likely Descendant". The Most Likely Descendant shall then make recommendations and engage in consultation with the property owner and the County Archaeologist concerning the treatment of the remains as provided in Public Resources Code Section 5097.98. Human remains from other ethnic/cultural groups with recognized historical associations to the project area shall also be subject to consultation between appropriate representatives from that group and the County Archaeologist.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.PLANNING. 2

USE-INADVERTENT ARCHAEO FINDS

RECOMMND

INADVERTENT ARCHAEOLOGICAL FINDS:

The developer/permit holder or any successor in interest shall comply with the following for the life of this permit:

If during ground disturbance activities, cultural resources* are discovered that were not assessed by the archaeological report(s) and/or environmental assessment conducted prior to project approval, the following procedures shall be followed:

1)All ground disturbance activities within 100 feet of the discovered cultural resource shall be halted until a meeting is convened between the developer, the project archaeologist**, the Native American tribal representative (or other appropriate ethnic/cultural group representative), and the County Archaeologist to discuss the significance of the find.

2)The developer shall call the County Archaeologist immediately upon discovery of the cultural resource to convene the meeting.

3)At the meeting with the aforementioned parties, the significance of the discoveries shall be discussed and a decision is to be made, with the concurrence of the County Archaeologist, as to the appropriate mitigation (documentation, recovery, avoidance, etc) for the cultural resource.

4)Further ground disturbance shall not resume within the area of the discovery until a meeting has been convened with the aforementioned parties and a decision is made, with the concurrence of the County Archaeologist, as to the appropriate mitigation measures.

* A cultural resources site is defined, for this condition, as being three or more artifacts in close association with each other, but may include fewer artifacts if the area of the find is determined to be of significance due to its sacred or cultural importance.

** If not already employed by the project developer, a County approved archaeologist shall be employed by the project developer to assess the value/importance of the

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.PLANNING. 2 USE-INADVERTENT ARCHAEO FINDS (cont.) RECOMMND

cultural resource, attend the meeting described above, and continue monitoring of all future site grading activities as necessary.

10.PLANNING. 3 USE - COMPLY WITH ORD./CODES RECOMMND

The development of these premises shall comply with the standards of Ordinance No. 348 and all other applicable Riverside County ordinances and State and Federal codes.

The development of the premises shall conform substantially with that as shown on APPROVED EXHIBIT A, unless otherwise amended by these conditions of approval.

10.PLANNING. 4 USE - FEES FOR REVIEW RECOMMND

Any subsequent submittals required by these conditions of approval, including but not limited to grading plan, building plan or mitigation monitoring review, shall be reviewed on an hourly basis (research fee), or other such review fee as may be in effect at the time of submittal, as required by Ordinance No. 671. Each submittal shall be accompanied with a letter clearly indicating which condition or conditions the submittal is intended to comply with.

10.PLANNING. 5 USE - LIGHTING HOODED/DIRECTED RECOMMND

Any outside lighting shall be hooded and directed so as not to shine directly upon adjoining property or public rights-of-way.

10.PLANNING. 6 USE - COLORS & MATERIALS RECOMMND

Building colors and materials shall be in substantial conformance with those shown on APPROVED EXHIBIT M.

10.PLANNING. 7 USE - LAND DIVISION REQUIRED RECOMMND

Prior to the sale of any individual structure as shown on APPROVED EXHIBIT A, a land division shall be recorded in accordance with Riverside County Ordinance No. 460, and any other pertinent ordinance.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.PLANNING. 9 USE - BASIS FOR PARKING RECOMMND

Parking for this project was determined primarily on the basis of County Ordinance No. 348, Section 18.12. a.(2).b), Industrial uses: 1 space/250 sq. ft. of office area, PLUS 1 space/500 sq. ft. of fabrication area, PLUS 1 space/1,000 sq. ft. of storage area.

10.PLANNING. 11 USE - NO OUTDOOR ADVERTISING RECOMMND

No outdoor advertising display, sign or billboard (not including on-site advertising or directional signs) shall be constructed or maintained within the property subject to this approval.

10.PLANNING. 12 USE - NO USE PRPSED LIMIT RECOMMND

The balance (undeveloped) portion of the property, APN 283-110-051, shall be designated as "NO USE PROPOSED", and shall require approval of an appropriate land use application prior to utilization of any additional land uses subject to the requirements of County Ordinance No. 348.

10.PLANNING. 19 USE - NO RESIDENT OCCUPANCY RECOMMND

No permanent occupancy shall be permitted within the property approved under this plot plan as a principal place of residence. No person shall use the premises as a permanent mailing address nor be entitled to vote using an address within the premises as a place of residence.

10.PLANNING. 21 USE - EXTERIOR NOISE LEVELS RECOMMND

Exterior noise levels produced by any use allowed under this permit, including, but not limited to, any outdoor public address system, shall not exceed 45 db(A), 10-minute LEQ, between the hours of 10:00 p.m. to 7:00 a.m., and 65 db(A), 10-minute LEQ, at all other times as measured at any residential, hospital, school, library, nursing home or other similar noise sensitive land use. In the event noise exceeds this standard, the permittee or the permittee's successor-in-interest shall take the necessary steps to remedy the situation, which may include discontinued operation of the facilities. he permit holder shall comply with the applicable standards of Ordinance No. 847.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.PLANNING. 22 USE - NOISE MONITORING REPORTS RECOMMND

The permit holder may be required to submit periodic noise monitoring reports as determined by the Department of Building and Safety as part of a code enforcement action. Upon written notice from the Department of Building and Safety requiring such a report, the permittee or the permittee's successor-in-interest shall prepare and submit an approved report within thirty (30) calendar days to the Department of Building and Safety, unless more time is allowed through written agreement by the Department of Building and Safety. The noise monitoring report shall be approved by the Office of Industrial Hygiene of the Health Service Agency (the permittee or the permittee's successor-in-interest shall be required to place on deposit sufficient funds to cover the costs of this approval prior to commencing the required report).

10.PLANNING. 24 USE - CAUSES FOR REVOCATION RECOMMND

In the event the use hereby permitted under this permit,
a) is found to be in violation of the terms and conditions of this permit,
b) is found to have been obtained by fraud or perjured testimony, or
c) is found to be detrimental to the public health, safety or general welfare, or is a public nuisance, this permit shall be subject to the revocation procedures.

10.PLANNING. 25 USE - CEASED OPERATIONS RECOMMND

In the event the use hereby permitted ceases operation for a period of one (1) year or more, this approval shall become null and void.

10.PLANNING. 26 USE - IND OCCUPANT CHANGE RECOMMND

Prior to initial occupancy, upon tenant/occupant change, or upon change in industrial use, the permit holder shall provide a letter from the Planning Department to Building & Safety verifying no need for further environmental, hazardous materials or air quality review as a result of the change.

10.PLANNING. 31 USE - PERMIT SIGNS RECOMMND

No signs are approved pursuant to this project approval. Prior to the installation of any on-site advertising or

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.PLANNING. 31 USE - PERMIT SIGNS (cont.) RECOMMND

directional signs, a signing plan shall be submitted to and approved by the Planning Department pursuant to the requirements of Section 18.43.B and D (Substantial Conformance-uncirculated) of Ordinance No. 348.

10.PLANNING. 34 USE - BUSINESS LICENSING RECOMMND

Every person conducting a business within the unincorporated area of Riverside County, as defined in Riverside County Ordinance No. 857, shall obtain a business license. For more information regarding business registration, contact the Business Registration and License Program Office of the Building and Safety Department at www.rctlma.org.buslic.

10.PLANNING. 35 USE - GHG MIT MEASURE RECOMMND

The project shall include operational details such as implementing Trip Reduction Program, Transit Subsidy, encouraging Telecommuting and Alternative Work Schedules, Employee Vanpool/Shuttle, and provide Ride Sharing Program. The project shall also provide high efficiency lighting, use electric lawnmower, leaf blower, low VOC Paint, low VOC cleaning supplies, install low flow bathroom faucet and toilets.

10.PLANNING. 36 USE - AQ MIT MEASURE RECOMMND

Paint application shall be extended over four months to ensure that VOC (ROG) levels are below SCAQMD regional thresholds of significance for VOC emissions. If paint applications on the buildings needs to be accelerated such that the total time for paint application will be less than four months, paint shall be applied with High Velocity Low Pressure (HVLP) spray equipment or hand application in order for VOC emissions to remain below regulatory thresholds.

TRANS DEPARTMENT

10.TRANS. 1 USE - STD INTRO (ORD 461) RECOMMND

With respect to the conditions of approval for the referenced tentative exhibit, the landowner shall provide all street improvements, street improvement plans and/or road dedications set forth in the conditions of

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.TRANS. 1 USE - STD INTRO (ORD 461) (cont.) RECOMMND

approval for PM35882. It is understood that the exhibit correctly shows acceptable centerline elevations, all existing easements, traveled ways, and drainage courses with appropriate Q's, and that their omission or unacceptability may require the exhibit to be resubmitted for further consideration. This ordinance and all conditions of approval are essential parts and a requirement occurring in ONE is as binding as though occurring in all. All questions regarding the true meaning of the conditions shall be referred to the Transportation Department.

10.TRANS. 3 USE - TS/CONDITIONS RECOMMND

The Transportation Department has reviewed the traffic study submitted for the referenced project. The study has been prepared in accordance with County-approved guidelines. We generally concur with the findings relative to traffic impacts.

The General Plan circulation policies require a minimum of Level of Service 'C', except that Level of Service 'D' may be allowed in community development areas at intersections of any combination of secondary highways, major highways, arterials, urban arterials, expressways or state highways and ramp intersections.

The study indicates that it is possible to achieve adequate levels of service for the following intersections based on the traffic study assumptions.

I-15 Southbound Ramps (NS) at:
Weirick Road (EW)

I-15 Northbound Ramps (NS) at:
Weirick Road (EW)

Temescal Canyon Road (NS) at:
Weirick Road (EW)

Temescal Canyon Road (NS) at:
Foster Road (EW)

Temescal Canyon Road (NS) at:
Pulsar Court (EW)

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.TRANS. 3 USE - TS/CONDITIONS (cont.)

RECOMMND

Temescal Canyon Road (NS) at:
Stellar Court (EW)

Temescal Canyon Road (NS) at:
Dawson Canyon Road (EW)

I-15 Southbound Ramps (NS) at:
Temescal Canyon Road (EW)

I-15 Northbound Ramps (NS) at:
Temescal Canyon Road (EW)

Temescal Canyon Road (NS) at:
Project Driveway (EW)

As such, the proposed project is consistent with this General Plan policy.

The associated conditions of approval incorporate mitigation measures identified in the traffic study, which are necessary to achieve or maintain the required level of service.

10.TRANS. 4 USE - LC LANDSCAPE REQUIREMENT

RECOMMND

The developer/ permit holder shall:

1)Ensure all landscape and irrigation plans are in conformance with the APPROVED EXHIBITS;

2)Ensure all landscaping is provided with California Friendly landscaping and a weather based irrigation controller(s) as defined by County Ordinance No. 859;

3)Ensure that irrigation plans which may use reclaimed water conform with the requirements of the local water purveyor; and,

4)Be responsible for maintenance, viability and upkeep of all slopes, landscaped areas, and irrigation systems until the successful completion of the twelve (12) month inspection or those operations become the responsibility of the individual property owner(s), a property owner's association, or any other successor-in-interest, whichever occurs later.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

10. GENERAL CONDITIONS

10.TRANS. 4 USE - LC LANDSCAPE REQUIREMENT (cont.) RECOMMND

To ensure ongoing maintenance, the developer/ permit holder or any successor in interest shall:

- 1)Connect to a reclaimed water supply for landscape irrigation purposes when reclaimed water is made available.
- 2)Ensure that landscaping, irrigation and maintenance systems comply with the Riverside County Guide to California Friendly Landscaping, and Ordinance No. 859.
- 3)Ensure that all landscaping is healthy, free of weeds, disease and pests.

60. PRIOR TO GRADING PRMT ISSUANCE

BS GRADE DEPARTMENT

60.BS GRADE. 1 USE - NPDES/SWPPP RECOMMND

Prior to issuance of any grading or construction permits - whichever comes first - the applicant shall provide the Building and Safety Department evidence of compliance with the following: "Effective March 10, 2003 owner operators of grading or construction projects are required to comply with the N.P.D.E.S. (National Pollutant Discharge Elimination System) requirement to obtain a construction permit from the State Water Resource Control Board (SWRCB). The permit requirement applies to grading and construction sites of "ONE" acre or larger. The owner operator can comply by submitting a "Notice of Intent" (NOI), develop and implement a STORM WATER POLLUTION PREVENTION PLAN (SWPPP) and a monitoring program and reporting plan for the construction site. For additional information and to obtain a copy of the NPDES State Construction Permit contact the SWRCB at www.swrcb.ca.gov.

Additionally, at the time the county adopts, as part of any ordinance, regulations specific to the N.P.D.E.S., this project (or subdivision) shall comply with them.

60.BS GRADE. 2 USE - GRADING SECURITY RECOMMND

Grading in excess of 199 cubic yards will require a performance security to be posted with the Building and Safety Department.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

60. PRIOR TO GRADING PRMT ISSUANCE

60.BS GRADE. 3 USE - IMPORT / EXPORT

RECOMMND

In instances where a grading plan involves import or export, prior to obtaining a grading permit, the applicant shall have obtained approval for the import/export location from the Building and Safety Department.

A separate stockpile permit is required for the import site. It shall be authorized in conjunction with an approved construction project and shall comply with the requirements of Ordinance 457.

If an Environmental Assessment, prior to issuing a grading permit, did not previously approve either location, a Grading Environmental Assessment shall be submitted to the Planning Director for review and comment and to the Building and Safety Department Director for approval.

Additionally, if the movement of import / export occurs using county roads, review and approval of the haul routes by the Transportation Department may be required.

60.BS GRADE. 4 USE - GEOTECH/SOILS RPTS

RECOMMND

Geotechnical soils reports, required in order to obtain a grading permit, shall be submitted to the Building and Safety Department for review and approval prior to issuance of a grading permit. All grading shall be in conformance with the recommendations of the geotechnical/soils reports as approved by Riverside County.* *The geotechnical/soils, compaction and inspection reports will be reviewed in accordance with the RIVERSIDE COUNTY GEOTECHNICAL GUIDELINES FOR REVIEW OF GEOTECHNICAL AND GEOLOGIC REPORTS.

60.BS GRADE. 6 USE - DRAINAGE DESIGN Q100

RECOMMND

All drainage facilities shall be designed in accordance with the Riverside County Flood Control & Water District's or Coachella Valley Water District's conditions of approval regarding this application. If not specifically addressed in their conditions, drainage shall be designed to accommodate 100 year storm flows.

60.BS GRADE. 7 USE - OFFSITE GRDG ONUS

RECOMMND

Prior to the issuance of a grading permit, it shall be the sole responsibility of the owner/applicant to obtain any and all proposed or required easements and/or permissions

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

60. PRIOR TO GRADING PRMT ISSUANCE

60.BS GRADE. 7 USE - OFFSITE GRDG ONUS (cont.) RECOMMND

necessary to perform the grading herein proposed.

60.BS GRADE. 8 USE - NOTARIZED OFFSITE LTR RECOMMND

A notarized letter of permission from the affected property owners or easement holders shall be provided in instances where off site grading is proposed as part of the grading plan.

60.BS GRADE. 9 USE - RECORDED ESMT REQ'D RECOMMND

In instances where the grading plan proposes drainage facilities on adjacent offsite property, the owner/ applicant shall provide a copy of the recorded drainage easement.

60.BS GRADE. 11 USE - APPROVED WQMP RECOMMND

Prior to the issuance of a grading permit, the owner / applicant shall submit to the Building & Safety Department Engineering Division evidence that the project - specific Water Quality Management Plan (WQMP) has been approved by the Riverside County Flood Control District or Riverside County Transportation Department and that all approved water quality treatment control BMPs have been included on the grading plan.

60.BS GRADE. 12 USE - PRE-CONSTRUCTION MTG RECOMMND

Upon receiving grading plan approval and prior to the issuance of a grading permit, the applicant is required to schedule a pre-construction meeting with the Building and Safety Department Environmental Compliance Division.

60.BS GRADE. 13 USE- BMP CONST NPDES PERMIT RECOMMND

Prior to the issuance of a grading permit, the owner / applicant shall obtain a BMP (Best Management Practices) Permit for the monitoring of the erosion and sediment control BMPs for the site. The Department of Building and Safety will conduct NPDES (National Pollutant Discharge Elimination System) inspections of the site based on Risk Level to verify compliance with the Construction General Permit, Stormwater ordinances and regulations until completion of the construction activities, permanent stabilization of the site and permit final.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

60. PRIOR TO GRADING PRMT ISSUANCE

60.BS GRADE. 14 USE - SWPPP REVIEW RECOMMND

Grading and construction sites of "ONE" acre or larger required to develop a STORM WATER POLLUTION PREVENTION PLAN (SWPPP) - the owner/applicant shall submit the SWPPP to the Building and Safety Department Environmental Compliance Division for review and approval prior to issuance of a grading permit.

EPD DEPARTMENT

60.EPD. 1 - UWIG LIGHTING RECOMMND

Prior to the issuance of a grading permit, the applicant shall submit a copy of the lighting plan to the Riverside County Planning Department, Environmental Programs Division (EPD) for review and approval. All lighting along the eastern portion of the project must be shielded to keep light out of the MSHCP Conservation area.

60.EPD. 2 EPD - 30 DAY BURROWING OWL SUR RECOMMND

Pursuant to Objective 6 and Objective 7 of the Species Account for the Burrowing Owl included in the Western Riverside County Multiple Species Habitat Conservation Plan, within 30 days prior to the issuance of a grading permit, a pre-construction presence/absence survey for the burrowing owl shall be conducted by a qualified biologist and the results of this presence/absence survey shall be provided in writing to the Environmental Programs Department. If it is determined that the project site is occupied by the Burrowing Owl, take of "active" nests shall be avoided pursuant to the MSHCP and the Migratory Bird Treaty Act. However, when the Burrowing Owl is present, relocation outside of the nesting season (March 1 through August 31) by a qualified biologist shall be required. The County Biologist shall be consulted to determine appropriate type of relocation (active or passive) and translocation sites. Occupation of this species on the project site may result in the need to revise grading plans so that take of "active" nests is avoided or alternatively, a grading permit may be issued once the species has been actively relocated.

If the grading permit is not obtained within 30 days of the survey a new survey shall be required.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

60. PRIOR TO GRADING PRMT ISSUANCE

PLANNING DEPARTMENT

60.PLANNING. 7 USE - SKR FEE CONDITION

RECOMMND

Prior to the issuance of a grading permit, the applicant shall comply with the provisions of Riverside County Ordinance No. 663, which generally requires the payment of the appropriate fee set forth in that ordinance. The amount of the fee required to be paid may vary depending upon a variety of factors, including the type of development application submitted and the applicability of any fee reduction or exemption provisions contained in Riverside County Ordinance No. 663. Said fee shall be calculated on the approved development project which is anticipated to be 13.07 acres (gross) in accordance with APPROVED EXHIBIT NO. A. If the development is subsequently revised, this acreage amount may be modified in order to reflect the revised development project acreage amount. In the event Riverside County Ordinance No. 663 is rescinded, this condition will no longer be applicable. However, should Riverside County Ordinance No. 663 be rescinded and superseded by a subsequent mitigation fee ordinance, payment of the appropriate fee set forth in that ordinance shall be required.

60.PLANNING. 10 USE - FEE STATUS

RECOMMND

Prior to the issuance of grading permits for Plot Plan No. 25397, the Planning Department shall determine the status of the deposit based fees. If the fees are in a negative status, the permit holder shall pay the outstanding balance.

TRANS DEPARTMENT

60.TRANS. 1 USE - SUBMIT WQMP AND PLANS

RECOMMND

The project specific Final WQMP, improvement plans, grading plans, final map, Environmental Constraint Sheet, BMP improvement plans and any other necessary documentation along with supporting hydrologic and hydraulic calculations shall be submitted to the Transportation Department for review and approval. The Final WQMP and plans must receive Transportation Department approval prior to the issuance of grading permits. All submittals shall be date stamped by a registered engineer.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

70. PRIOR TO GRADING FINAL INSPECT

TRANS DEPARTMENT

70.TRANS. 1 USE - IMPLEMENT WQMP RECOMMND

All structural BMPs described in the project-specific WQMP shall be constructed and installed in conformance with approved plans and specifications. It shall be demonstrated that the applicant is prepared to implement all non-structural BMPs described in the approved project specific WQMP and that copies of the approved project-specific WQMP are available for the future owners/occupants.

70.TRANS. 2 USE - EST. MAINT. ENTITY RECOMMND

The project proponent shall begin the process of establishing the maintenance entity identified in the approved project specific WQMP.

80. PRIOR TO BLDG PRMT ISSUANCE

BS GRADE DEPARTMENT

80.BS GRADE. 1 USE - NO B/PMT W/O G/PMT RECOMMND

Prior to the issuance of any building permit, the property owner shall obtain a grading permit and/or approval to construct from the Building and Safety Department.

80.BS GRADE. 2 USE - ROUGH GRADE APPROVAL RECOMMND

Prior to the issuance of any building permit, the applicant shall obtain rough grade approval and/or approval to construct from the Building and Safety Department. The Building and Safety Department must approve the completed grading of your project before a building permit can be issued. Rough Grade approval can be accomplished by complying with the following:

1.Submitting a "Wet Signed" copy of the Soils Compaction Report containing substantiating data from the Soils Engineer (registered geologist or certified geologist, civil engineer or geotechnical engineer as appropriate) for his/her certification of the project.

2.Submitting a "Wet Signed" copy of the Rough Grade certification from a Registered Civil Engineer certifying that the grading was completed in conformance with the

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

80. PRIOR TO BLDG PRMT ISSUANCE

80.BS GRADE. 2 USE - ROUGH GRADE APPROVAL (cont.) RECOMMND

approved grading plan.

3.Requesting a Rough Grade Inspection and obtaining rough grade approval from a Riverside County inspector.

4.Rough Grade Only Permits: In addition to obtaining all required inspections and approval of all final reports, all sites permitted for rough grade only shall provide 100 percent vegetative coverage to stabilize the site prior to receiving a rough grade permit final.

Prior to release for building permit, the applicant shall have met all rough grade requirements to obtain Building and Safety Department clearance.

E HEALTH DEPARTMENT

80.E HEALTH. 1 USE - WATR/SEWR WILL SERVE RECOMMND

A "will serve" letter is required from the agency/agencies serving potable water and sanitary sewers.

EPD DEPARTMENT

80.EPD. 1 MAP - UWIG LIGHTING RECOMMND

Prior to the issuance of a building permit, the applicant shall submit a copy of the lighting plan to the Riverside County Planning Department, Environmental Programs Division (EPD) for review and approval. All lighting along the eastern portion of the project must be shielded to keep light out of the MSHCP Conservation area.

FIRE DEPARTMENT

80.FIRE. 1 USE-#17A-BLDG PLAN CHECK \$ RECOMMND

Building Plan check deposit base fee of \$1,056.00, shall be paid in a check or money order to the Riverside County Fire Department after plans have been approved by our office.

80.FIRE. 2 USE-#4-WATER PLANS RECOMMND

The applicant or developer shall separately submit two copies of the water system plans to the Fire Department for review and approval. Calculated velocities shall not exceed

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

80. PRIOR TO BLDG PRMT ISSUANCE

80.FIRE. 2 USE-#4-WATER PLANS (cont.) RECOMMND

10 feet per second. Plans shall conform to the fire hydrant types, location and spacing, and the system shall meet the fire flow requirements.

Plans shall be signed and approved by a registered civil engineer and the local water company with the following certification: "I certify that the design of the water system is in accordance with the requirements prescribed by the Riverside County Fire Department."

PLANNING DEPARTMENT

80.PLANNING. 1 USE - SETTLEMENT DATA RECOMMND

PRIOR TO ISSUANCE OF BUILDING PERMITS:

All soil settlement monitoring data collected for the fill operations and associated post-fill monitoring shall be submitted to the County Geologist along with a report from the geotechnical consultant of record for this project indicating the site has met the required settlement parameters for construction.

80.PLANNING. 4 USE - CONFORM TO ELEVATIONS RECOMMND

Elevations of all buildings and structures submitted for building plan check approval shall be in substantial conformance with the elevations shown on APPROVED EXHIBIT B.

80.PLANNING. 5 USE - CONFORM TO FLOOR PLANS RECOMMND

Floor plans shall be in substantial conformance with that shown on APPROVED EXHIBIT C.

80.PLANNING. 6 USE - ROOF EQUIPMENT SHIELDING RECOMMND

Roof mounted equipment shall be shielded from ground view. Screening material shall be subject to Planning Department approval.

80.PLANNING. 12 USE - PLANS SHOWING BIKE RACKS RECOMMND

Bike rack spaces or bike lockers shall be shown on the project's parking and landscaping plan submitted to the Planning Department for approval.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

80. PRIOR TO BLDG PRMT ISSUANCE

80.PLANNING. 17

USE - WASTE MGMT. CLEARANCE

RECOMMND

A clearance letter from Riverside County Waste Management District shall be provided to the Riverside County Planning Department verifying compliance with the conditions contained in their letter dated August 6, 2013, summarized as follows:

Prior to issuance of a building permit, the applicant shall submit three (3) copies of a Recyclables Collection and Loading Area plot plan to the Riverside County Waste Management Department for review and approval. The plot plan shall conform to Design Guidelines for Recyclables Collection and Loading Areas, provided by the Waste Management Department, and shall show the location of and access to the collection area for recyclable materials, along with its dimensions and construction detail, including elevation/facade, construction materials and signage. The plot plan shall clearly indicate how the trash and recycling enclosures shall be accessed by the hauler.

Prior to issuance of a building permit, A Waste Recycling Plan (WRP) shall be submitted to the Riverside County Waste Management Department for approval. At a minimum, the WRP must identify the materials (i.e., concrete, asphalt, wood, etc.) that will be generated by demolition, construction and development, the projected amounts, the measures/methods that will be taken to recycle, reuse, and/or reduce the amount of materials, the facilities and/or haulers that will be utilized, and the targeted recycling or reduction rate. During project construction, the project site shall have, at a minimum, two (2) bins: one for waste disposal and the other for the recycling of Construction and Demolition (C&D) materials. Additional bins are encouraged to be used for further source separation of C&D recyclable materials. Accurate record keeping (receipts) for recycling of C&D recyclable materials and solid waste disposal must be kept. Arrangements can be made through the franchise hauler.

80.PLANNING. 18

USE - SCHOOL MITIGATION

RECOMMND

Impacts to the Corona-Norco Unified School District shall be mitigated in accordance with California State law.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

80. PRIOR TO BLDG PRMT ISSUANCE

80.PLANNING. 19 USE - LIGHTING PLANS RECOMMND

All parking lot lights and other outdoor lighting shall be shown on electrical plans submitted to the Department of Building and Safety for plan check approval and shall comply with the requirements of Riverside County Ordinance No. 655 nd the Riverside County Comprehensive General Plan.

80.PLANNING. 20 USE - FEE STATUS RECOMMND

Prior to issuance of building permits for Plot Plan No. 25397, the Planning Department shall determine the status of the deposit based fees for project. If the case fees are in a negative state, the permit holder shall pay the outstanding balance.

80.PLANNING. 21 USE - RECIP PARKING AGREEMENT RECOMMND

Prior to building permit issuance, a reciprocal parking agreement between APNs 283-110-051 and 283-110-057 shall be submitted to the Planning Department.

TRANS DEPARTMENT

80.TRANS. 5 USE - LC LANDSCAPE PLOT PLAN RECOMMND

Prior to issuance of building permits, the developer/permit holder shall file a Landscaping Minor Plot Plan Application to the Riverside County Transportation Department for review and approval along with the current fee. The landscaping plans shall be in conformance with the APPROVED EXHIBITS; in compliance with Ordinance No. 348, Section 18.12; Ordinance No. 859; and, be prepared consistent with the County of Riverside Guide to California Friendly Landscaping. At minimum, plans shall include the following components:

- 1)Landscape and irrigation working drawings "stamped" by a California certified landscape architect;
- 2)Weather based controllers and necessary components to eliminate water waste;
- 3)A copy of the "stamped" approved grading plans; and,
- 4)Emphasis on native and drought tolerant species.

When applicable, plans shall include the following components:

- 1)Identification of all common/open space areas;
- 2)Natural open space areas and those regulated/conserved by the prevailing MSHCP;
- 3)Shading plans for projects that include parking

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

80. PRIOR TO BLDG PRMT ISSUANCE

80.TRANS. 5 USE - LC LANDSCAPE PLOT PLAN (cont.)

RECOMMND

lots/areas;

4)The use of canopy trees (24" box or greater) within the parking areas;

5)Landscaping plans for slopes exceeding 3 feet in height;

6)Landscaping and irrigation plans associated with entry monuments. All monument locations and dimensions shall be provided on the plan; and/or,

7)If this is a phased development, then a copy of the approved phasing plan shall be submitted for reference.

NOTE:

1)Landscaping plans for areas within the road right-of-way shall be submitted for review and approval by the Transportation Department only.

2)When the Landscaping Plot Plan is located within a special district such as Valley-Wide Recreation and Park District, Jurupa Community Services District, Coachella Valley Water District, a County Service Area (CSA) or other maintenance district, the developer/permit holder shall submit plans for review to the appropriate special district for simultaneous review. The permit holder shall show evidence to the Transportation Department that the subject District has approved said plans.

As part of the plan check review process and request for condition clearance, the developer/permit holder shall show proof of the approved landscaping plot plan by providing the Plot Plan number. The Transportation department shall verify the landscape route is approved and the Plot Plan is in TENTAPPR status. Upon verification of compliance with this condition and the APPROVED EXHIBITS, the Transportation Department shall clear this condition.

80.TRANS. 6 USE - LC LANDSCAPE SECURITIES

RECOMMND

Prior to the issuance of building permits, the developer/permit holder shall submit an estimate to replace plantings, irrigation systems, ornamental landscape elements, walls and/or fences, in amounts to be approved by the Riverside County Transportation Department, Landscape Division. Once the Transportation Department has approved the estimate, the developer/permit holder shall submit the estimate to the Riverside County Department of Building and Safety who will then provide the developer/permit holder with the requisite forms. The required forms shall be completed and submitted to Building and Safety for processing and review in conjunction with County Counsel.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

80. PRIOR TO BLDG PRMT ISSUANCE

80.TRANS. 6 USE - LC LANDSCAPE SECURITIES (cont.)

RECOMMND

Upon determination of compliance, the Department of Building and Safety shall clear this condition.

NOTE:

A cash security shall be required when the estimated cost is \$2,500.00 or less. It is highly encouraged to allow adequate time to ensure that securities are in place. The performance security shall be released following a successful completion of the One Year Post-Establishment Inspection, and the inspection report confirms that the planting and irrigation components are thriving and in good working order consistent with the approved landscaping plans.

NOTE:

A cash security shall be required when the estimated cost is \$2,500.00 or less. It is highly encouraged to allow adequate time to ensure that securities are in place. The performance security shall be released following a successful completion of the One Year Post-Establishment Inspection, and the inspection report confirms that the planting and irrigation components are thriving and in good working order consistent with the approved landscaping plans.

80.TRANS. 7 USE - LC LNDSCPNG PROJ SPECIFC

RECOMMND

In addition to the requirements of the Landscape and Irrigation Plan submittal, the following project specific conditions shall be imposed:

- a. Tie into Lee Lake Water District (LLWD) recycled/reclaimed irrigation water to be used onsite (or provide Letter from LLWD stating recycled/reclaimed water is not available)
- b. Water use (even if recycled) shall meet the .70 ET adjustment factor outlined in Ord. 859 (current version).
- c. Project is adjacent to MSHCP areas, plant species shall be checked against the MSHCP plant speices list (remove Gazania)
- d. Show BMPs on construction landscape plans for refrence, including any proposed irrigation and planting.
- e. Show light posts and utilities on construction landscape plans for refrence to minimize tree/utility conflicts.
- f. Trash enclosure to be screened with vines and show bike

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

80. PRIOR TO BLDG PRMT ISSUANCE

80.TRANS. 7 USE - LC LNDSCPNG PROJ SPECIFC (cont.) RECOMMND

racks and other amenities per Ord 348.

90. PRIOR TO BLDG FINAL INSPECTION

BS GRADE DEPARTMENT

90.BS GRADE. 1 USE - WQMP BMP INSPECTION RECOMMND

Prior to final building inspection, the applicant shall obtain inspection of all treatment control BMPs and/or clearance from the Building and Safety Department. All structural BMPs described in the project - specific WQMP and indicated on the approved grading plan shall be constructed and installed in conformance with the approved plans and specifications. The Building and Safety Department must inspect and approve the completed WQMP treatment control BMPs for your project before a building final can be obtained.

90.BS GRADE. 2 USE - WQMP BMP CERT REQ'D RECOMMND

Prior to final building inspection, the applicant/owner shall submit a "Wet Signed" copy of the Water Quality Management Plan (WQMP) Certification from a Registered Civil Engineer certifying that the project - specific WQMP treatment control BMPs have been installed in accordance with the approved WQMP.

90.BS GRADE. 3 USE - BMP GPS COORDINATES RECOMMND

Prior to final building inspection, the applicant/owner shall provide the Department of Building Safety with GPS coordinates for the location of the project - specific WQMP treatment control BMPs.

90.BS GRADE. 4 USE - BMP REGISTRATION RECOMMND

Prior to final building inspection, the applicant/owner shall register the project - specific WQMP treatment control BMPs with the Department of Building Safety Business Registration Division. Any person or entity that owns or operates a commercial and/or industrial facility shall register such facility for annual inspections.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

90. PRIOR TO BLDG FINAL INSPECTION

90.BS GRADE. 5 USE - WQMP ANNUAL INSP FEE RECOMMND

Prior to final building inspection, the applicant shall make payment to the Building and Safety Department for the Water Quality Management Plan (WQMP) Annual Inspection.

90.BS GRADE. 6 USE - REQ'D GRADING INSP'S RECOMMND

The developer / applicant shall be responsible for obtaining the following inspections required by Ordinance 457.

- 1.Sub-grade inspection prior to base placement.
- 2.Base inspection prior to paving.
- 3.Precise grade inspection of entire permit area.
 - a.Inspection of Final Paving
 - b.Precise Grade Inspection
 - c.Inspection of completed onsite storm drain facilities
 - d.Inspection of the WQMP treatment control BMPs

90.BS GRADE. 7 USE - PRECISE GRDG APPROVAL RECOMMND

Prior to final building inspection, the applicant shall obtain precise grade approval and/or clearance from the Building and Safety Department. The Building and Safety Department must approve the precise grading of your project before a building final can be obtained. Precise Grade approval can be accomplished by complying with the following:

- 1.Requesting and obtaining approval of all required grading inspections.
- 2.Submitting a "Wet Signed" copy of the Soils Compaction Report from the Soils Engineer (registered geologist or certified geologist, civil engineer or geotechnical engineer as appropriate) for the sub-grade and base of all paved areas.
- 3.Submitting a "Wet Signed" copy of the Sub-grade (rough) Certification from a Registered Civil Engineer certifying that the sub-grade was completed in conformance with the approved grading plan.
- 4.Submitting a "Wet Signed" copy of the Precise (Final)

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

90. PRIOR TO BLDG FINAL INSPECTION

90.BS GRADE. 7 USE - PRECISE GRDG APPROVAL (cont.) RECOMMND

Grade Certification for the entire site from a Registered Civil Engineer certifying that the precise grading was completed in conformance with the approved grading plan.

5.Submitting a "Wet Signed" copy of the Certification certifying the installation of any onsite storm drain systems not inspected by Riverside County Flood Control District or the Riverside County Transportation Department.

6.Submitting a "Wet Signed" copy of the Water Quality Management Plan (WQMP) Certification from a Registered Civil Engineer certifying that the Water Quality Management Plan treatment control BMPs have been installed in accordance with the approved WQMP.

Prior to release for building final, the applicant shall have met all precise grade requirements to obtain Building and Safety Department clearance.

E HEALTH DEPARTMENT

90.E HEALTH. 1 USE - HAZMAT BUS PLAN RECOMMND

The facility will require a business emergency plan for the storage of hazardous materials greater than 55 gallons, 200 cubic feet or 500 pounds, or any acutely hazardous materials or extremely hazardous substances.

90.E HEALTH. 2 USE - HAZMAT REVIEW RECOMMND

If further review of the site indicates additional environmental health issues, the Hazardous Materials Management Division reserves the right to regulate the business in accordance with applicable County Ordinances.

90.E HEALTH. 3 USE - HAZMAT CONTACT RECOMMND

Contact a Hazardous Materials Specialist, Hazardous Materials Management Division, at (951) 358-5055 for any additional requirements.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

90. PRIOR TO BLDG FINAL INSPECTION

FIRE DEPARTMENT

90.FIRE. 1 USE-#45-FIRE LANES RECOMMND

The applicant shall prepare and submit to the Fire Department for approval, a site plan designating required fire lanes with appropriate lane painting and/or signs.

90.FIRE. 2 USE-#12A-SPRINKLER SYSTEM RECOMMND

Install a complete fire sprinkler system per NFPA 13 2013 edition in all buildings requiring a fire flow of 1500 GPM or greater. Sprinkler system(s) with pipe sizes in excess of 4" in diameter will require the project structural engineer to certify (wet signature) the stability of the building system for seismic and gravity loads to support the sprinkler system. All fire sprinkler risers shall be protected from any physical damage. The post indicator valve and fire department connection shall be located to the front, within 50 feet of a hydrant, and a minimum of 25 feet from the building(s). A statement that the building(s) will be automatically fire sprinkled must be included on the title page of the building plans.

Applicant or developer shall be responsible to install a U.L. Central Station Monitored Fire Alarm System. Monitoring system shall monitor the fire sprinkler system(s) water flow, P.I.V.'s and all control valves. Plans must be submitted to the Fire Department for approval prior to installation. Contact fire department for guideline handout
*Fire alarm system shall be required per F-1 occupancy

90.FIRE. 3 USE-#83-AUTO/MAN FIRE ALARM RECOMMND

Applicant or developer shall be responsible to install a manual and automatic Fire Alarm System. Plans must be submitted to the Fire Department for approval prior to installation.

90.FIRE. 5 USE-#27-EXTINGUISHERS RECOMMND

Install portable fire extinguishers with a minimum rating of 2A-10BC and signage. Fire Extinguishers located in public areas shall be in recessed cabinets mounted 48" (inches) to center above floor level with maximum 4" projection from the wall. Contact Fire Department for proper placement of equipment prior to installation.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

90. PRIOR TO BLDG FINAL INSPECTION

PARKS DEPARTMENT

90.PARKS. 1 USE - BUTTERFIELD OVERLAND MAI RECOMMND

The applicant shall provide a marker for the historical trial Butterfield Overland Mail Route which runs in front of the property. The detail is referenced in the Temescal Valley Design Guidelines Exhibit 29. The Butterfield Overland Mail Co. used the route from 1858 to 1861 under contract with the U.S. Postal Department, providing transportation of U.S. mail between St. Louis, Mo., and San Francisco, Calif., the first transcontinental mail service.

PLANNING DEPARTMENT

90.PLANNING. 3 USE - PARKING PAVING MATERIAL RECOMMND

A minimum of 121 parking spaces shall be provided as shown on the APPROVED EXHIBIT A, unless otherwise approved by the Planning Department. The parking area shall be surfaced with asphaltic concrete or concrete to current standards as approved by the Department of Building and Safety.

90.PLANNING. 4 USE - ACCESSIBLE PARKING RECOMMND

A minimum of four (4) accessible parking spaces for persons with disabilities shall be provided as shown on APPROVED EXHIBIT A. Each parking space reserved for persons with disabilities shall be identified by a permanently affixed reflectorized sign constructed of porcelain on steel, beaded text or equal, displaying the International Symbol of Accessibility. The sign shall not be smaller than 70 square inches in area and shall be centered at the interior end of the parking space at a minimum height of 80 inches from the bottom of the sign to the parking space finished grade, or centered at a minimum height of 36 inches from the parking space finished grade, ground, or sidewalk. A sign shall also be posted in a conspicuous place, at each entrance to the off-street parking facility, not less than 17 inches by 22 inches, clearly and conspicuously stating the following:

"Unauthorized vehicles not displaying distinguishing placards or license plates issued for physically handicapped persons may be towed away at owner's expense. Towed vehicles may be reclaimed at ___ or by telephoning ___."

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

90. PRIOR TO BLDG FINAL INSPECTION

90.PLANNING. 4 USE - ACCESSIBLE PARKING (cont.) RECOMMND

In addition to the above requirements, the surface of each parking space shall have a surface identification sign duplicating the symbol of accessibility in blue paint of at least 3 square feet in size.

90.PLANNING. 8 USE - ROOF EQUIPMENT SHIELDING RECOMMND

Roof-mounted equipment shall be shielded from ground view. Screening material shall be subject to Planning Department approval.

90.PLANNING. 11 USE - UTILITIES UNDERGROUND RECOMMND

All utilities, except electrical lines rated 33 kV or greater, shall be installed underground. If the permittee provides to the Department of Building and Safety and the Planning Department a definitive statement from the utility provider refusing to allow underground installation of the utilities they provide, this condition shall be null and void with respect to that utility.

90.PLANNING. 12 USE - CURBS ALONG PLANTERS RECOMMND

A six inch high curb with a twelve (12) inch wide walkway shall be constructed along planters on end stalls adjacent to automobile parking areas. Public parking areas shall be designed with permanent curb, bumper, or wheel stop or similar device so that a parked vehicle does not overhang required sidewalks, planters, or landscaped areas.

90.PLANNING. 15 USE - TRASH ENCLOSURES RECOMMND

Two (2) trash enclosures which are adequate to enclose a minimum of two (2) bins shall be located as shown on the APPROVED EXHIBIT A, and shall be constructed prior to the issuance of occupancy permits. The enclosures shall be a minimum of six (6) feet in height and shall be made with masonry block and landscaping screening and a solid gate which screens the bins from external view. Additional enclosed area for collection of recyclable materials shall be located within, near or adjacent to each trash and rubbish disposal area. The recycling collection area shall be a minimum of fifty percent (50%) of the area provided for the trash/rubbish enclosure(s) or as approved by the Riverside County Waste Management Department. All recycling bins shall be labeled with the universal

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

90. PRIOR TO BLDG FINAL INSPECTION

90.PLANNING. 15 USE - TRASH ENCLOSURES (cont.) RECOMMND

recycling symbol and with signage indicating to the users the type of material to be deposited in each bin.

90.PLANNING. 18 USE - REMOVE OUTDOOR ADVERTISE RECOMMND

All existing outdoor advertising displays, signs or billboards shall be removed.

90.PLANNING. 23 USE - SKR FEE CONDITION RECOMMND

Prior to the issuance of a certificate of occupancy, or upon building permit final inspection, whichever comes first, the applicant shall comply with the provisions of Riverside County Ordinance No. 663, which generally requires the payment of the appropriate fee set forth in that ordinance.

The amount of the fee required to be paid may vary, depending upon a variety of factors, including the type of development application submitted and the applicability of any fee reduction or exemption provisions contained in Riverside County Ordinance No. 663. Said fee shall be calculated on the approved development project which is anticipated to be 13.07 acres (gross) in accordance with APPROVED EXHIBIT A. If the development is subsequently revised, this acreage amount may be modified in order to reflect the revised development project acreage amount. In the event Riverside County Ordinance No. 663 is rescinded, this condition will no longer be applicable. However, should Riverside County Ordinance No. 663 be rescinded and superseded by a subsequent mitigation fee ordinance, payment of the appropriate fee set forth in that ordinance shall be required.

90.PLANNING. 24 USE - CONDITION COMPLIANCE RECOMMND

The Department of Building and Safety shall verify that the Development Standards of this approval and all other preceding conditions have been complied with prior to any use allowed by this permit.

90.PLANNING. 25 USE - EXTENDED TRUCK IDLING RECOMMND

Sign(s) stating that "EXTENDED IDLING TRUCK ENGINES IS NOT PERMITTED" shall be located at the entrance to the manufacturing/warehouse facility and at the truck parking

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

90. PRIOR TO BLDG FINAL INSPECTION

90.PLANNING. 25 USE - EXTENDED TRUCK IDLING (cont.) RECOMMND

area.

The sign(s) at the entrance to facility shall not be less than twenty four inches square and will provide directions to truck parking spaces with electrical hookups.

The hookups will provide power for refrigerated trailers that need to be parked on-sight for more than 15 minutes.

90.PLANNING. 27 USE - ORD 810 O S FEE RECOMMND

Prior to the issuance of a certificate of occupancy, or upon building permit final inspection, whichever comes first, the applicant shall comply with the provisions of Riverside County Ordinance No. 810, which requires the payment of the appropriate fee set forth in the Ordinance. The amount of the fee will be based on the "Project Area" as defined in the Ordinance and the aforementioned Condition of Approval. The Project Area for Plot Plan No. 25397 is calculated to be 13.07 net acres. In the event Riverside County Ordinance No. 810 is rescinded, this condition will no longer be applicable. However, should Riverside County Ordinance No. 810 be rescinded and superseded by a subsequent mitigation fee ordinance, payment of the appropriate fee set forth in that ordinance shall be required.

90.PLANNING. 28 USE - ORD NO. 659 (DIF) RECOMMND

Prior to the issuance of either a certificate of occupancy or prior to building permit final inspection, the applicant shall comply with the provisions of Riverside County Ordinance No. 659, which requires the payment of the appropriate fee set forth in the Ordinance. Riverside County Ordinance No. 659 has been established to set forth policies, regulations and fees related to the funding and installation of facilities and the acquisition of open space and habitat necessary to address the direct and cumulative environmental effects generated by new development project described and defined in this Ordinance, and it establishes the authorized uses of the fees collected.

The amount of the fee for commercial or industrial development shall be calculated on the basis of the "Project Area," as defined in the Ordinance, which shall mean the net area, measured in acres, from the adjacent

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

90. PRIOR TO BLDG FINAL INSPECTION

90.PLANNING. 28 USE - ORD NO. 659 (DIF) (cont.) RECOMMND

road right-of-way to the limits of the project development. The Project Area for Plot Plan No. 25397 has been calculated to be 13.07 net acres.

In the event Riverside County Ordinance No. 659 is rescinded, this condition will no longer be applicable. However, should Riverside County Ordinance No. 659 be rescinded and superseded by a subsequent mitigation fee ordinance, payment of the appropriate fee set forth in that ordinance shall be required.

90.PLANNING. 29 USE - WASTE MGMT. CLEARANCE RECOMMND

A clearance letter from Riverside County Waste Management District shall be provided to the Riverside County Planning Department verifying compliance with the conditions contained in their letter dated August 6, 2013, summarized as follows:

Prior to final building inspection, the applicant shall construct the recyclables collection and loading area in compliance with the Recyclables Collection and loading Area plot plan, as approved and stamped by the Riverside County Waste Management Department.

Prior to issuance of an occupancy permit, evidence (i.e., receipts or other type of verification) to demonstrate project compliance with the approved WRP shall be presented by the project proponent to the Planning Division of the Riverside County Waste Management Department in order to clear the project for occupancy permits. Receipts must clearly identify the amount of waste disposed and Construction and Demolition (C&D) materials recycled.

TRANS DEPARTMENT

90.TRANS. 1 USE - WRCOG TUMF RECOMMND

Prior to the issuance of an occupancy permit, the project proponent shall pay the Transportation Uniform Mitigation Fee (TUMF) in accordance with the fee schedule in effect at the time of issuance, pursuant to Ordinance No. 824.

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

90. PRIOR TO BLDG FINAL INSPECTION

90.TRANS. 4

USE - EXISTING MAINTAINED

RECOMMND

Temescal Canyon Road along project boundary is a paved County maintained road designated as an Arterial Highway.

The applicant shall be responsible for the following:

- a. The construction of the ultimate driveways at 43' from the centerline per Standard No. 207A.
- b. The construction of Temescal Canyon Road along the project frontage (35') with 43' of AC pavement, 8" concrete curb and gutter, and 5' sidewalk within a 64' half-width dedicated right-of-way in accordance with County Standard No. 92, Ordinance 461. (43'/64').
- c. The County Transportation Department's capital project C50072 is under design to realign and widened Temescal Canyon Road. The limits begin north of PP25397 and extend south approximately 0.3 miles. It is anticipated that the capital project will relocate existing power poles along Temescal Canyon Road as part of the design. In the event the power poles are not relocated by the capital project, it will be the responsibility of the project proponent for PP25397 to relocate the existing poles on Temescal Canyon Road obligated by the road improvements conditioned on PP25397.

90.TRANS. 5

USE - LC LNDSCP INSPECT DEPOST

RECOMMND

Prior to building permit final inspection, the developer/permit holder shall file an Inspection Request Form and deposit sufficient funds to cover the costs of the Pre-Installation, the Installation, and One Year Post-Establishment landscape inspections. In the event that an open landscape case is not available, then the applicant shall open a FEE ONLY case to conduct inspections. The deposit required for landscape inspections shall be determined by the Riverside County Landscape Division. The Transportation Department shall clear this condition upon determination of compliance.

90.TRANS. 6

USE - LNDSCPE INSPCTN RQRMNTS

RECOMMND

The permit holder's (or on-site representative) landscape architect is responsible for preparing the landscaping and

PLOT PLAN:TRANSMITTED Case #: PP25397

Parcel: 283-110-057

90. PRIOR TO BLDG FINAL INSPECTION

90.TRANS. 6 USE - LNDSCPE INSPCTN RQRMNTS (cont.) RECOMMND

irrigation plans and shall arrange for an installation inspection with the Transportation Department at least five (5) working days prior to the installation of any landscape or irrigation components.

Upon successful completion of the installation inspection, the applicant will arrange for a 6th-month installation inspection at least five (5) working days prior to the final building inspection or issuance of the occupancy permit, whichever occurs first, and comply with the Transportation Department's (80.TRANS) condition entitled "USE-LANDSCAPING SECURITY" and (90.TRANS) condition entitled "LANDSCAPE INSPECTION DEPOSIT." Upon successful completion of the installation inspection, the County Transportation Department's landscape inspector and the permit holder's landscape architect (or on-site representative) shall execute a Landscape Certificate of Completion that shall be submitted to the Transportation Department and the Department of Building and Safety. The Transportation Department shall clear this condition upon determination of compliance.

90.TRANS. 7 USE - LC COMPLY W/ LNDSCP/ IRR RECOMMND

The developer/permit holder shall coordinate with their designated landscape representative and the Riverside County Transportation Department's landscape inspector to ensure all landscape planting and irrigation systems have been installed in accordance with APPROVED EXHIBITS, landscaping, irrigation, and shading plans. The Transportation Department will ensure that all landscaping is healthy, free of weeds, disease and pests; and, irrigation systems are properly constructed and determined to be in good working order. The developer/permit holder's designated landscape representative and the Riverside County Transportation Department's landscape inspector shall determine compliance with this condition and execute a Landscape Certificate of Completion. Upon determination of compliance, the Transportation Department shall clear this condition.

90.TRANS. 8 USE - R-O-W DEDICATION 1 RECOMMND

Sufficient public street right-of-way along Temescal Canyon Road shall be conveyed for public use to provide for a 64 foot half-width right-of-way.

LAND DEVELOPMENT COMMITTEE
2nd CASE TRANSMITTAL
RIVERSIDE COUNTY PLANNING DEPARTMENT - RIVERSIDE
P.O. Box 1409
Riverside, CA 92502-1409

DATE: January 8, 2015

TO

Riv. Co. Transportation Dept.
Riv. Co. Environmental Health Dept.
Riv. Co. Fire Dept.
Riv. Co. Building & Safety – Grading

Riv. Co. Building & Safety – Plan Check
Riv. Co. Parks & Open Space District
Riv. Co. Environmental Programs Dept.
P.D. Geology Section-D. Jones

P.D. Landscaping Section-Mark Hughes
P.D. Archaeology Section-Heather Thomson
1st District Supervisor
1st District Planning Commissioner

PLOT PLAN NO. 25397 (FTA 2013-06), AMENDED NO. 1 – EA42607 – Applicant: Darrell Clendenen – Engineer/Representative: LDDC Engineering – First Supervisorial District – Glen Ivy Zoning Area – Temescal Canyon Area Plan: Community Development: Light Industrial (CD:LI) (0.25-0.60 Floor Area Ratio) and Community Development: Business Park (CD:BP) (0.25-0.60 Floor Area Ratio) – Location: Northeasterly of Temescal Canyon Road and Interstate 15 and southerly of Leroy Road – 13.07 Acres Gross - Zoning: Manufacturing-Service Commercial (M-SC) and Specific Plan (SP No. 176) - **REQUEST: The Plot Plan proposes a 62,044 sq. ft. manufacturing/warehouse facility (for Spectra Color) with 123 parking spaces. – APNs: 283-110-051 and 283-110-057 – Related Cases: PP23259 and PM35882 – **NOTE: The location of the proposed building has changed. The building is now located to the front of the property. Please review and update conditions accordingly.****

Routes in LMS have only been added for those departments that previously required corrections (denials). We are still requesting that your department review the attached map(s) and/or exhibit(s) for the above-described project. **If your department is not provided a route line, but you elect to provide comments (denial to the route) you may add a route for your department.** Otherwise please assure your files reflect this stamped version of the document and review any conditions accordingly. This case is scheduled for a **LDC comment on January 29, 2015.** All LDC Members please have draft conditions in the Land Management System on or before the above date. If it is determined that the attached map(s) and/or exhibit(s) are not acceptable, please have corrections in the system and DENY the routing on or before the above date. Once the route is complete, and the approval screen is approved with or without corrections, the case can be scheduled for a public hearing. Please keep ahold of this exhibit for your files as it supersedes previously transmitted exhibits. The following departments received a route on this project:

Transportation, Env. Health, Fire, Building & Safety Grading, Building & Safety Plan check, Geology, EPD, Archaeo, Landscape, and Parks.

All other transmitted entities, please have your comments, questions and recommendations to the Planning Department on or before the above date. Your comments/recommendations/conditions are requested so that they may be incorporated in the staff report for this particular case.

Should you have any questions regarding this project, please do not hesitate to contact **Damaris Abraham**, Project Planner, at **(951) 955-5719** or email at dabraham@rctlma.org / **MAILSTOP# 1070.**

COMMENTS:

DATE: _____ SIGNATURE: _____

PLEASE PRINT NAME AND TITLE: _____

TELEPHONE: _____

If you do not include this transmittal in your response, please include a reference to the case number and project planner's name. Thank you.

**LAND DEVELOPMENT COMMITTEE/
DEVELOPMENT REVIEW TEAM
INITIAL CASE TRANSMITTAL
RIVERSIDE COUNTY PLANNING DEPARTMENT - RIVERSIDE
P.O. Box 1409
Riverside, CA 92502-1409**

DATE: July 24, 2013

TO:

Riv. Co. Transportation Dept.	Riv. Co. Environmental Programs Division	1 st District Supervisor-Jeffries
Riv. Co. Environmental Health Dept.	P.D. Geology Section	1 st District Planning Commissioner-Leach
Riv. Co. Public Health – Industrial Hygiene	P.D. Landscaping Section	City of Corona
Riv. Co. Public Health	P.D. Archaeology Section	Corona-Norco Unified
Riv. Co. Flood Control District	Riv. Co. Surveyor-Bob Robinson	Lee Lake Water District
Riv. Co. Fire Department	Riv. Co. Sheriff's Dept.	Southern California Edison
Riv. Co. Building & Safety – Grading	Riv. Co. Waste Management Dept.	Southern California Gas Co.
Riv. Co. Building & Safety – Plan Check	Riv. Co. Economic Development Agency	
Regional Parks & Open Space District	Temescal Canyon Municipal Advisory Council	

PLOT PLAN NO. 25397 – EA42607 – Applicant: Darrell Clendenen – **Engineer/Representative:** LDDC Engineering – **First/First Supervisorial District –** Glen Ivy Zoning Area – **Temescal Canyon Area Plan:** Community Development: Light Industrial (CD:LI) (0.25-0.60 Floor Area Ratio) and Community Development: Business Park (CD:BP) (0.25-0.60 Floor Area Ratio) – **Location:** Northeasterly of Temescal Canyon Road and Interstate 15 and southerly of Leroy Road – 13.07 Acres Gross - **Zoning:** Manufacturing-Service Commercial (M-SC) and Specific Plan (SP No. 176) - **REQUEST:** The Plot Plan proposes a 60,285 sq. ft. manufacturing/warehouse facility with 157 parking spaces. – **APNs:** 283-110-051 and 283-110-057 – **Related Cases:** PP23259 and PM35882 – **Concurrent Case:** LLA05459

Please review the attached map(s) and/or exhibit(s) for the above-described project. This case is scheduled for a **DRT meeting on August 15, 2013**. All LDC/DRT Members please have draft conditions in the Land Management System on or before the above date. If it is determined that the attached map(s) and/or exhibit(s) are not acceptable, please have corrections in the system and DENY the routing on or before the above date. Once the route is complete, and the approval screen is approved with or without corrections, the case can be scheduled for a public hearing.

All other transmitted entities, please have your comments, questions and recommendations to the Planning Department on or before the above date. Your comments/recommendations/conditions are requested so that they may be incorporated in the staff report for this particular case.

Should you have any questions regarding this project, please do not hesitate to contact **Damaris Abraham**, Project Planner, at **(951) 955-5719** or email at **dabraham@rctlma.org / MAILSTOP# 1070**.

Public Hearing Path: DH: PC: BOS:

COMMENTS:

DATE: _____ SIGNATURE: _____

PLEASE PRINT NAME AND TITLE: _____

TELEPHONE: _____

If you do not include this transmittal in your response, please include a reference to the case number and project planner's name. Thank you.



Riverside County
Waste Management Department

Hans W. Kernkamp, General Manager-Chief Engineer

August 6, 2013



Damaris Abraham, Project Planner
Riverside County Planning Department
P.O. Box No. 1409
Riverside, CA 92502-1409

**RE: Plot Plan (PP) 25397 – Construct a Manufacturing/Warehouse Building
(APN: 283-110-051)**

Dear Ms. Abraham:

The Riverside County Waste Management Department (RCWMD) has reviewed the proposed project, located northeasterly of Temescal Canyon Road and I-15, and southerly of Leroy Road in the Temescal Canyon Area Plan. In order to mitigate the potential solid waste impacts of PP 25397 and help the County comply with AB 939 (Integrated Waste Management Act), AB 1327 (California Solid Waste Reuse and Recycling Access Act), the California Green Building Standards, and AB 341 (Mandatory Commercial Recycling) through diverting solid waste from landfill disposal, the Department recommends that the following conditions be made a part of any Conditions of Approval for PP 25397:

1. **Prior to issuance of a building permit**, the applicant shall submit three (3) copies of a Recyclables Collection and Loading Area plot plan to the Riverside County Waste Management Department for review and approval. The plot plan shall conform to ***Design Guidelines for Recyclables Collection and Loading Areas***, provided by the Waste Management Department, and shall show the location of and access to the collection area for recyclable materials, along with its dimensions and construction detail, including elevation/façade, construction materials and signage. The plot plan shall clearly indicate how the trash and recycling enclosures shall be accessed by the hauler.
2. **Prior to final building inspection**, the applicant shall construct the recyclables collection and loading area in compliance with the Recyclables Collection and Loading Area plot plan, as approved and stamped by the Riverside County Waste Management Department.
3. **Prior to issuance of a building permit**, A Waste Recycling Plan (WRP) shall be submitted to the Riverside County Waste Management Department for approval. At a minimum, the WRP must identify the materials (i.e., concrete, asphalt, wood, etc.) that will be generated by demolition, construction and development, the projected amounts, the measures/methods that will be taken to recycle, reuse, and/or reduce the amount of materials, the facilities and/or haulers that will be utilized, and the targeted recycling or reduction rate. During project construction, the project site shall have, at a minimum, two (2) bins: one for waste disposal and

the other for the recycling of Construction and Demolition (C&D) materials. Additional bins are encouraged to be used for further source separation of C&D recyclable materials. Accurate record keeping (receipts) for recycling of C&D recyclable materials and solid waste disposal must be kept. Arrangements can be made through the franchise hauler.

4. **Prior to issuance of an occupancy permit, evidence (i.e., receipts or other type of verification) to demonstrate project compliance with the approved WRP shall be presented by the project proponent to the Planning Division of the Riverside County Waste Management Department in order to clear the project for occupancy permits. Receipts must clearly identify the amount of waste disposed and Construction and Demolition (C&D) materials recycled.**
5. Hazardous materials are not accepted at Riverside County landfills. In compliance with federal, state, and local regulations and ordinances, any hazardous waste generated in association with the project shall be disposed of at a permitted Hazardous Waste disposal facility. Hazardous waste materials include, but are not limited to, paint, batteries, oil, asbestos, and solvents. For further information regarding the determination, transport, and disposal of hazardous waste, please contact the Riverside County Department of Environmental Health, Environmental Protection and Oversight Division, at 1.888.722.4234.
6. AB 341 focuses on increased commercial waste recycling as a method to reduce greenhouse gas (GHG) emissions. The regulation requires businesses and organizations that generate four or more cubic yards of waste per week and multifamily units of 5 or more, to recycle. **A business shall take at least one of the following actions in order to reuse, recycle, compost, or otherwise divert commercial solid waste from disposal:**
 - **Source separate recyclable and/or compostable material from solid waste and donate or self-haul the material to recycling facilities.**
 - **Subscribe to a recycling service with their waste hauler.**
 - **Provide recycling service to their tenants (if commercial or multi-family complex).**
 - **Demonstrate compliance with the requirements of California Code of Regulations Title 14.**

For more information, please visit:


www.rivcowm.org/opencms/recycling/recycling_and_compost_business.html#mandatory

7. Use mulch and/or compost in the development and maintenance of landscaped areas within the project boundaries. Recycle green waste through either onsite composting of grass, i.e., leaving the grass clippings on the lawn, or sending separated green waste to a composting facility.
8. Consider xeriscaping and using drought tolerant/low maintenance vegetation in all landscaped areas of the project.

Damaris Abraham, Project Planner
PP 25397
August 6, 2013
Page 3

Thank you for the opportunity to review this proposal. If you have any questions, please call me at (951) 486-3283.

Sincerely,

A handwritten signature in black ink, appearing to read 'Sung Key Ma', with a long horizontal flourish extending to the right.

Sung Key Ma
Urban/Regional Planner IV

PD #140910

INDEMNIFICATION AGREEMENT

This INDEMNIFICATION AGREEMENT (“Agreement”), made by and between the COUNTY OF RIVERSIDE, a political subdivision of the State of California (“COUNTY”) and Via Del Rio Business Park, LLC, a Delaware Limited Liability Company registered in California (“PROPERTY OWNER”), relating to the PROPERTY OWNER’S indemnification of the COUNTY under the terms set forth herein:

WITNESSETH:

WHEREAS, the PROPERTY OWNER has a legal interest in the certain real property described as APN 283-110-051 (“PROPERTY”); and,

WHEREAS, on July 11, 2013, PROPERTY OWNER filed an application for Plot Plan No. 25397 (“PROJECT”); and,

WHEREAS, the PROJECT also includes APN 283-110-057 which is owned by Riverbend Business Park, LLC, a Limited Liability Company (“RIVERBEND”); and,

WHEREAS, judicial challenges of projects requiring discretionary approvals, including, but not limited to, California Environmental Quality Act determinations, are costly and time consuming. Additionally, project opponents often seek an award of attorneys’ fees in such challenges; and,

WHEREAS, since property owners are the primary beneficiaries of such approvals, it is appropriate that such owners bear the expense of defending against any such judicial challenge, and bear the responsibility of any costs, attorneys’ fees and damages which may be awarded to a successful challenger; and,

WHEREAS, in the event a judicial challenge is commenced against the PROJECT, the COUNTY has requested and the PROPERTY OWNER has agreed to defend, indemnify and hold harmless the COUNTY, its agents, officers, or employees from any claim, action or proceeding against the COUNTY, its agents, officers, or employees to attack, set aside, void or annul any approval of the COUNTY, its advisory agencies, appeal boards, or legislative body concerning the PROJECT or its associated environmental documentation (“LITIGATION”); and,

WHEREAS, PROPERTY OWNER acknowledges RIVERBEND’s ownership of APN 283-110-057 and is willing to indemnify the COUNTY as set forth herein in the event a judicial challenge is commenced against the PROJECT; and,

WHEREAS, this Agreement is entered into by the COUNTY and PROPERTY OWNER to establish specific terms concerning PROPERTY OWNER'S indemnification obligation for the PROJECT.

NOW, THEREFORE, it is mutually agreed between COUNTY and PROPERTY OWNER as follows:

1. **Indemnification.** PROPERTY OWNER, at its own expense, shall defend, indemnify and hold harmless the COUNTY, its agents, officers, and employees from and against any claim, action or proceeding brought against the COUNTY, its agents, officers, and employees to attack, set aside, void or annul any approval of the PROJECT including any associated costs, damages, and expenses including, but not limited to, costs associated with Public Records Act requests submitted to the COUNTY related to the PROJECT and an award of attorneys' fees and costs incurred or arising out of the above-referenced claim, action or proceeding brought against the COUNTY ("Indemnification Obligation.") Additionally, PROPERTY OWNER's Indemnification Obligation includes indemnifying the COUNTY for any claim, action or proceeding brought against the COUNTY its agents, officers, and employees to attack, set aside, void or annul any approval of the PROJECT related to APN 283-110-057.

2. **Defense Cooperation.** PROPERTY OWNER and the COUNTY shall reasonably cooperate in all aspects of the LITIGATION. Nothing contained in this Agreement, however, shall be construed to limit the discretion of COUNTY, in the interest of the public welfare, to settle, defend, appeal or to decline to settle or to terminate or forego defense or appeal of the LITIGATION. It is also understood and agreed that all litigation pleadings are subject to review, revision and approval by COUNTY's Office of County Counsel.

3. **Representation and Payment for Legal Services Rendered.** COUNTY shall have the absolute right to approve any and all counsel retained to defend COUNTY in the LITIGATION. PROPERTY OWNER shall pay the attorneys' fees and costs of the legal firm retained by PROPERTY OWNER to represent the COUNTY in the LITIGATION. Failure by PROPERTY OWNER to pay such attorneys' fees and costs may be treated as an abandonment of the PROJECT and as a default of PROPERTY OWNER's obligations under this Agreement.

4. **Payment for COUNTY's LITIGATION Costs.** Payment for COUNTY's costs related to the LITIGATION shall be made on a deposit basis. LITIGATION costs include any associated costs, fees, damages, and expenses as further described in Section 1. herein as Indemnification Obligation. Within thirty (30) days of receipt of notice from COUNTY that LITIGATION has been initiated against the PROJECT, PROPERTY OWNER shall initially deposit with the COUNTY's Planning Department the total amount of Twenty Thousand Dollars

(\$20,000). PROPERTY OWNER shall deposit with COUNTY such additional amounts as COUNTY reasonably and in good faith determines, from time to time, are necessary to cover costs and expenses incurred by the COUNTY, including but not limited to, the Office of County Counsel, Riverside County Planning Department and the Riverside County Clerk of the Board associated with the LITIGATION. Within ten (10) days of written notice from COUNTY, PROPERTY OWNER shall make such additional deposits. Collectively, the initial deposit and additional deposits shall be referred to herein as the "Deposit."

5. **Return of Deposit.** COUNTY shall return to PROPERTY OWNER any funds remaining on deposit after ninety (90) days have passed since final adjudication of the LITIGATION.

6. **Notices.** For all purposes herein, notices shall be effective when personally delivered, delivered by commercial overnight delivery service, or sent by certified or registered mail, return receipt requested, to the appropriate address set forth below:

COUNTY:
Office of County Counsel
Attn: Melissa Cushman
3960 Orange Street, Suite 500
Riverside, CA 92501

PROPERTY OWNER :
Via Del Rio Business Park, LLC
Attn: Ann Cox
41606 Date Street, Suite 203A
Murrieta, CA 92562

7. **Default and Termination.** This Agreement is not subject to termination, except by mutual agreement or as otherwise provided herein. In the event of a default of PROPERTY OWNER's obligations under this Agreement, COUNTY shall provide written notification to PROPERTY OWNER of such alleged default and PROPERTY OWNER shall have ten (10) days after receipt of written notification to cure any such alleged default. If PROPERTY fails to cure such alleged default within the specified time period or otherwise reach agreement with the COUNTY on a resolution of the alleged default, COUNTY may, in its sole discretion, do any of the following or combination thereof:

- a. Deem PROPERTY OWNER's default of PROPERTY OWNER's obligations as abandonment of the PROJECT and as a breach of this Agreement;
- b. Rescind any PROJECT approvals previously granted;
- c. Settle the LITIGATION.

In the event of a default, PROPERTY OWNER shall remain responsible for any costs and attorney's fees awarded by the Court or as a result of settlement and other expenses incurred by the COUNTY related to the LITIGATION or settlement.

8. **COUNTY Review of the PROJECT.** Nothing in this Agreement shall be construed to limit, direct, impede or influence the COUNTY's review and consideration of the PROJECT.

9. **Complete Agreement/Governing Law.** This Agreement represents the complete understanding between the parties with respect to matters set forth herein. This Agreement shall be construed in accordance with the laws of the State of California.

10. **Successors and Assigns.** The obligations specific herein shall be made, and are binding on the successors in interest of the PROPERTY OWNER, whether the succession is by agreement, by operation of law or by any other means.

11. **Amendment and Waiver.** No modification, waiver, amendment or discharge of this Agreement shall be valid unless the same is in writing and signed by all parties.

12. **Severability.** If any term, provision, covenant or condition of this Agreement is held to be invalid, void or otherwise unenforceable, to any extent, by any court of competent jurisdiction, the remainder of this Agreement shall not be affected thereby, and each term, provision, covenant or condition of this Agreement shall be valid and enforceable to the fullest extent permitted by law.

13. **Survival of Indemnification.** The parties agree that this Agreement shall constitute a separate agreement from any PROJECT approval, and if the PROJECT, in part or in whole, is invalidated, rendered null or set aside by a court of competent jurisdiction, the parties agree to be bound by the terms of this Agreement, which shall survive such invalidation, nullification or setting aside.

14. **Interpretation.** The parties have been advised by their respective attorneys, or if not represented by an attorney, represent that they had an opportunity to be so represented in the review of this Agreement. Any rule of construction to the effect that ambiguities are to be resolved against the drafting party shall not be applied in interpreting this Agreement.

15. **Captions and Headings.** The captions and section headings used in this Agreement are inserted for convenience of reference only and are not intended to define, limit or affect the construction or interpretation of any term or provision hereof.

16. **Jurisdiction and Venue.** Any action at law or in equity arising under this Agreement or brought by a party hereto for the purpose of enforcing, construing or determining the validity of any provision of this Agreement shall be filed in the Courts of Riverside County, State of California, and the parties hereto waive all provisions of law providing for the filing, removal or change of venue to any other court or jurisdiction.


17. **Counterparts; Facsimile & Electronic Execution.** This Agreement may be executed in one or more counterparts, each of which shall be deemed an original, but all of which together shall constitute one and the same document. To facilitate execution of this Agreement, the parties may execute and exchange facsimile or electronic counterparts, and facsimile or electronic counterparts shall serve as originals.

18. **Joint and Several Liability.** In the event there is more than one PROPERTY OWNER, the liability of PROPERTY OWNER shall be joint and several, and PROPERTY OWNER each of them shall be jointly and severally liable for performance of all of the obligations of PROPERTY OWNER under this Agreement.

19. **Effective Date.** The effective date of this Agreement is the date the parties sign the Agreement. If the parties sign the Agreement on more than one date, then the last date the Agreement is signed by a party shall be the effective date.

IN WITNESS WHEREOF, the parties hereto have duly caused this Agreement to be executed by their authorized representatives as of the date written.


COUNTY:
COUNTY OF RIVERSIDE,
a political subdivision of the State of California

By: 
Steven Weiss
Riverside County Planning Director

Dated: 8/25/15

PROPERTY OWNER:
Via Del Rio Business Park, LLC, a Delaware Limited Liability Company

By: 
Via Del Rio Business Park, LLC, a Delaware Limited Liability Company

By: 
Ann Cox
Manager

Dated: 8/11/15

FORM APPROVED COUNTY COUNSEL
BY:  8/20/15
MICHELLE CLACK DATE

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

CALIFORNIA ALL-PURPOSE CERTIFICATE OF ACKNOWLEDGMENT

State of California)
County of Riverside)

On August 11, 2015 before me, Joanne Cooper, Notary Public,
(here insert name and title of the officer)

personally appeared Ann Cox

who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Signature



(Seal)

OPTIONAL INFORMATION

Although the information in this section is not required by law, it could prevent fraudulent removal and reattachment of this acknowledgment to an unauthorized document and may prove useful to persons relying on the attached document.

Description of Attached Document

The preceding Certificate of Acknowledgment is attached to a document titled/for the purpose of Indemnification Agreement containing 5 pages, and dated 08-11-2015.

The signer(s) capacity or authority is/are as:

- Individual(s)
- Attorney-in-Fact
- Corporate Officer(s)

Title(s)

- Guardian/Conservator
- Partner - Limited/General
- Trustee(s)

Other:

Manager

representing:

Via Del Rio Business Park, LLC
Name(s) of Person(s) or Entity(ies) Signer is Representing

Additional Information

Method of Signer Identification

Proved to me on the basis of satisfactory evidence:
 form(s) of identification credible witness(es)


Notarial event is detailed in notary journal on:

Page # _____ Entry # _____

Notary contact: _____

Other

Additional Signer(s) Signer(s) Thumbprint(s)



Carolyn Syms Luna
Director

EA42407 CF005983

RIVERSIDE COUNTY
PLANNING DEPARTMENT

APPLICATION FOR LAND USE PROJECT

CHECK ONE AS APPROPRIATE:

- PLOT PLAN
- REVISIED PERMIT
- CONDITIONAL USE PERMIT
- PUBLIC USE PERMIT
- TEMPORARY USE PERMIT
- VARIANCE

PROPOSED LAND USE: Manufacturing - Service Commercial

ORDINANCE NO. 348 SECTION AUTHORIZING PROPOSED LAND USE: M-5C

ALL APPLICATIONS MUST INCLUDE THE INFORMATION REQUIRED UNDER ANY SUPPLEMENTAL INFORMATION LIST APPLICABLE TO THE SPECIFIC PROJECT. ADDITIONAL INFORMATION MAY BE REQUIRED AFTER INITIAL RECEIPT AND REVIEW. INCOMPLETE APPLICATIONS WILL NOT BE ACCEPTED.

CASE NUMBER: PP 25397 DATE SUBMITTED: 7/11/2013

APPLICATION INFORMATION

Applicant's Name: Darrell Clendenan Attorney E-Mail: dclcattorney@netzero.net

Mailing Address: 41606 Date Street Suite 203A
Murrieta CA Street 92562
City State ZIP

Daytime Phone No: (951) 894-2431 Fax No: (951) 894-2693

Engineer/Representative's Name: LDDC Engineering E-Mail: Kevin.fisher@lddc.net

Mailing Address: 2313 E. Philadelphia Street
Ontario CA Street 91761
City State ZIP

Daytime Phone No: (909) 930-1466 Fax No: (909) 930-1468

Property Owner's Name: Via Del Rio Business Park LLC E-Mail: anncox1031@msa.com

Mailing Address: 41606 Date Street Suite 203A
Murrieta CA Street 92562
City State ZIP

Daytime Phone No: (909) 731-7113 Fax No: (951) 894-2693

Riverside Office · 4080 Lemon Street, 12th Floor
P.O. Box 1409, Riverside, California 92502-1409
(951) 955-3200 · Fax (951) 955-1811

Desert Office · 38686 El Cerrito Road
Palm Desert, California 92211
(760) 863-8277 · Fax (760) 863-7555

"Planning Our Future... Preserving Our Past"

APPLICATION FOR LAND USE PROJECT


If the property is owned by more than one person, attach a separate page that references the application case number and lists the names, mailing addresses, and phone numbers of all persons having an interest in the real property or properties involved in this application.

The Planning Department will primarily direct communications regarding this application to the person identified above as the Applicant. The Applicant may be the property owner, representative, or other assigned agent.

AUTHORIZATION FOR CONCURRENT FEE TRANSFER

The signature below authorizes the Planning Department and TLMA to expedite the refund and billing process by transferring monies among concurrent applications to cover processing costs as necessary. Fees collected in excess of the actual cost of providing specific services will be refunded. If additional funds are needed to complete the processing of your application, you will be billed, and processing of the application will cease until the outstanding balance is paid and sufficient funds are available to continue the processing of the application. The applicant understands the deposit fee process as described above, and that there will be NO refund of fees which have been expended as part of the application review or other related activities or services, even if the application is withdrawn or the application is ultimately denied.



All signatures must be originals ("wet-signed"). Photocopies of signatures are not acceptable.

Darren Clendenen, Attorney At Law
PRINTED NAME OF APPLICANT 
SIGNATURE OF APPLICANT

AUTHORITY FOR THIS APPLICATION IS HEREBY GIVEN:

I certify that I am/we are the record owner(s) or authorized agent and that the information filed is true and correct to the best of my knowledge. An authorized agent must submit a letter from the owner(s) indicating authority to sign the application on the owner's behalf.

All signatures must be originals ("wet-signed"). Photocopies of signatures are not acceptable.

Via Del Rio Business Park LLC
PRINTED NAME OF PROPERTY OWNER(S) 
SIGNATURE OF PROPERTY OWNER(S)
Ann Cox Managing Member
PRINTED NAME OF PROPERTY OWNER(S) 
SIGNATURE OF PROPERTY OWNER(S)

If the property is owned by more than one person, attach a separate sheet that references the application case number and lists the printed names and signatures of all persons having an interest in the property.

See attached sheet(s) for other property owners' signatures.

PROPERTY INFORMATION:

Assessor's Parcel Number(s): 283 - 110 - 051
Section: 27 Township: 45 Range: 6 West of SBM

APPLICATION FOR LAND USE PROJECT

Approximate Gross Acreage: 5.29 acres of a 13 acre parcel

General location (nearby or cross streets): North of Dawson Canyon Road, South of Stellar Court, East of 15 Freeway, West of _____

Thomas Brothers map, edition year, page number, and coordinates: Page 888 Grid K-9

Project Description: (describe the proposed project in detail)

Construct a 60,000 sq ft concrete tilt-up manufacturing building on 5.29 acres of M-SC zoned land

Related cases filed in conjunction with this application:

A lot line adjustment application has been submitted and is known and referred to as (to be assigned)

Is there a previous application filed on the same site: Yes No

If yes, provide Case No(s). PM 35882 (Parcel Map, Zone Change, etc.)

E.A. No. (if known) 41708 E.I.R. No. (if applicable): N/A

Have any special studies or reports, such as a traffic study, biological report, archaeological report, geological or geotechnical reports, been prepared for the subject property? Yes No

If yes, indicate the type of report(s) and provide a copy: Air quality; Traffic Study, Photometric, Archeological, Biological (Receipt), Level I

Is water service available at the project site: Yes No

If "No," how far must the water line(s) be extended to provide service? (No. of feet/miles) _____

Will the project eventually require landscaping either on-site or as part of a road improvement or other common area improvements? Yes No See submitted landscape plan

Is sewer service available at the site? Yes No

If "No," how far must the sewer line(s) be extended to provide service? (No. of feet/miles) _____

Will the project result in cut or fill slopes steeper than 2:1 or higher than 10 feet? Yes No

How much grading is proposed for the project site?

Estimated amount of cut = cubic yards: 5,000 cubic yards

APPLICATION FOR LAND USE PROJECT

Estimated amount of fill = cubic yards 5,000 cubic yards

Does the project need to import or export dirt? Yes No

Import _____ Export _____ Neither Balance

What is the anticipated source/destination of the import/export? N/A

What is the anticipated route of travel for transport of the soil material? N/A

How many anticipated truckloads? N/A truck loads.

What is the square footage of usable pad area? (area excluding all slopes) 80,285 sq. ft.

Is the project located within 8½ miles of March Air Reserve Base? Yes No

If yes, will any structure exceed fifty-feet (50') in height (above ground level)? Yes No

Is the project located within 1000 feet of a military installation, beneath a low-level flight path or within special use airspace as defined in Section 21098 of the Public Resources Code, and within an urbanized area as defined by Section 65944 of the Government Code? (See California Office of Planning and Research website: <http://cmluca.projects.atlas.ca.gov/>) Yes No

Is the project located within the boundaries of an Airport Land Use Compatibility Plan adopted by the Riverside County Airport Land Use Commission? Yes No

Does the project area exceed one acre in area? Yes No

Is the project located within any of the following watersheds (refer to Riverside County Land Information System (RCLIS) (<http://www3.tlma.co.riverside.ca.us/pa/rclis/index.html>) for watershed location)?

- Santa Ana River Santa Margarita River San Jacinto River Whitewater River

APPLICATION FOR LAND USE PROJECT

HAZARDOUS WASTE AND SUBSTANCES STATEMENT

Government Code Section 65962.5 requires the applicant for any development project to consult specified state-prepared lists of hazardous waste sites and submit a signed statement to the local agency indicating whether the project and any alternatives are located on an identified site and shall specify any lists. Under the statute, no application shall be accepted as complete without this signed statement.

I (We) certify that I (we) have investigated our project and any alternatives with respect to its location on an identified hazardous waste site contained on all lists compiled pursuant to Government Code Section 65962.5 and that my (our) answers are true and correct. My (Our) investigation has shown that:

The development project and any alternatives proposed in this application are not contained on the lists compiled pursuant to Section 65962.5 of the Government Code.

The development project and any alternatives proposed in this application are contained on the lists compiled pursuant to Section 65962.5 of the Government Code. Accordingly, the following information is provided and incorporated herein. Attach a separate sheet setting forth the following information with respect to each list.

Name of Applicant: *Darrell Ciendenen, Attorney At Law*
Address: *41606 DATE STREET SUITE 203A MURRICETA CA 92562*
Phone number: *951) 271-0736*
Address of site (street name and number if available, and ZIP Code):
Local Agency: *County of Riverside*
Assessor's Book Page, and Parcel Number: *283-110-051*
Specify any list pursuant to Section 65962.5 of the Government Code:
Regulatory Identification number:
Date of list:

Applicant (1)	<u><i>Darrell Ciendenen Attorney At Law</i></u>	Date	<u><i>7/8/13</i></u>
Applicant (2)	<u><i>[Signature]</i></u>	Date	<u><i>7/8/13</i></u>

HAZARDOUS MATERIALS DISCLOSURE STATEMENT



Government Code Section 65850.2 requires the owner or authorized agent for any development project to disclose whether:

1. Compliance will be needed with the applicable requirements of Section 25505 and Article 2 (commencing with Section 25531) of Chapter 6.95 of Division 20 of the Health and Safety Code or the requirements for a permit for construction or modification from the air pollution control district or air quality management district exercising jurisdiction in the area governed by the County.
Yes No

APPLICATION FOR LAND USE PROJECT

2. The proposed project will have more than a threshold quantity of a regulated substance in a process or will contain a source or modified source of hazardous air emissions.
Yes No

I (we) certify that my (our) answers are true and correct.

Owner/Authorized Agent (1)  Date 7/8/13
Owner/Authorized Agent (2)  Date 7/8/13

PROPERTY OWNERS CERTIFICATION FORM

I, VINNIE NGUYEN, certify that on 4/10/2015.

The attached property owners list was prepared by Riverside County GIS,

APN (s) or case numbers PP 25397 For

Company or Individual's Name Planning Department,

Distance buffered 700'.

Pursuant to application requirements furnished by the Riverside County Planning Department, Said list is a complete and true compilation of the owners of the subject property and all other property owners within 600 feet of the property involved, or if that area yields less than 25 different owners, all property owners within a notification area expanded to yield a minimum of 25 different owners, to a maximum notification area of 2,400 feet from the project boundaries, based upon the latest equalized assessment rolls. If the project is a subdivision with identified off-site access/improvements, said list includes a complete and true compilation of the names and mailing addresses of the owners of all property that is adjacent to the proposed off-site improvement/alignment.

I further certify that the information filed is true and correct to the best of my knowledge. I understand that incorrect or incomplete information may be grounds for rejection or denial of the application.

NAME: Vinnie Nguyen

TITLE GIS Analyst


ADDRESS: 4080 Lemon Street 2nd Floor

Riverside, Ca. 92502

TELEPHONE NUMBER (8 a.m. – 5 p.m.): (951) 955-8158


*list
copies
10/10/15*

PP25397 (700 feet buffer)



Selected Parcels

283-110-059	283-401-007	283-110-003	283-110-009	283-402-031	283-401-010	283-402-027	283-402-033	283-410-002	283-402-030
283-402-022	283-110-016	283-110-017	283-110-018	283-402-023	283-402-019	283-110-044	283-402-025	283-100-034	283-401-008
283-402-026	283-402-021	283-410-004	283-401-009	283-402-020	283-410-001	283-100-013	283-110-013	283-402-032	283-402-028
283-402-024	283-410-003	283-402-034	283-110-057	283-100-008	283-402-029	283-402-005	283-110-061	283-110-051	283-110-045
283-402-035	283-410-047	283-100-056	283-100-057	283-110-060					



Maps and data are to be used for reference purposes only. Map features are approximate, and are not necessarily accurate to surveying or engineering standards. The County of Riverside makes no warranty or guarantee as to the content (the source is often third party), accuracy, timeliness, or completeness of any of the data provided, and assumes no legal responsibility for the information contained on this map. Any use of this product with respect to accuracy and precision shall be the sole responsibility of the user.

ASMT: 283100008, APN: 283100008
RIVERSIDE CORONA RESOURCE CONSERV D
C/O CONSERVATION DISTRICT
4500 GLENWOOD DR BLD A
RIVERSIDE CA 92501

ASMT: 283110059, APN: 283110059
BIAGIO
C/O CHESTER B PINTO JR
22676 CASCADE DR
CANYON LAKE CA 92587

ASMT: 283100034, APN: 283100034
LEE LAKE WATER DIST
22646 TEMESCAL CANYON RD
CORONA CA 92883

ASMT: 283110060, APN: 283110060
WILDROSE RIDGE 5
WILDROSE NORTH PROP MGMT 112-470
2279 EAGLE GLEN PKWY
CORONA CA 92883

ASMT: 283110009, APN: 283110009
CORONA CLAY CO
22079 KNABE RD
CORONA CA 92883

ASMT: 283110061, APN: 283110061
DARRELL CLENDENEN, ETAL
C/O DARRELL D CLENDENEN
41606 DATE ST #203A
MURRIETA CA 92562

ASMT: 283110013, APN: 283110013
OLSEN CANYON PROP
C/O KINGSTON TECHNOLOGY
17600 NEWHOPE ST
FOUNTAIN VALLEY CA 92706

ASMT: 283401007, APN: 283401007
AMY BODE, ETAL
22801 HANNAH CT
CORONA, CA. 92883

ASMT: 283110018, APN: 283110018
GRO WEST INC
C/O JOHN A BREMER
10490 DAWSON CANYON RD
CORONA CA 92883

ASMT: 283401008, APN: 283401008
SANDRA BARRETO, ETAL
22781 HANNAH CT
CORONA, CA. 92883

ASMT: 283110044, APN: 283110044
KNEB PROP INC
C/O BHARAT BHUPTANI
9416 CANYON OAKS CT
RANCHO CUCAMONGA CA 91730

ASMT: 283401009, APN: 283401009
HEATHER KAPLANEK, ETAL
22761 HANNAH CT
CORONA, CA. 92883

ASMT: 283110057, APN: 283110057
RIVER BEND BUSINESS PARK
41606 DATE ST STE 203A
MURRIETA CA 92562

ASMT: 283401010, APN: 283401010
COLLEEN COVINGTON, ETAL
9289 SCOTTY WAY
CORONA, CA. 92883



ASMT: 283402005, APN: 283402005
SHELLIE MCMILLAN
9294 SCOTTY WAY
CORONA, CA. 92883

ASMT: 283402019, APN: 283402019
KATHY PAPPAS
22656 HANNAH CT
CORONA, CA. 92883

ASMT: 283402020, APN: 283402020
MISTY REYES
22666 HANNAH CT
CORONA, CA. 92883

ASMT: 283402021, APN: 283402021
MARIA ZAVALA
22676 HANNAH CT
CORONA, CA. 92883

ASMT: 283402022, APN: 283402022
KENNETH DAVIS, ETAL
P O BOX 78423
CORONA CA 92877

ASMT: 283402023, APN: 283402023
JUANA CONTRERAS, ETAL
22696 HANNAH CT
CORONA, CA. 92883

ASMT: 283402024, APN: 283402024
RENATO VENZON
22706 HANNAH CT
CORONA, CA. 92883

ASMT: 283402025, APN: 283402025
LAURA VELASQUEZ
22716 HANNAH CT
CORONA, CA. 92883

ASMT: 283402026, APN: 283402026
MARGARET YUAN
22726 HANNAH CT
CORONA, CA. 92883

ASMT: 283402027, APN: 283402027
TAMARA STEVENSON, ETAL
6824 JAYDEITE AVE
ALTA LOMA CA 91701

ASMT: 283402028, APN: 283402028
LINDA LOPEZ, ETAL
626 E LINCOLN ST
CARSON CA 90745

ASMT: 283402029, APN: 283402029
SCOTT ANDREWS
22756 HANNAH CT
CORONA, CA. 92883

ASMT: 283402030, APN: 283402030
FABIOLA CHAVEZ
22766 HANNAH CT
CORONA, CA. 92883

ASMT: 283402031, APN: 283402031
DANNY FLESSEL
22776 HANNAH CT
CORONA, CA. 92883

Utilisez le gabarit AVERY® 5162®
Etiquettes faciles à peeler

Sens de
l'encolure

Repliez à la hauteur afin de
révéler le rebord Pop-up™

www.avery.com
1-800-GO-AVERY

Use Avery® Template 5162®
Easy Peel® Labels

Feed Paper

Bend along line to
expose Pop-up Edge™

AVERY® 5962®

ASMT: 283402033, APN: 283402033
SAVIANA MARGARIT, ETAL
22796 HANNAH CT
CORONA, CA. 92883

ASMT: 283402034, APN: 283402034
RITA WILLIAMS, ETAL
31613 GRENNADA ST
LIVONIA MI 48154

ASMT: 283410001, APN: 283410001
NICOLE POMEROY
9310 NICKELLAUS CT
CORONA, CA. 92883

ASMT: 283410002, APN: 283410002
ERNIE LOPEZ
9320 NICKELLAUS CT
CORONA, CA. 92883

ASMT: 283410003, APN: 283410003
MARIBELL MARTINEZ, ETAL
C/O MARIBELL MARTINEZ
9330 NICKELLAUS CT
CORONA, CA. 92883

ASMT: 283410004, APN: 283410004
MARTIN DESANTIAGO
9340 NICKELLAUS CT
CORONA, CA. 92883

ASMT: 283410047, APN: 283410047
WILD ROSE RANCH COMMUNITY ASSN
C/O UDC HOMES
1470 S VALLEY VISTA DR 140
DIAMOND BAR CA 91765



Southern California Edison
2244 Walnut Grove Ave., Rm 312
P.O. Box 600
Rosemead, CA 91770

The Gas Company
7000 Indiana Ave., #105
Riverside, CA 92506

City of Corona
Community Development
400 S. Vicentia Ave.
Corona, CA 92882

Lee Lake Water District
22646 Temescal Canyon Rd.
Corona, CA 92883-4106

Corona-Norco Unified School District
2820 Clark Ave.
Norco, CA 91760

Applicant:
Darrell Clendenen
41606 Date Street, Suite 203A
Murrieta, CA 92562

Engineer:
LDDC Engineering
2313 E. Philadelphia Street
Ontario, CA 91761

Owner:
Via Del Rio Business Park, LLC
41606 Date Street, Suite 203A
Murrieta, CA 92562

Applicant:
Darrell Clendenen
41606 Date Street, Suite 203A
Murrieta, CA 92562

Engineer:
LDDC Engineering
2313 E. Philadelphia Street
Ontario, CA 91761

Owner:
Via Del Rio Business Park, LLC
41606 Date Street, Suite 203A
Murrieta, CA 92562



RIVERSIDE COUNTY PLANNING DEPARTMENT

*Steve Weiss, AICP
Planning Director*

MITIGATED NEGATIVE DECLARATION

Project/Case Number: Plot Plan No. 25397 (FTA 2013-06)

Based on the Initial Study, it has been determined that the proposed project, subject to the proposed mitigation measures, will not have a significant effect upon the environment.

PROJECT DESCRIPTION, LOCATION, AND MITIGATION MEASURES REQUIRED TO AVOID POTENTIALLY SIGNIFICANT EFFECTS. (see Environmental Assessment and Conditions of Approval)

COMPLETED/REVIEWED BY:

By: Damaris Abraham Title: Project Planner Date: July 22, 2015

Applicant/Project Sponsor: Darrell Clendenen Date Submitted: July 11, 2013

ADOPTED BY: Board of Supervisors

Person Verifying Adoption: _____ Date: _____

The Mitigated Negative Declaration may be examined, along with documents referenced in the initial study, if any, at:

Riverside County Planning Department 4080 Lemon Street, 12th Floor, Riverside, CA 92501

For additional information, please contact Damaris Abraham at 951-955-5719.

Revised: 07/23/15

Y:\Planning Case Files-Riverside office\PP25397\DH-PC-BOS Hearings\BOS\PP25397.Mitigated Negative Declaration.docx

Please charge deposit fee case#: ZEA42607 ZCFG5983

FOR COUNTY CLERK'S USE ONLY



RIVERSIDE COUNTY PLANNING DEPARTMENT

Steve Weiss, AICP
Planning Director

TO: Office of Planning and Research (OPR)
P.O. Box 3044
Sacramento, CA 95812-3044
 County of Riverside County Clerk

FROM: Riverside County Planning Department
 4080 Lemon Street, 12th Floor
P. O. Box 1409
Riverside, CA 92502-1409

38686 El Cerrito Road
Palm Desert, California 92211

SUBJECT: Filing of Notice of Determination in compliance with Section 21152 of the California Public Resources Code.

EA42607/Plot Plan No. 25397 (FTA 2013-06)

Project Title/Case Numbers

Damaris Abraham
County Contact Person

(951) 955-5719
Phone Number

N/A

State Clearinghouse Number (if submitted to the State Clearinghouse)

Darrell Clendenen
Project Applicant

41606 Date Street, Suite 203A, Murrieta, CA 92562
Address

The project site is located northeasterly of Temescal Canyon Road and Interstate 15 and southerly of Leroy Road.

Project Location

The plot plan proposes to construct a 64,190 sq. ft. manufacturing/warehouse facility with 36,290 sq. ft. of the building designated for manufacturing, 22,000 sq. ft. designated for warehouse, and a total of 5,900 sq. ft. designated for office use. The project also includes 121 standard parking spaces and four (4) accessible parking spaces.

Project Description

This is to advise that the Riverside County Board of Supervisors, as the lead agency, has approved the above-referenced project on _____, and has made the following determinations regarding that project:

1. The project WILL NOT have a significant effect on the environment.
2. A Mitigated Negative Declaration was prepared for the project pursuant to the provisions of the California Environmental Quality Act (\$2,210.00 + \$50.00) and reflect the independent judgment of the Lead Agency.
3. Mitigation measures WERE made a condition of the approval of the project.
4. A Mitigation Monitoring and Reporting Plan/Program WAS adopted.
5. A statement of Overriding Considerations WAS NOT adopted for the project.
6. Findings were made pursuant to the provisions of CEQA.

This is to certify that the Mitigated Negative Declaration, with comments, responses, and record of project approval is available to the general public at: Riverside County Planning Department, 4080 Lemon Street, 12th Floor, Riverside, CA 92501.

Signature

Title

Date

Date Received for Filing and Posting at OPR: _____

DM/dm Revised 7/23/2015

Y:\Planning Case Files-Riverside office\PP25397\DH-PC-BOS Hearings\BOS\PP25397.NOD Form.docx

Please charge deposit fee case#: ZEA42607 ZCFG5983

FOR COUNTY CLERK'S USE ONLY

COUNTY OF RIVERSIDE
SPECIALIZED DEPARTMENT RECEIPT
Permit Assistance Center

J* REPRINTED * R1503596

4080 Lemon Street
Second Floor
Riverside, CA 92502
(951) 955-3200

39493 Los Alamos Road
Suite A
Murrieta, CA 92563
(951) 694-5242

38686 El Cerrito Rd
Indio, CA 92211
(760) 863-8271

Received from: CLARENDON DARRELL \$2,260.00
paid by: CK 2265
CA FISH & GAME DOC FEE FOR EA42607 (PP25397)
paid towards: CFG05983 CALIF FISH & GAME: DOC FEE
at parcel:
appl type: CFG3

By _____ Apr 02, 2015 11:46
MGARDNER posting date Apr 02, 2015

Account Code	Description	Amount
658353120100208100	CF&G TRUST	\$2,210.00
658353120100208100	CF&G TRUST: RECORD FEES	\$50.00

Overpayments of less than \$5.00 will not be refunded!