

PLOT PLAN: TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

EVERY DEPARTMENT

10. EVERY. 1 USE - PROJECT DESCRIPTION RECOMMND

The use hereby permitted is to develop a 104,210 square foot industrial building with 93,350 square feet of warehouse space, 10,860 square feet of office and mezzanine space, 41,699 square feet of landscaping area (16%), 96 parking spaces and 18 loading docks on a 5.99 gross (5.00 net) acre site with a floor area ratio of 0.40 (Light Industrial requires a 0.25-0.60 floor area ratio).

The project site is located in the Community of Glen Avon of the Jurupa Area Plan in Western Riverside County; more specifically, northerly of State Highway 60, southerly of Philadelphia Avenue, easterly of Etiwanda Avenue and westerly of Grapevine Street.

10. EVERY. 2 USE - HOLD HARMLESS RECOMMND

The applicant/permittee or any successor-in-interest shall defend, indemnify, and hold harmless the County of Riverside or its agents, officers, and employees (COUNTY) from the following:

(a) any claim, action, or proceeding against the COUNTY to attack, set aside, void, or annul an approval of the COUNTY, its advisory agencies, appeal boards, or legislative body concerning the PLOT PLAN; and,

(b) any claim, action or proceeding against the COUNTY to attack, set aside, void or annul any other decision made by the COUNTY concerning the PLOT PLAN, including, but not limited to, decisions made in response to California Public Records Act requests.

The COUNTY shall promptly notify the applicant/permittee of any such claim, action, or proceeding and shall cooperate fully in the defense. If the COUNTY fails to promptly notify the applicant/permittee of any such claim, action, or proceeding or fails to cooperate fully in the defense, the applicant/permittee shall not, thereafter, be responsible to defend, indemnify or hold harmless the COUNTY.

The obligations imposed by this condition include, but are not limited to, the following: the applicant/permittee shall pay all legal services expenses the COUNTY incurs in

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10. EVERY. 2 USE - HOLD HARMLESS (cont.) RECOMMND

connection with any such claim, action or proceeding, whether it incurs such expenses directly, whether it is ordered by a court to pay such expenses, or whether it incurs such expenses by providing legal services through its Office of County Counsel.

10. EVERY. 3 USE - DEFINITIONS RECOMMND

The words identified in the following list that appear in all capitals in the attached conditions of Plot Plan No. 18875 shall be henceforth defined as follows:

APPROVED EXHIBIT A = Site Plan for Plot Plan No. 18875 Amended No. 2, dated July 12, 2010.

APPROVED EXHIBIT B = Project Elevations for Plot Plan No. 18875 Amended No. 2, dated July 12, 2010.

APPROVED EXHIBIT C = Project Floor Plans for Plot Plan No. 18875 Amended No. 2, dated July 12, 2010.

APPROVED EXHIBIT G = Conceptual Grading Plan for Plot Plan No. 18875 Amended No. 2, dated July 12, 2010.

APPROVED EXHIBIT L = Preliminary Landscaping Plans (Sheets 1-3) for Plot Plan No. 18875 Amended No. 2, dated July 12, 2010.

APPROVED EXHIBIT L-1 = Preliminary Landscaping Color Plant Palette Booklet (Sheets 1-16) for Plot Plan No. 18875 Amended No. 2, dated July 12, 2010.

APPROVED EXHIBIT M = Project Colors and Materials (Sheets 1-2) for Plot Plan No. 18875 Amended No. 2, dated July 12, 2010.

10. EVERY. 4 USE - 90 DAYS TO PROTEST RECOMMND

The project developer has 90 days from the date of approval of these conditions to protest, in accordance with the procedures set forth in Government Code Section 66020, the imposition of any and all fees, dedications, reservations and/or other exactions imposed on this project as a result of this approval or conditional approval of this project.

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

BS GRADE DEPARTMENT

10.BS GRADE. 1                   USE - GENERAL INTRODUCTION                   RECOMMND

Improvements such as grading, filling, over excavation and recompaction, and base or paving which require a grading permit are subject to the included Building and Safety Department Grading Division conditions of approval.

10.BS GRADE. 2                   USE\* NPDES Supplement "A"                   RECOMMND

In order to insure compliance with Supplement A - New Development Guidelines for the Santa Ana, Santa Margarita and Whitewater Drainage Management Plan, all specific land use cases (Plot Plans, Conditional Use Permits, & Public Use Permits) and subdivisions (Tracts and Parcel maps) shall provide, as a part of their grading and drainage plan, the control of impervious runoff. This shall include impervious areas graded to drain to a BMP filtration system. Direct drainage from impervious areas to the street or a storm drain facility shall be avoided.

10.BS GRADE. 3                   USE - OBEY ALL GDG REGS                   RECOMMND

All grading shall conform to the California Building Code, Ordinance 457, and all other relevant laws, rules, and regulations governing grading in Riverside County and prior to commencing any grading which includes 50 or more cubic yards, the applicant shall obtain a grading permit from the Building and Safety Department.

10.BS GRADE. 4                   USE - DISTURBS NEED G/PMT                   RECOMMND

Ordinance 457 requires a grading permit prior to clearing, grubbing, or any top soil disturbances related to construction grading.

10.BS GRADE. 5                   USE - DUST CONTROL                   RECOMMND

All necessary measures to control dust shall be implemented by the developer during grading. A PM10 plan may be required at the time a grading permit is issued.

10.BS GRADE. 6                   USE-G2.3SLOPE EROS CL PLAN                   RECOMMND

Erosion control - landscape plans, required for manufactured slopes greater than 3 feet in vertical height, are to be signed by a registered landscape architect and

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.BS GRADE. 6 USE-G2.3SLOPE EROS CL PLAN (cont.) RECOMMND

bonded per the requirements of Ordinance 457 (refer to dept. form 284-47).

10.BS GRADE. 7 USE - 2:1 MAX SLOPE RATIO RECOMMND

Graded slopes shall be limited to a maximum steepness ratio of 2:1 (horizontal to vertical) unless otherwise approved.

10.BS GRADE. 10 USE - MINIMUM DRNAGE GRADE RECOMMND

Minimum drainage grade shall be 1% except on portland cement concrete where .35% shall be the minimum.

10.BS GRADE. 14 USE - OFFST. PAVED PKG RECOMMND

All offstreet parking areas which are conditioned to be paved shall conform to Ordinance 457 base and paving design and inspection requirements.

10.BS GRADE. 21 USE - NPDES INSPECTIONS RECOMMND

Construction activities including clearing, stockpiling, grading or excavation of land which disturbs less than 1 acre and requires a grading permit or construction permit shall provide for effective control of erosion, sediment and all other pollutants year-round. The permittee shall be responsible for the installation and monitoring of effective erosion and sediment controls. Such controls may be evaluated by the Department of Building and Safety periodically to verify compliance with industry recognized erosion control measures.

Construction activities including but not limited to clearing, stockpiling, grading or excavation of land, which disturbs 1 acre or more or on-sites which are part of a larger common plan of development which disturbs 5 acres or more are required to keep a current copy of the storm water pollution prevention plan (SWPPP) on the construction site and shall be made available to the Department of Building and Safety upon request.

Year-round, Best Management Practices (BMP's) shall be maintained and be in place for all areas that have been graded or disturbed and for all material, equipment and/or operations that need protection. Removal BMP's (those BMP's which must be temporarily removed during construction

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.BS GRADE. 21 USE - NPDES INSPECTIONS (cont.)

RECOMMND

activities) shall be in place at the end of each working day when there is a forecast of rain within the next five days, by the National Weather Service or whenever rain is imminent.

Monitoring for erosion and sediment control is required and shall be performed by the person responsible for the SWPPP. The Department of Building and Safety will conduct periodic NPDES inspections of the site throughout the recognized storm season to verify compliance with the site Storm Water Pollution Prevention Plan (SWPPP).

FIRE DEPARTMENT

10.FIRE. 1 USE-#01A - SHELL/FPE/COMM.

RECOMMND

THESE CONDITIONS ARE FOR A SHELL BUILDING ONLY. Occupant or tenant identification is imperative for orderly and prompt processing. Upon identification of the occupant or tenant a Fire Protection Analysis report maybe required prior to establishing the requirements for the occupancy permit. the fire department may result in project delays. Occupant or tenant identification is imperative for orderly and prompt processing. Upon identification of the occupant or tenant a Fire Protection Analysis report maybe required prior to establishing the requirements for the occupancy permit.

10.FIRE. 2 USE-#04-HIGH PILE/RACK STORAGE

RECOMMND

A separate permit may be required for high-pile storage and/or racks. Sprinkler plans and/or sprinkler review must be submitted by a licensed sprinkler contractor with storage and/or rack plans to Riverside County Fire Department for review and approval of the 2001 cfc Article 81 compliance. Complete Article 81 information re: all commodities stored, rack dimensions, placement in building, sprinkler densities, etc. must be provided with suppression system for racks and/or high-pile storage review. A complete listing of commodities, classified using CFC Article 81, 2001 Edition and NFPA 13, 1999 Edition guidelines by a licensed Fire Protection Engineer (or other consultant approved by this jurisdiction).

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.FIRE. 3 USE-#50-BLUE DOT REFLECTOR

RECOMMND

Blue retroreflective pavement markers shall be mounted on private street, public streets and driveways to indicate location of fire hydrants. Prior to installation, placement of markers must be approved by the Riverside County Fire Department.

10.FIRE. 4 USE-#23-MIN REQ FIRE FLOW

RECOMMND

Minimum required fire flow shall be 4000 GPM for a 4 hour duration at 20 PSI residual operating pressure, which must be available before any combustible material is placed on the job site. Fire flow is based on type IIIN construction per the 2001 CBC and Building(s) having a fire sprinkler system.

10.FIRE. 5 USE-#19-ON/OFF LOOPED HYD

RECOMMND

A combination of on-site and off-site super fire hydrants, on a looped system (6"x4"x 2-2 1/2"), will be located not less than 25 feet or more than 165 feet from any portion of the building as measured along approved vehicular travel ways. The required fire flow shall be available from any adjacent hydrants(s) in the system.

10.FIRE. 6 USE-#84-TANK PERMITS

RECOMMND

Applicant or Developer shall be responsible for obtaining under/aboveground fuel, chemical and mixed liquid storage tank permits, from the Riverside County Fire Department and Environmental Health Departments. Plans must be submitted for approval prior to installation. Aboveground fuel/mixed liquid tanks(s) shall meet the following standard: Tank must be tested and labeled to UL2085 Protected Tank Standard or SwRI 93-01. The test must include the Projectile Penetration Test and the Heavy Vehicle Impact Test. A sample copy of the tank's label from an independent test laboratory must be included with your plans.

10.FIRE. 7 USE-#89-RAPID HAZMAT BOX

RECOMMND

Rapid entry Hazardous Material data and key storage cabinet shall be installed on the outside of the building. Plans shall be submitted to the Riverside County Fire Department for approval prior to installation.

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.FIRE. 8 USE-#25-GATE ENTRANCES RECOMMND

ny gate providing access from a road to a driveway shall be located at least 35 feet from the roadway and shall open to allow a vehicle to stop without obstructing traffic on the road. Where a one-way road with a single traffic lane provides access to a gate entrance, a 38 foot turning radius shall be used.

10.FIRE. 9 USE-#88A-AUTO/MAN GATES RECOMMND

Gate(s) shall be automatic or manual operated, minimum 24 feet in width, with a setback of 35 feet from face of curb/flow line. Gate access shall be equipped with a rapid entry system. Plans shall be submitted to the Fire Department for approval prior to installation. Automatic/manual gate pins shall be rated with shear pin force, not to exceed 30 foot pounds. Automatic gates shall be equipped with emergency backup power. Gates activated by the rapid entry system shall remain open until closed by the rapid entry system. (current plan check deposit base fee is \$126.00)

FLOOD RI DEPARTMENT

10.FLOOD RI. 1 USE FLOOD HAZARD RPT RECOMMND

Plot Plan 18875 is a proposal to construct a speculative warehouse building on 5-acre parcel in the Mira Loma area. The project site is located on the east side of Etiwanda Avenue, just north of the 60 FWY. This project is being concurrently processed with PP 18876, PP 18877 and PP 18879.

The site is Parcel 35 of underlying Parcel Map 26365 for the Mira Loma Commerce Center. The site has been mass graded and the street improvements have been completed under the parcel map. The underlying parcel map also constructed a storm drain (Line A) within De Forest Circle right of way. The storm drain outlets to the District's San Sevaine Channel. The site is graded to drain Line A as shown in the hydrology for the underlying parcel map.

Except for nuisance nature local runoff that may traverse portions of the property, the project is considered free from ordinary storm flood hazard. However, a storm of unusual magnitude could cause some damage. New construction should comply with all applicable ordinances.

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.FLOOD RI. 1 USE FLOOD HAZARD RPT (cont.) RECOMMND

Impervious areas shall be graded or constructed to drain to a filtration BMP or equally effective alternative.

PLANNING DEPARTMENT

10.PLANNING. 1 USE - COMPLY WITH ORD./CODES RECOMMND

The development of these premises shall comply with the standards of Ordinance No. 348 and all other applicable Riverside County ordinances and State and Federal codes.

The development of the premises shall conform substantially with that as shown on APPROVED EXHIBIT A, unless otherwise amended by these conditions of approval.

10.PLANNING. 2 USE - FEES FOR REVIEW RECOMMND

Any subsequent submittals required by these conditions of approval, including but not limited to grading plan, building plan or mitigation monitoring review, shall be reviewed on an hourly basis (research fee), or other such review fee as may be in effect at the time of submittal, as required by Ordinance No. 671. Each submittal shall be accompanied with a letter clearly indicating which condition or conditions the submittal is intended to comply with.

10.PLANNING. 3 USE - LIGHTING HOODED/DIRECTED RECOMMND

Any outside lighting shall be fully hooded and directed so as not to shine directly upon adjoining property or public rights-of-way. The project shall use energy efficient outdoor lighting.

10.PLANNING. 4 USE - COLORS & MATERIALS RECOMMND

Building colors and materials shall be in substantial conformance with those shown on APPROVED EXHIBIT M.

10.PLANNING. 7 USE - BASIS FOR PARKING RECOMMND

Parking for this project was determined primarily on the basis of County Ordinance No. 348, Section 18.12. a.(2).b), Industrial uses: If number of workers cannot be determined: 1 space per 250 square feet of office area, and Warehouses:

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.PLANNING. 7 USE - BASIS FOR PARKING (cont.) RECOMMND

1 space per 2,000 square feet of gross floor area.

The project is proposing 10,860 square feet of office area, and 93,350 square feet of storage/warehouse area with a total building area of 104,210 square feet that requires 90 parking spaces. The project is providing a total of 96 parking spaces.

10.PLANNING. 8 USE - PERMIT SIGNS SEPARATELY RECOMMND

No signs are approved pursuant to this project approval. Prior to the installation of any on-site advertising or directional signs, a signing plan shall be submitted to and approved by the Planning Department pursuant to the requirements of Section 18.30 (Planning Department review only) of Ordinance No. 348.

10.PLANNING. 10 USE - NO OUTDOOR ADVERTISING RECOMMND

No outdoor advertising display, sign or billboard (not including on-site advertising or directional signs) shall be constructed or maintained within the property subject to this approval.

10.PLANNING. 17 USE - RECLAIMED WATER RECOMMND

The permit holder shall connect to a reclaimed water supply for landscape watering purposes when secondary or reclaimed water is made available to the site.

10.PLANNING. 19 USE - NO RESIDENT OCCUPANCY RECOMMND

No permanent occupancy shall be permitted within the property approved under this plot plan as a principal place of residence. No person shall use the premises as a permanent mailing address nor be entitled to vote using an address within the premises as a place of residence.

10.PLANNING. 20 USE - MAINTAIN LICENSING RECOMMND

At all times during the conduct of the permitted use the permittee shall maintain and keep in effect valid licensing approval from the South Coast Air Quality Management District (SCAQMD), or equivalent agency as provided by law. Should such licensing be denied, expire or lapse at any time in the future, this permit shall become null and void.

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.PLANNING. 22

USE - EXTERIOR NOISE LEVELS

RECOMMND

The following conditions shall be applied to the project based on the information provided by the acoustical consultant:

1. Facility-related noise, as projected to any portion of any surrounding property containing a "sensitive receiver, habitable dwelling, hospital, school, library or nursing home", must not exceed the following worst-case noise levels 45 dB(A) - 10 minute noise equivalent level ("leq"), between the hours of 10:00 p.m. to 7:00 a.m. (nighttime standard) and 65 dB (A) - 10 minute leq, between 7:00 a.m. and 10:00 p. m. (daytime standard).

2. Whenever a construction site is within one-quarter (1/4) of a mile of an occupied residence or residences, no construction activities shall be under taken between the hours of 6:00 p.m. and 6:00 a.m. during the months of June through September and between the hours of 6:00 p.m. and 7:00 a.m. during the months of October through May. Exceptions to these standards shall be allowed only with the written consent of the building official.

Each Plot Plan is to provide a noise report that provides daily and hourly number of trucks, operating hours, dBA 10 minute Leq levels with worse case scenarios, noise readings from similar operations and distances to the nearest sensitive receivers for the below recommendations to apply or be modified.

3. The proposed 6-foot high separation wall between project parcels adjacent to existing residential uses should be raised to 8 feet if daytime trucking activity occurs within 200 feet of the property line.

4. A 12-foot high perimeter barrier shall be required if nocturnal (10 p.m. to 7 a.m.) loading dock material handling activities are conducted within 300 feet of any residence. If nocturnal trucking activities are conducted simultaneously of the warehouse/loading dock, the 12-foot-high barrier shall be required if such combined activities occur within 600 feet of an existing home.

5. No nocturnal loading / unloading shall occur within 100 feet of any residence for Plot Plans 18876 and 18877. No combined trucking movements and unloading /loading shall occur within 200 feet of any residence from 10 p.m. to 7

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.PLANNING. 22 USE - EXTERIOR NOISE LEVELS (cont.)

RECOMMND

a.m.

6. Our Department must receive, review and approve an acoustical report addressing the noise that might be produced from each specific tenant / plot plan. The Office of Industrial Hygiene will determine which businesses will be required to have an acoustical report.

7. The applicant shall pay review fees (prior to pulling your building permits) to the Department of Public Health for all time spent in review of this project. Fees will be assessed at the Department's hourly rate for Industrial Hygienists.

10.PLANNING. 23 USE - NOISE MONITORING REPORTS

RECOMMND

The permit holder may be required to submit periodic noise monitoring reports as determined by the Department of Building and Safety as part of a code enforcement action. Upon written notice from the Department of Building and Safety requiring such a report, the permittee or the permittee's successor-in-interest shall prepare and submit an approved report within thirty (30) calendar days to the Department of Building and Safety, unless more time is allowed through written agreement by the Department of Building and Safety. The noise monitoring report shall be approved by the Office of Industrial Hygiene of the Health Service Agency (the permittee or the permittee's successor-in-interest shall be required to place on deposit sufficient funds to cover the costs of this approval prior to commencing the required report).

10.PLANNING. 29 USE - CAUSES FOR REVOCATION

RECOMMND

In the event the use hereby permitted under this permit,  
a) is found to be in violation of the terms and conditions of this permit,  
b) is found to have been obtained by fraud or perjured testimony, or  
c) is found to be detrimental to the public health, safety or general welfare, or is a public nuisance, this permit shall be subject to the revocation procedures.

PLAN: TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10. PLANNING. 30 USE - CEASED OPERATIONS RECOMMND

In the event the use hereby permitted ceases operation for a period of one (1) year or more, this approval shall become null and void.

10. PLANNING. 31 USE - IND OCCUPANT CHANGE RECOMMND

Prior to initial occupancy, upon tenant/occupant change, or upon change in industrial use, the permit holder shall provide a letter from the Planning Department to Building & Safety verifying no need for further environmental, hazardous materials or air quality review as a result of the change.

10. PLANNING. 32 USE - ELECTRICAL HOOK-UPS RECOMMND

Tenant(s) receiving shipping container refrigerated units shall provide electrical hook-ups at all dock door positions as a part of the tenant improvement project for the building. The use of truck engines or auxiliary generators to power refrigerated shipping container units for more than 5 minutes is not allowed.

10. PLANNING. 37 USE - ORD 810 O S FEE (1) RECOMMND

In accordance with Riverside County Ordinance No. 810, to assist in providing revenue to acquire and preserve open space and habitat, an Interim Open Space Mitigation Fee shall be paid for each development project or portion of an expanded development project to be constructed in Western Riverside County. The amount of the fee for commercial or industrial development shall be calculated on the basis of "Project Area," which shall mean the net area, measured in acres, from the adjacent road right-of-way to the limits of the project development.

Any area identified as "NO USE PROPOSED" on the APPROVED EXHIBIT shall not be included in the Project Area.

10. PLANNING. 38 USE - 2ND DIST LS GUIDELINES RECOMMND

The permit holder shall comply with the intent of the "DESIGN AND LANDSCAPE GUIDELINES FOR DEVELOPMENT IN THE SECOND SUPERVISORIAL DISTRICT (Revised)", approved by the Board of Supervisors, September 15, 1998, and revised October 23, 1998 to APPROVED EXHIBITS B, L, and M.

F PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.PLANNING. 38 USE - 2ND DIST LS GUIDELINES (cont.) RECOMMND

Note: In the event of a conflict between the Design Guidelines and Approved Landscape Plans, the Approved Plans shall take precedence.

10.PLANNING. 39 USE - BUSINESS LICENSING RECOMMND

Every person conducting a business within the unincorporated area of Riverside County, as defined in Riverside County Ordinance No. 857, shall obtain a business license. For more information regarding business registration, contact the Business Registration and License Program Office of the Building and Safety Department at [www.rctlma.org.buslic](http://www.rctlma.org.buslic).

10.PLANNING. 40 USE - WASTE MGMT CLEARANCE RECOMMND

A clearance letter from Riverside County Waste Management District shall be provided to the Riverside County Planning Department verifying compliance with the conditions contained in their letter dated November 6, 2003, summarized as follows:

The Riverside County Waste Management Department (Department) has reviewed the proposed project. In order to mitigate the project's potential solid waste impacts and to help the County's efforts to comply with State law in diverting solid waste from landfill disposal, the Department is recommending that the following conditions be made a part of any Conditions of Approval for the project:

1. Prior to issuance of a building permit for EACH building, the applicant shall submit three (3) copies of a Recyclables Collection and Loading Area plot plan to the Riverside County Waste Management Department for review and approval. The plot plan shall conform to Design Guidelines for Recyclables Collection and Loading Areas, provided by the Waste Management Department, and shall show the location of and access to the collection area for recyclable materials, along with its dimensions and construction detail, including elevation/facade, construction materials and signage. The plot plan shall clearly indicate how the trash and recycling enclosures shall be accessed by the hauler.

2. Prior to final building inspection for EACH building, the applicant shall construct the recyclables collection

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.PLANNING. 40

USE - WASTE MGMT CLEARANCE (cont.)

RECOMMND

and loading area in compliance with the Recyclables Collection and Loading Area plot plan, as approved and stamped by the Riverside County Waste Management Department and as verified by the Riverside County Building and Safety Department through site inspection.

3. Prior to issuance of a building permit, a Waste Recycling Plan (WRP) shall be submitted to the Waste Management Department for approval. At a minimum, the WRP must identify the materials (i.e., concrete, asphalt, wood, etc.) that will be generated by construction and development, the projected amounts, the measures/methods that will be taken to recycle, reuse, and/or reduce the amount of materials, the facilities and/or haulers that will be utilized, and the targeted recycling or reduction rate. Materials can be taken directly to recycling facilities (Riverside County Waste Management Department, Recycling Section, can be contacted directly at 951.486.3200 for a list of facilities), or arrangements can be made through the franchise hauler and/or a construction clean-up business.

4. Prior to issuance of an occupancy permit, evidence (i.e., receipts or other type verification) to demonstrate project compliance with the approved WRP shall be presented by the project proponent to the Planning/Recycling Division of the Riverside County Waste Management Department in order to clear the project for occupancy permits.

5. Since hazardous materials are not accepted at Riverside County landfills, the project proponent shall take any hazardous wastes, including paint used during construction, to facilities that are permitted to receive them, in accordance with local, state, and federal regulations. For further information, please contact the Household Hazardous Waste Collection Program at 1-800-304-2226.

6. Use mulch and/or compost in the development and maintenance of landscaped areas within the project boundaries. Recycle green waste through either onsite composting of grass, i.e., leaving the grass clippings on the lawn, or sending separated green waste to a composting facility.

7. Consider xeriscaping and using drought tolerant/low maintenance vegetation in all landscaped areas of the

F T PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.PLANNING. 40 USE - WASTE MGMT CLEARANCE (cont.) (cont.) RECOMMND

project.

Any questions, please contact Ryan Ross, Planner from the Riverside County Waste Management Department Phone (951) 486-3351

10.PLANNING. 41 USE - ARB SIGN FOR IDLING RECOMMND

Signs stating that "The driver of a diesel-fueled motor vehicle with a gross vehicle weight rating (GVWR) greater than 10,000 pounds is prohibited from idling the vehicle's primary engine for more than five (5) minutes at any location and may not operate a diesel fueled auxiliary power system (APS) for more than 5 minutes at any location within 100 feet of a restricted area (residences). The minimum penalty for an idling violation is \$300.00. To report a violation please contact 1800-END-SMOG" Signs shall be placed at every other loading dock and not be less than twenty four inches square.

10.PLANNING. 42 USE - IF HUMAN REMAINS FOUND RECOMMND

The developer/permit holder or any successor in interest shall comply with the following codes for the life of this project:

If human remains are encountered, State Health and Safety Code Section 7050.5 states that no further disturbance shall occur until the County Coroner has made the necessary findings as to origin. Further, pursuant to Public Resources Code Section 5097.98 (b), remains shall be left in place and free from disturbance until a final decision as to the treatment and their disposition has been made. If the Riverside County Coroner determines the remains to be Native American, the Native American Heritage Commission shall be contacted within the period specified by law. Subsequently, the Native American Heritage Commission shall identify the "Most Likely Descendant." The Most Likely Descendant shall then make recommendations and engage in consultation with the County and the property owner concerning the treatment of the remains as provided in Public Resources Code Section 5097.98. Human remains from other ethnic/cultural groups with recognized historical associations to the project area shall also be subject to consultation between appropriate representatives from that group and the County Planning /Director.

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.PLANNING. 43

USE - INADVERTENT ARCHAEO FIND

RECOMMND

The developer/permit holder or any successor in interest shall comply with the following for the life of this project:

If during ground disturbance activities, cultural resources are discovered that were not assessed by the archaeological reports and/or environmental assessment conducted prior to project approval, the following procedures shall be followed. A cultural resources site is defined, for this condition, as being three or more artifacts in close association with each other, but may include fewer artifacts if the area of the find is determined to be of significance due to its sacred or cultural importance.

1.All ground disturbance activities within 100 feet of the discovered cultural resource shall be halted until a meeting is convened between the developer, the project archaeologist, the Native American tribal representative (or other appropriate ethnic/cultural group representative), and the Planning Director to discuss the significance of the find.

2.At the meeting, the significance of the discoveries shall be discussed and after consultation with the Native American tribal (or other appropriate ethnic/cultural group representative) and the archaeologist, a decision is made, with the concurrence of the Planning Director, as to the appropriate mitigation (documentation, recovery, avoidance, etc) for the cultural resource.

3.Further ground disturbance shall not resume within the area of the discovery until an agreement has been reached by all parties as to the appropriate preservation or mitigation measures.

10.PLANNING. 44

USE - LC LANDSCAPE REQUIREMENT

RECOMMND

The developer/ permit holder shall:

1)Ensure all landscape and irrigation plans are in conformance with the APPROVED EXHIBITS;

2)Ensure all landscaping is provided with California Friendly landscaping and a weather based irrigation controller(s) as defined by County Ordinance No. 859;

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.PLANNING. 44 USE - LC LANDSCAPE REQUIREMENT (cont.) RECOMMND

3)Ensure that irrigation plans which may use reclaimed water conform with the requirements of the local water purveyor; and,

4)Be responsible for maintenance, viability and upkeep of all slopes, landscaped areas, and irrigation systems until the successful completion of the twelve (12) month inspection or those operations become the responsibility of the individual property owner(s), a property owner's association, or any other successor-in-interest, whichever occurs later.

To ensure ongoing maintenance, the developer/ permit holder or any successor in interest shall:

1)Connect to a reclaimed water supply for landscape irrigation purposes when reclaimed water is made available.

2)Ensure that landscaping, irrigation and maintenance systems comply with the Riverside County Guide to California Friendly Landscaping, and Ordinance No. 859.

3)Ensure that all landscaping is healthy, free of weeds, disease and pests.

10.PLANNING. 45 USE - SHERIFF CLEARANCE RECOMMND

A clearance letter from Riverside County Sheriff shall be provided to the Riverside County Planning Department verifying compliance with the conditions contained in their letter dated November 17, 2003.

10.PLANNING. 46 USE - OFF-SITE CIRCULATION RECOMMND

There shall be no trucks serving the project site from unnecessarily traversing through residential neighborhoods.

10.PLANNING. 47 USE - NO OFF-SITE REPAIR RECOMMND

There shall be no trucks serving the project site from using residential areas and repairing vehicles on any streets.

F . T PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.PLANNING. 48 USE - ON-SITE TRUCK IDLING RECOMMND

The developer/owner of the project shall reduce all truck idling time (including off-road equipment used during construction or operation) to a maximum of three (3) minutes within the site.

10.PLANNING. 49 USE - EDUCATION PROGRAM RECOMMND

The developer/owner shall include in the tenant lease an education program to inform truck drivers of the health effects of diesel particulate and importance of reducing their idling time. A copy of the tenant lease shall be provided to the County prior to issuance of a business license and occupancy of the lease space.

10.PLANNING. 50 USE - STREET SWEEPERS RECOMMND

Street sweepers shall be contracted and used during Project construction on the Project site in accordance with SCAQMD Rule 1186.1 for Less-Polluting Sweepers.

10.PLANNING. 51 USE - SCAQMD FUNDING PROGRAMS RECOMMND

The developer shall require future tenants to apply in good faith for funding for the replacement or retrofit of trucks, and shall actually utilize any received funding for the implementation of the replacement or retrofit of trucks, through programs such as the Carl Moyer, Prop 1B, VIP, HVIP, and SOON funding programs, as identified on SCAQMD's website (<http://www.aqmd.gov>).

10.PLANNING. 52 USE - SIX INCHES OF FREEBOARD RECOMMND

All trucks hauling dirt, sand, soil, or other loose materials shall maintain at least six inches of freeboard space from the top of the container.

10.PLANNING. 53 USE - PREFERENTIAL PARKING RECOMMND

Preferential parking shall be provided for EV, hybrid, and CNG vehicles.

10.PLANNING. 54 USE - LEED CERTIFIED BUILDING RECOMMND

The project shall comply with the requirements for a LEED Certified building, in accordance with the edition of the USGBC New Construction (NC) Reference Manual in effect at

F T PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.PLANNING. 54 USE - LEED CERTIFIED BUILDING (cont.) RECOMMND

time of project registration. The building(s) and facilities shall be maintained in the condition that awarded LEED certification.

TRANS DEPARTMENT

10.TRANS. 2 USE - NO ADD'L ON-SITE R-O-W RECOMMND

No additional on-site right-of-way shall be required on Etiwanda Avenue, Hopkins Street and De Forest Circle since adequate right-of-way exists, per PM 172/36-41.

10.TRANS. 6 USE - STD INTRO 3 (ORD 460/461) RECOMMND

With respect to the conditions of approval for the referenced tentative exhibit, the landowner shall provide all street improvements, street improvement plans and/or road dedications set forth herein in accordance with Ordinance 460 and Riverside County Road Improvement Standards (Ordinance 461). It is understood that the exhibit correctly shows acceptable centerline elevations, all existing easements, traveled ways, and drainage courses with appropriate Q's, and that their omission or unacceptability may require the exhibit to be resubmitted for further consideration. These Ordinances and all conditions of approval are essential parts and a requirement occurring in ONE is as binding as though occurring in all. All questions regarding the true meaning of the conditions shall be referred to the Transportation Department.

10.TRANS. 8 USE - TS/CONDITIONS 2 RECOMMND

The Transportation Department has reviewed the traffic study submitted for the referenced project. The study has been prepared in accordance with County-approved guidelines. We generally concur with the findings relative to traffic impacts.

The Comprehensive General Plan circulation policies require a minimum of Level of Service 'C', except that Level of Service 'D' may be allowed in community development areas at intersections of any combination of secondary highways, major highways, arterials, urban arterials, expressways or state highways and ramp intersections.

F T PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

10. GENERAL CONDITIONS

10.TRANS. 8

USE - TS/CONDITIONS 2 (cont.)

RECOMMND

The study indicates that it is possible to achieve adequate levels of service for the following intersections based on assumptions:

Dulles Drive at: Philadelphia Avenue

Etiwanda Avenue at: Philadelphia Avenue

Etiwanda Avenue at: Inland Avenue

Etiwanda Avenue at: Hopkins Street

Etiwanda Avenue at: Space Center/Iberia Street

Etiwanda Avenue at: SR-60 Westbound Off-Ramp

Etiwanda Avenue at: SR-60 Eastbound Off-Ramp

Etiwanda Avenue at: San Sevaine Way

Etiwanda Avenue at: Van Buren Boulevard

Van Buren/Mission Boulevard at SR-60 Eastbound Off-Ramp

Van Buren/Mission Boulevard at SR-60 Westbound Off Ramp

As such, the proposed project is consistent with this General Plan policy.

The associated conditions of approval incorporate mitigation measures identified in the traffic study, which are necessary to achieve or maintain the required level of service.

10.TRANS. 9

USE - COUNTY WEB SITE

RECOMMND

Additional information, standards, ordinances, policies, and design guidelines can be obtained from the Transportation Department Web site:  
<http://rctlma.org/trans/>. If you have questions, please call the Plan Check Section at (951) 955-6527.

F T PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

20. PRIOR TO A CERTAIN DATE

PLANNING DEPARTMENT

20.PLANNING. 1 USE - EXPIRATION DATE-PP

RECOMMND

This approval shall be used within two (2) years of approval date; otherwise, it shall become null and void and of no effect whatsoever. By use is meant the beginning of substantial construction contemplated by this approval within a two (2) year period which is thereafter diligently pursued to completion or of the actual occupancy of existing buildings or land under the terms of the authorized use.

Prior to the expiration of the two year period, the permittee may request a one (1) year extension of time request in which to use this plot plan. A maximum of three one-year extension of time requests shall be permitted. Should the time period established by any of the extension of time requests lapse, or should all three one-year extensions be obtained and no substantial construction or use of this plot plan be initiated within five (5) years of the effective date of the issuance of this plot plan, this plot plan shall become null and void.

60. PRIOR TO GRADING PRMT ISSUANCE

BS GRADE DEPARTMENT

60.BS GRADE. 1 USE-G2.1 GRADING BONDS

RECOMMND

Grading in excess of 199 cubic yards will require performance security to be posted with the Building and Safety Department. Single Family Dwelling units graded one lot per permit and proposing to grade less than 5,000 cubic yards are exempt.

60.BS GRADE. 2 USE-G2.2 IMPORT / EXPORT

RECOMMND

In instances where a grading plan involves import or export, prior to obtaining a grading permit, the applicant shall have obtained approval for the import/export location from the Building and Safety Department. Additionally, if either location was not previously approved by an Environmental Assessment, prior to issuing a grading permit a Grading Environmental Assessment shall be submitted to the Planning Director for review and comment and to the Building and Safety Department Director for approval.

04/21/11  
14:30

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 22

PLAN: TRANSMITTED Case #: PP18875

Parcel: 156-360-015

60. PRIOR TO GRADING PRMT ISSUANCE

60.BS GRADE. 4 USE-G2.4GEOTECH/SOILS RPTS

RECOMMND

Geotechnical soils reports, required in order to obtain a grading permit, shall be submitted to the Building and Safety Department's Grading Division for review and approval prior to issuance of a grading permit.

All grading shall be in conformance with the recommendations of the geotechnical/soils reports as approved by Riverside County.\*

\*The geotechnical/soils, compaction and inspection reports will be reviewed in accordance with the RIVERSIDE COUNTY GEOTECHNICAL GUIDELINES FOR REVIEW OF GEOTECHNICAL AND GEOLOGIC REPORTS.

60.BS GRADE. 5 USE-G2.7DRNAGE DESIGN Q100

RECOMMND

All grading and drainage shall be designed in accordance with Riverside County Flood Control & Water Conservation District's conditions of approval regarding this application. If not specifically addressed in their conditions, drainage shall be designed to accommodate 100 year storm flows.

Additionally, the Building and Safety Department's conditional approval of this application includes an expectation that the conceptual grading plan reviewed and approved for it complies or can comply with any WQMP (water Quality Management Plan) required by Riverside County Flood Control & Water Conservation District.

60.BS GRADE. 7 USE-G2.14OFFSITE GDG ONUS

RECOMMND

Prior to the issuance of a grading permit, it shall be the sole responsibility of the owner/applicant to obtain any and all proposed or required easements and/or permissions necessary to perform the grading herein proposed.

60.BS GRADE. 10 USE-G1.4 NPDES/SWPPP

RECOMMND

Prior to issuance of any grading or construction permits - whichever comes first - the applicant shall provide the Building and Safety Department evidence of compliance with the following: "Effective March 10, 2003 owner operators of grading or construction projects are required to comply with the N.P.D.E.S. (National Pollutant Discharge Elimination System) requirement to obtain a construction

04/21/11  
14:30

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 23

F T PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

60. PRIOR TO GRADING PRMT ISSUANCE

60.BS GRADE. 10 USE-G1.4 NPDES/SWPPP (cont.)

RECOMMND

permit from the State Water Resource Control Board (SWRCB). The permit requirement applies to grading and construction sites of "ONE" acre or larger. The owner operator can comply by submitting a "Notice of Intent" (NOI), develop and implement a STORM WATER POLLUTION PREVENTION PLAN (SWPPP) and a monitoring program and reporting plan for the construction site. For additional information and to obtain a copy of the NPDES State Construction Permit contact the SWRCB at (916) 657-1146.

Additionally, at the time the county adopts, as part of any ordinance, regulations specific to the N.P.D.E.S., this project (or subdivision) shall comply with them.

EPD DEPARTMENT

60.EPD. 1 EPD - 30 DAY BURROWING OWL SUR

RECOMMND

Pursuant to Objective 6 and Objective 7 of the Species Account for the Burrowing Owl included in the Western Riverside County Multiple Species Habitat Conservation Plan, within 30 days prior to the issuance of a grading permit, a pre-construction presence/absence survey for the burrowing owl shall be conducted by a qualified biologist and the results of this presence/absence survey shall be provided in writing to the Environmental Programs Department. If it is determined that the project site is occupied by the Burrowing Owl, take of "active" nests shall be avoided pursuant to the MSHCP and the Migratory Bird Treaty Act. However, when the Burrowing Owl is present, relocation outside of the nesting season (March 1 through August 31) by a qualified biologist shall be required. The County Biologist shall be consulted to determine appropriate type of relocation (active or passive) and translocation sites. Occupation of this species on the project site may result in the need to revise grading plans so that take of "active" nests is avoided or alternatively, a grading permit may be issued once the species has been actively relocated.

If the grading permit is not obtained within 30 days of the survey a new survey shall be required.

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

60. PRIOR TO GRADING PRMT ISSUANCE

FLOOD RI DEPARTMENT

60.FLOOD RI. 1           XXU-SUBMIT PLANS

RECOMMND

A copy of the improvement plans, grading plans and any other necessary documentation along with supporting hydrologic and hydraulic calculations shall be submitted to the District for review. The plans shall receive District approval prior to issuance of grading permits. All submittals shall be date stamped by the engineer and include a completed Flood Control Deposit Based Fee Worksheet and the appropriate plan check fee deposit.

60.FLOOD RI. 2           USE BMP - FILTRATION

RECOMMND

Impervious areas shall be graded or constructed to drain to a filtration BMP or equally effective alternative. Filtration BMPs can be found in the attachment to Supplement A, "Selection and Design of Stormwater Quality Controls".

PLANNING DEPARTMENT

60.PLANNING. 3           USE - PLNTLOGST RETAINED (1)

RECOMMND

Prior to issuance of grading permits, a qualified paleontologist shall be retained by the developer for consultation and comment on the proposed grading with respect to potential paleontological impacts. Should the paleontologist find the potential is high for impact to significant resources, a pre-grade meeting between the paleontologist and the excavation and grading contractor shall be arranged. When necessary, the paleontologist or representative shall have the authority to temporarily divert, redirect, or halt grading activity to allow recovery of fossils. The developer shall submit the name, telephone number and address of the retained paleontologist to the Planning Department.

The paleontologist shall submit in writing to the Planning Department the results of the initial consultation and the details of the fossil recovery plan if recovery was deemed necessary. The written results shall be submitted prior to issuance of grading permit.

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

60. PRIOR TO GRADING PRMT ISSUANCE

60.PLANNING. 15 USE - FEE BALANCE RECOMMND

Prior to the issuance of grading permits for Plot Plan No. 18875, the Planning Department shall determine the status of the deposit based fees. If the fees are in a negative status, the permit holder shall pay the outstanding balance.

60.PLANNING. 16 USE - GRADING PLAN REVIEW RECOMMND

The permit holder shall submit an application for a grading plan check to be submitted to the County T.L.M.A - Land Use Division for review by the County Planning Department. Said grading plan shall be in conformance with the APPROVED EXHIBITS of this plot plan, in compliance with County Ordinance No. 457, and the conditions of approval.

60.PLANNING. 17 USE - PLANNING DEPT REVIEW RECOMMND

As part of the plan check review of the proposed grading plan for the subject property, the Department of Building and Safety - Grading Division shall submit a copy of the proposed grading plan, along with the applicable Log/Permit Numbers for reference, to the county Planning Department to be reviewed for compliance with the approved site plan.

TRANS DEPARTMENT

60.TRANS. 1 USE-SBMT/APPVD GRADG PLAN/TRAN RECOMMND

When you submit a grading plan to the Department of Building and Safety, a copy of the grading plan shall be submitted and approved by the Transportation Department prior to a grading permit issuance.

Submit required grading plan to the Transportation Department, Plan Check Section, 8th Floor, 4080 Lemon Street, Riverside, CA.

60.TRANS. 2 USE - REVISE STREET IMP PLAN RECOMMND

Prior to the submittal of the required street improvement plan per condition of approval 90.TRANS.15, obtain the existing street improvement plan and profile No. 869-FF and show the revision of the plan.

Please process a plan revision through the Plan Check Section per Section I, Part "E", page 10 of the

04/21/11  
14:30

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 26

PLAN: TRANSMITTED Case #: PP18875

Parcel: 156-360-015

60. PRIOR TO GRADING PRMT ISSUANCE

60.TRANS. 2 USE - REVISE STREET IMP PLAN (cont.) RECOMMND

"Improvement Plan Check - Policies and Guidelines" manual  
available on the Internet at:  
[www.tlma.co.riverside.ca.us/trans/land\\_dev\\_plan\\_check\\_guide\\_lines.html](http://www.tlma.co.riverside.ca.us/trans/land_dev_plan_check_guide_lines.html)

If you have any questions, please call the Plan Check  
Section at (951) 955-6527.

60.TRANS. 3 USE - OBTAIN L&LMD APPLICATION RECOMMND

Obtain an application from the Transportation Department,  
L&LMD Section, 8th Floor, 4080 Lemon Street, Riverside, CA,  
to submit application for required annexation per condition  
of approval 80.TRANS.13 and 90.TRANS.17.

If you have any questions or for the processing fee amount,  
please call the L&LMD Section at (951) 955-6748.

80. PRIOR TO BLDG PRMT ISSUANCE

BS GRADE DEPARTMENT

80.BS GRADE. 1 USE\* -G3.1NO B/PMT W/O G/PMT RECOMMND

Prior to issuance of any building permit, the property  
owner shall obtain a grading permit and/or approval to  
construct from the Grading Division of the Building and  
Safety Department.

E HEALTH DEPARTMENT

80.E HEALTH. 1 USE - WATER WILL SERVE RECOMMND

A "Will-Serve" letter is required from the appropriate  
water agency.

80.E HEALTH. 2 USE - FOOD PLANS REQD RECOMMND

A total of 3 complete set of plans for each food  
establishment are needed including a fixture schedule, a  
finish schedule, and a plumbing schedule in order to ensure  
compliance with current State and Local regulations.

80.E HEALTH. 3 USE - LEA CLEARANCE RECOMMND

Clearance from the Environmental Resources Management  
Division LEA

04/21/11  
14:30

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 27

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

80. PRIOR TO BLDG PRMT ISSUANCE

80.E HEALTH. 4 USE - PERC TEST REQD RECOMMND

satisfactory detailed soils percolation test in accordance with the procedures outlined in the Riverside County Waste Disposal Booklet entitled "Waste Disposal for Individual Homes, Commercial and Industrial".

FIRE DEPARTMENT

80.FIRE. 1 USE-#17A-BLDG PLAN CHECK \$ RECOMMND

Building Plan check deposit base fee of \$1,056.00, shall be paid in a check or money order to the Riverside County Fire Department after plans have been approved by our office.

80.FIRE. 2 USE-#4-WATER PLANS RECOMMND

The applicant or developer shall separately submit two copies of the water system plans to the Fire Department for review and approval. Calculated velocities shall not exceed 10 feet per second. Plans shall conform to the fire hydrant types, location and spacing, and the system shall meet the fire flow requirements.

Plans shall be signed and approved by a registered civil engineer and the local water company with the following certification: "I certify that the design of the water system is in accordance with the requirements prescribed by the Riverside County Fire Department."

FLOOD RI DEPARTMENT

80.FLOOD RI. 1 XXU-SUBMIT PLANS RECOMMND

A copy of the improvement plans, grading plans and any other necessary documentation along with supporting hydrologic and hydraulic calculations shall be submitted to the District for review. The plans shall receive District approval prior to issuance of building permits. All submittals shall be date stamped by the engineer and include a completed Flood Control Deposit Based Fee Worksheet and the appropriate plan check fee deposit.

F PLAN: TRANSMITTED Case #: PP18875

Parcel: 156-360-015

80. PRIOR TO BLDG PRMT ISSUANCE

PLANNING DEPARTMENT

80.PLANNING. 6 USE - CONFORM TO ELEVATIONS

RECOMMND

Elevations of all buildings and structures submitted for building plan check approval shall be in substantial conformance with the elevations shown on APPROVED EXHIBITS B and M.

In addition, architectural enhancements shall be provided to enhance the views along Hopkins Avenue and Etiwanda Avenue.

The northeast corner shall maintain the same architectural elements as the front entry of the building. This includes the application of storefront glazing where appropriate.

The northwest corner shall also maintain the same architectural elements as the front entry of the building. This includes a raised parapet and application of storefront glazing where appropriate.

80.PLANNING. 7 USE - CONFORM TO FLOOR PLANS

RECOMMND

Floor plans shall be in substantial conformance with that shown on APPROVED EXHIBIT C.

80.PLANNING. 8 USE - ROOF EQUIPMENT SHIELDING

RECOMMND

Roof mounted equipment shall be shielded from ground view. Screening material shall be subject to Planning Department approval.

80.PLANNING. 15 USE - FENCING PLAN REQUIRED

RECOMMND

A fencing plan shall be submitted to and approved by the Planning Department. The plan shall show all wall and fence locations and typical views of all types of fences or walls proposed. This plan shall require anti-graffiti coatings on fences and walls, where applicable.

Wall and fence locations shall be in substantial conformance with APPROVED EXHIBIT A.

No chain-link fencing is allowed.

In the event the project is located adjacent to existing residential uses, proposed separation walls between project

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

80. PRIOR TO BLDG PRMT ISSUANCE

80.PLANNING. 15 USE - FENCING PLAN REQUIRED (cont.) RECOMMND

parcel(s) and existing residential uses shall be raised to 8 feet if daytime trucking activity occurs within 200 feet of the property line.

80.PLANNING. 19 USE - PLANS SHOWING BIKE RACKS RECOMMND

Bike rack spaces or bike lockers shall be shown on the project's parking and landscaping plan submitted to the Planning Department for approval. A minimum of six spaces shall be provided.

80.PLANNING. 20 USE - LIGHTING PLANS RECOMMND

All street lights and other outdoor lighting shall be shown on electrical plans submitted to the Department of Building and Safety for plan check approval and shall comply with the requirements of Riverside County Ordinance No. 655 and the Riverside County Comprehensive General Plan.

80.PLANNING. 30 USE - EDA/RDA CLEARANCE RECOMMND

Prior to the installation of any signage on the project site, a minor plot plan for outdoor/on-site signage shall be submitted to the Redevelopment Agency for comment and review.

80.PLANNING. 31 USE - SCHOOL MITIGATION RECOMMND

Impacts to the Jurupa Unified School District shall be mitigated in accordance with California State law.

80.PLANNING. 42 USE - FEE BALANCE RECOMMND

Prior to issuance of building permits for Plot Plan No. 18875, the Planning Department shall determine the status of the deposit based fees for project. If the case fees are in a negative state, the permit holder shall pay the outstanding balance.

80.PLANNING. 43 USE - WASTE MGMT CLEARANCE RECOMMND

A clearance letter from Riverside County Waste Management District shall be provided to the Riverside County Planning Department verifying compliance with the conditions contained in their letter dated March 27, 2001, summarized as follows:

04/21/11  
14:30

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 30

PLAN: TRANSMITTED Case #: PP18875

Parcel: 156-360-015

80. PRIOR TO BLDG PRMT ISSUANCE

80.PLANNING. 43 USE - WASTE MGMT CLEARANCE (cont.)

RECOMMND

1. Prior to issuance of a building permit for EACH building, the applicant shall submit three (3) copies of a Recyclables Collection and Loading Area plot plan to the Riverside County Waste Management Department for review and approval. The plot plan shall conform to Design Guidelines for Recyclables Collection and Loading Areas, provided by the Waste Management Department, and shall show the location of and access to the collection area for recyclable materials, along with its dimensions and construction detail, including elevation/facade, construction materials and signage. The plot plan shall clearly indicate how the trash and recycling enclosures shall be accessed by the hauler.

2. Prior to issuance of a building permit, a Waste Recycling Plan (WRP) shall be submitted to the Waste Management Department for approval. At a minimum, the WRP must identify the materials (i.e., concrete, asphalt, wood, etc.) that will be generated by construction and development, the projected amounts, the measures/methods that will be taken to recycle, reuse, and/or reduce the amount of materials, the facilities and/or haulers that will be utilized, and the targeted recycling or reduction rate. Materials can be taken directly to recycling facilities (Riverside County Waste Management Department, Recycling Section, can be contacted directly at 951.486.3200 for a list of facilities), or arrangements can be made through the franchise hauler and/or a construction clean-up business.

80.PLANNING. 44 USE - TITLE 24 BLD EFF STNDARD

RECOMMND

Construction of all nonresidential buildings or structures shall exceed the energy standards of the 2008 Building Efficiency Standards as set forth in the 2008 California Energy Code (Title 24, Part 6 of the California Code of Regulations) by a minimum of five percent (5%) in aggregate. Submission of a Title 24 worksheet with building plans for each implementing development project shall be required by the Department of Building and Safety in order to obtain a building permit and set the condition to MET status. The worksheet shall include both the calculations showing the minimum Title 24 compliance requirements and calculations for the implementing development project. Compliance is determined by comparing the energy use of the

PLAN: TRANSMITTED Case #: PP18875

Parcel: 156-360-015

80. PRIOR TO BLDG PRMT ISSUANCE

80.PLANNING. 44 USE - TITLE 24 BLD EFF STNDARD (cont.) RECOMMND

proposed development to a minimally Title 24 compliant development. The calculations must be from an energy analysis computer program approved by the California Energy Commission in accordance with Title 24, Part 6, Article 1, Section 10-109.

80.PLANNING. 45 USE - LC LANDSCAPE PLOT PLAN RECOMMND

Prior to issuance of building permits, the developer/permit holder shall file a Landscaping Minor Plot Plan Application to the Riverside County Planning Department for review and approval along with the current fee. The landscaping plans shall be in conformance with the APPROVED EXHIBITS; in compliance with Ordinance No. 348, Section 18.12; Ordinance No. 859; and, be prepared consistent with the County of Riverside Guide to California Friendly Landscaping.

At minimum, plans shall include the following components:

- 1) Landscape and irrigation working drawings "stamped" by a California certified landscape architect;
- 2) Weather based controllers and necessary components to eliminate water waste;
- 3) A copy of the "stamped" approved grading plans; and,
- 4) Emphasis on native and drought tolerant species.

When applicable, plans shall include the following components:

- 1) Identification of all common/open space areas;
- 2) Natural open space areas and those regulated/conserved by the prevailing MSHCP;
- 3) Shading plans for projects that include parking lots/areas;
- 4) The use of canopy trees (24" box or greater) within the parking areas;
- 5) Landscaping plans for slopes exceeding 3 feet in height;
- 6) Landscaping and irrigation plans associated with entry monuments. All monument locations and dimensions shall be provided on the plan; and/or,

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

80. PRIOR TO BLDG PRMT ISSUANCE

80.PLANNING. 45

USE - LC LANDSCAPE PLOT PLAN (cont.)

RECOMMND

7)If this is a phased development, then a copy of the approved phasing plan shall be submitted for reference.

NOTE:

1)Landscaping plans for areas within the road right-of-way shall be submitted for review and approval by the Transportation Department only. The Planning Department shall not approve landscape plans within the Road Right-of-Way.

)When the Landscaping Plot Plan is located within a special district such as Valley-Wide Recreation and Park District, Jurupa Community Services District, Coachella Valley Water District, a County Service Area (CSA) or other maintenance district, the developer/permit holder shall submit plans for review to the appropriate special district for simultaneous review. The permit holder shall show evidence to the Planning Department that the subject District has approved said plans.

As part of the plan check review process and request for condition clearance, the developer/permit holder shall show proof of the approved landscaping plot plan by providing the Plot Plan number. The planning department shall verify the landscape route is approved and the Plot Plan is in TENTAPPR status. Upon verification of compliance with this condition and the APPROVED EXHIBITS, the Planning Department shall clear this condition.

80.PLANNING. 46

USE - LC LANDSCAPE SECURITIES

RECOMMND

Prior to the issuance of building permits, the developer/permit holder shall submit an estimate to replace plantings, irrigation systems, ornamental landscape elements, walls and/or fences, in amounts to be approved by the Riverside County Planning Department, Landscape Division. Once the Planning Department has approved the estimate, the developer/permit holder shall submit the estimate to the Riverside County Department of Building and Safety who will then provide the developer/permit holder with the requisite forms. The required forms shall be completed and submitted to Building and Safety for processing and review in conjunction with County Counsel. Upon determination of compliance, the Department of Building and Safety shall clear this condition.

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

80. PRIOR TO BLDG PRMT ISSUANCE

80.PLANNING. 46 USE - LC LANDSCAPE SECURITIES (cont.) RECOMMND

NOTE:

A cash security shall be required when the estimated cost is \$2,500.00 or less. It is highly encouraged to allow adequate time to ensure that securities are in place. The performance security shall be released following a successful completion of the One Year Post-Establishment Inspection, and the inspection report confirms that the planting and irrigation components are thriving and in good working order consistent with the approved landscaping plans.

TRANS DEPARTMENT

80.TRANS. 4 USE - R & B B D RECOMMND

Prior to the issuance of a building permit, the project proponent shall pay fees in accordance with Zone A of the Mira Loma Road and Bridge Benefit District. All fees are based upon the fee schedule in effect at the time of issuance of the permit.

The project gross acreage is 5.99 acres.

80.TRANS. 7 USE - MAP.CORNER CUT-BACK NOTAPPLY

The project proponent shall apply corner cut-backs per the 2nd, 3rd and 5th District Guidelines.

80.TRANS. 10 USE - TS/DESIGN RECOMMND

The project proponent shall be responsible for the design of traffic signals at the intersections of:

Etiwanda Avenue (NS) at Inland Avenue (EW)

with no fee credit given for Traffic Signal Mitigation fees.

Or as approved by the Transportation Department

Traffic Signal Interconnect shall be installed as approved by the Transportation Department.

Installation of the signals shall be per 90.TRANS.14.

PLAN: TRANSMITTED Case #: PP18875

Parcel: 156-360-015

80. PRIOR TO BLDG PRMT ISSUANCE

80.TRANS. 11 USE - TS/GEOMETRICS 1

RECOMMND

The intersection of Etiwanda Avenue at Hopkins Street shall be improved to provide the following geometrics:

Northbound: One left turn lane, two through lanes, one shared through/right turn lane

Southbound: One left turn lane, two through lanes, one shared through/right turn lane

Eastbound: One left turn lane, one shared through/right turn lane

Westbound: One left turn lane, one shared through/right turn lane

The intersection of De Forest Circle at Hopkins Street shall be improved to provide the following geometrics:

Northbound: One left turn lane, one shared through/right turn lane

Southbound: One left turn lane, one shared through/right turn lane

Eastbound: One shared left turn/through/right turn lane

Westbound: One shared left turn/through/right turn lane

or as approved by the Transportation Department.

Any off-site widening required to provide these geometrics shall be the responsibility of the landowner/developer.

80.TRANS. 12 USE - TRAFFIC SIGNAL

RECOMMND

The project proponent shall comply in accordance with traffic signal requirements within public road rights-of-way, in accordance with Ordinance 461. Traffic signals shall be installed at the intersection(s) of Etiwanda Avenue and Inland Avenue. Assurance of traffic signal maintenance is required by filing an application for annexation to Landscaping and Lighting Maintenance District No. 89-1-Consolidated.

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

80. PRIOR TO BLDG PRMT ISSUANCE

80.TRANS. 13 USE - ANNEX L&LMD/OTHER DIST

RECOMMND

Prior to the issuance of a building permit, the project proponent shall comply with County requirements within public road rights-of-way, in accordance with Ordinance 461. Assurance of maintenance is required by filing an application for annexation to Landscaping and Lighting Maintenance District No. 89-1-Consolidated by contacting the Transportation Department at (951) 955-6767, and/or any other maintenance district approved by the Transportation Department or by processing and filing a 'Landscape Maintenance Agreement' through the Transportation Department Plan Check Division. Said annexation should include the following:

- (1) Landscaping along Hopkins Street and De Forest Circle.
- (2) Traffic signals per 90.TRANS.14 condition.
- (3) Street sweeping.

80.TRANS. 14 USE - LANDSCAPING

RECOMMND

Landscaping within public road right-of-way shall comply with Transportation Department standards, Ordinance 461, Comprehensive Landscaping Guidelines & Standards, and Ordinance 859 and shall require approval by the Transportation Department.

Landscaping plans shall be designed within Hopkins Street and DeForest Circle and submitted to the Transportation Department. Landscaping plans shall be submitted on standard County plan sheet format (24" x 36"). Landscaping plans shall be submitted with the street improvement plans.

90. PRIOR TO BLDG FINAL INSPECTION

BS GRADE DEPARTMENT

90.BS GRADE. 1 USE\*G4.3PAVING INSPECTIONS

RECOMMND

The developer/applicant shall be responsible for obtaining the paving inspections required by Ordinance 457.

PLAN: TRANSMITTED Case #: PP18875

Parcel: 156-360-015

90. PRIOR TO BLDG FINAL INSPECTION

E HEALTH DEPARTMENT

90.E HEALTH. 1 USE - HAZMAT BUS PLAN

RECOMMND

The facility will require a business emergency plan for the storage of hazardous materials greater than 55 gallons, 200 cubic feet or 500 pounds, or any acutely hazardous materials or extremely hazardous substances.

90.E HEALTH. 2 USE - HAZMAT REVIEW

RECOMMND

If further review of the site indicates additional environmental health issues, the Hazardous Materials Management Division reserves the right to regulate the business in accordance with applicable County Ordinances.

90.E HEALTH. 3 USE - HAZMAT CONTACT

RECOMMND

Contact a Hazardous Materials Specialist, Hazardous Materials Management Division, at (951) 358-5055 for any additional requirements.

FIRE DEPARTMENT

90.FIRE. 1 USE-#45-FIRE LANES

RECOMMND

The applicant shall prepare and submit to the Fire Department for approval, a site plan designating required fire lanes with appropriate lane painting and/or signs.

90.FIRE. 2 USE-#12A-SPRINKLER SYSTEM

RECOMMND

Install a complete fire sprinkler system per NFPA 13 1999 edition in all buildings requiring a fire flow of 1500 GPM or greater. Sprinkler system(s) with pipe sizes in excess of 4" in diameter will require the project structural engineer to certify (wet signature) the stability of the building system for seismic and gravity loads to support the sprinkler system. All fire sprinkler risers shall be protected from any physical damage. The post indicator valve and fire department connection shall be located to the front, within 50 feet of a hydrant, and a minimum of 25 feet from the building(s). A statement that the building(s) will be automatically fire sprinkled must be included on the title page of the building plans.

Applicant or developer shall be responsible to install a

1 PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

90. PRIOR TO BLDG FINAL INSPECTION

90.FIRE. 2 USE-#12A-SPRINKLER SYSTEM (cont.) RECOMMND

U.L. Central Station Monitored Fire Alarm System. Monitoring system shall monitor the fire sprinkler system(s) water flow, P.I.V.'s and all control valves. Plans must be submitted to the Fire Department for approval prior to installation. Contact fire department for guideline handout

90.FIRE. 3 USE-#27-EXTINGUISHERS RECOMMND

Install portable fire extinguishers with a minimum rating of 2A-10BC and signage. Fire Extinguishers located in public areas shall be in recessed cabinets mounted 48" (inches) to center above floor level with maximum 4" projection from the wall. Contact Fire Department for proper placement of equipment prior to installation.

FLOOD RI DEPARTMENT

90.FLOOD RI. 1 XXU BMP - MAINT & INSPECT RECOMMND

The permit holder shall contain provisions for all structural BMPs to be inspected, and if required, cleaned no later than October 15 each year. Required documentation shall identify the entity that will inspect and maintain all structural BMP's within the project boundaries. A copy of all necessary documentation shall be submitted to the District for review and approval prior to the issuance of occupancy permits.

90.FLOOD RI. 2 USE BMP - EDUCATION RECOMMND

The developer shall distribute environmental awareness education materials on general good housekeeping practices that contribute to protection of stormwater quality to all initial users. The developer may obtain NPDES Public Educational Program materials from the District's NPDES Section by either the District's website [www.floodcontrol.co.riverside.ca.us](http://www.floodcontrol.co.riverside.ca.us), e-mail [fcnpdes@co.riverside.ca.us](mailto:fcnpdes@co.riverside.ca.us), or the toll free number 1-800-506-2555. Please provide Project number, number of units and location of development. Note that there is a five-day minimum processing period requested for all orders.

The developer must provide to the District's PLAN CHECK Department a notarized affidavit stating that the

PLAN: TRANSMITTED Case #: PP18875

Parcel: 156-360-015

90. PRIOR TO BLDG FINAL INSPECTION

90.FLOOD RI. 2 USE BMP - EDUCATION (cont.)

RECOMMND

distribution of educational materials to the tenants is assured prior to the issuance of occupancy permits.

PLANNING DEPARTMENT

90.PLANNING. 6 USE - PARKING PAVING MATERIAL

RECOMMND

A minimum of ninety-six (96) parking spaces shall be provided as shown on the APPROVED EXHIBIT A, unless otherwise approved by the Planning Department. The parking area shall be surfaced with asphaltic concrete or concrete to current standards as approved by the Department of Building and Safety.

90.PLANNING. 7 USE - ACCESSIBLE PARKING

RECOMMND

A minimum of four (4) accessible parking spaces for persons with disabilities shall be provided as shown on APPROVED EXHIBIT A. Each parking space reserved for persons with disabilities shall be identified by a permanently affixed reflectorized sign constructed of porcelain on steel, beaded text or equal, displaying the International Symbol of Accessibility. The sign shall not be smaller than 70 square inches in area and shall be centered at the interior end of the parking space at a minimum height of 80 inches from the bottom of the sign to the parking space finished grade, or centered at a minimum height of 36 inches from the parking space finished grade, ground, or sidewalk. A sign shall also be posted in a conspicuous place, at each entrance to the off-street parking facility, not less than 17 inches by 22 inches, clearly and conspicuously stating the following:

"Unauthorized vehicles not displaying distinguishing placards or license plates issued for physically handicapped persons may be towed away at owner's expense."

In addition to the above requirements, the surface of each parking space shall have a surface identification sign duplicating the symbol of accessibility in blue paint of at least 3 square feet in size.

90.PLANNING. 9 USE - LOADING SPACES

RECOMMND

A minimum of eighteen (18) loading spaces shall be provided in accordance with Section 18.12.a.(2)f(3).b. of Ordinance

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

90. PRIOR TO BLDG FINAL INSPECTION

90.PLANNING. 9 USE - LOADING SPACES (cont.) RECOMMND

348, and as shown on APPROVED EXHIBIT A. The loading spaces shall be surfaced with six (6) inches of concrete over a suitable base and shall not be less than 10 feet wide by 35 feet long, with 14 feet vertical clearance.

90.PLANNING. 12 USE - ROOF EQUIPMENT SHIELDING RECOMMND

Roof-mounted equipment shall be shielded from ground view. Screening material shall be subject to Planning Department approval.

90.PLANNING. 14 USE - INSTALL BIKE RACKS RECOMMND

A bicycle rack with a minimum of six (6) spaces shall be provided in convenient locations to facilitate bicycle access to the project area as shown on APPROVED EXHIBIT A. The bicycle racks shall be shown on project landscaping and improvement plans submitted for Planning Department approval, and shall be installed in accordance with those plans. All bicycle racks shall be weather-protected.

90.PLANNING. 15 USE - UTILITIES UNDERGROUND RECOMMND

All utilities, except electrical lines rated 33 kV or greater, shall be installed underground. If the permittee provides to the Department of Building and Safety and the Planning Department a definitive statement from the utility provider refusing to allow underground installation of the utilities they provide, this condition shall be null and void with respect to that utility.

90.PLANNING. 19 USE - CURBS ALONG PLANTERS RECOMMND

A six inch high curb with a twelve (12) inch wide walkway shall be constructed along planters on end stalls adjacent to automobile parking areas. Public parking areas shall be designed with permanent curb, bumper, or wheel stop or similar device so that a parked vehicle does not overhang required sidewalks, planters, or landscaped areas.

90.PLANNING. 20 USE - TRASH ENCLOSURES RECOMMND

One (1) trash enclosure which is adequate to enclose a minimum of two (2) bins shall be located as shown on the APPROVED EXHIBIT A, and shall be constructed prior to the issuance of occupancy permits. The enclosure(s) shall be a

04/21/11  
14:30

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 40

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

90. PRIOR TO BLDG FINAL INSPECTION

90.PLANNING. 20 USE - TRASH ENCLOSURES (cont.) RECOMMND

minimum of six (6) feet in height and shall be made with masonry block and a solid gate which screens the bins from external view. Additional enclosed area for collection of recyclable materials shall be located within, near or adjacent to each trash and rubbish disposal area. The recycling collection area shall be a minimum of fifty percent (50%) of the area provided for the trash/rubbish enclosure(s) or as approved by the Riverside County Waste Management Department. All recycling bins shall be labeled with the universal recycling symbol and with signage indicating to the users the type of material to be deposited in each bin.

90.PLANNING. 25 USE - REMOVE OUTDOOR ADVERTISE RECOMMND

All existing outdoor advertising displays, signs or billboards shall be removed.

90.PLANNING. 26 USE - WALL & FENCE LOCATIONS RECOMMND

Wall and/or fence locations shall be in conformance with the approved fencing plan.

90.PLANNING. 27 USE - WASTE MGMT CLEARANCE RECOMMND

A clearance letter from Riverside County Waste Management District shall be provided to the Riverside County Planning Department verifying compliance with the conditions contained in their letter dated November 6, 2003, summarized as follows:

1. Prior to final building inspection for EACH building, the applicant shall construct the recyclables collection and loading area in compliance with the Recyclables Collection and Loading Area plot plan, as approved and stamped by the Riverside County Waste Management Department and as verified by the Riverside County Building and Safety Department through site inspection.

2. Prior to issuance of an occupancy permit, evidence (i.e., receipts or other type verification) to demonstrate project compliance with the approved WRP shall be presented by the project proponent to the Planning/Recycling Division of the Riverside County Waste Management Department in order to clear the project for occupancy permits.

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

90. PRIOR TO BLDG FINAL INSPECTION

90.PLANNING. 28 USE - CONDITION COMPLIANCE

RECOMMND

The Department of Building and Safety shall verify that the Development Standards of this approval and all other preceding conditions have been complied with prior to any use allowed by this permit.

90.PLANNING. 29 USE - EXTENDED TRUCK IDLING

RECOMMND

Sign(s) stating that "EXTENDED IDLING TRUCK ENGINES IS NOT PERMITTED" shall be located at the entrance to the warehouse facility and at the truck parking area as shown on APPROVED EXHIBIT A. The sign(s) at the entrance to facility shall not be less than twenty four inches square and will provide directions to truck parking spaces with electrical hookups.

The hookups will provide power for refrigerated trailers that need to be parked on-sight for more than 5 minutes.

90.PLANNING. 33 USE - ORD 810 O S FEE (2)

RECOMMND

Prior to the issuance of a certificate of occupancy, or upon building permit final inspection prior to use or occupancy for cases without final inspection or certificate of occupancy (such as an SMP), whichever comes first, the applicant shall comply with the provisions of Riverside County Ordinance No. 810, which requires the payment of the appropriate fee set forth in the Ordinance. The amount of the fee will be based on the "Project Area" as defined in the Ordinance and the aforementioned Condition of Approval. The Project Area for Plot Plan No. 18875 is calculated to be 5.00 net acres. In the event Riverside County Ordinance No. 810 is rescinded, this condition will no longer be applicable. However, should Riverside County Ordinance No. 810 be rescinded and superseded by a subsequent mitigation fee ordinance, payment of the appropriate fee set forth in that ordinance shall be required.

90.PLANNING. 34 USE - ORD NO. 659 (DIF)

RECOMMND

Prior to the issuance of either a certificate of occupancy or prior to building permit final inspection, the applicant shall comply with the provisions of Riverside County Ordinance No. 659, which requires the payment of the appropriate fee set forth in the Ordinance. Riverside County Ordinance No. 659 has been established to set forth policies, regulations and fees related to the funding and installation of facilities and the acquisition of open

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

90. PRIOR TO BLDG FINAL INSPECTION

90.PLANNING. 34 USE - ORD NO. 659 (DIF) (cont.)

RECOMMND

space and habitat necessary to address the direct and cumulative environmental effects generated by new development project described and defined in this Ordinance, and it establishes the authorized uses of the fees collected.

The amount of the fee for commercial or industrial development shall be calculated on the basis of the "Project Area," as defined in the Ordinance, which shall mean the net area, measured in acres, from the adjacent road right-of-way to the limits of the project development. The Project Area for Plot Plan No. 18875 has been calculated to be 5.00 net acres.

In the event Riverside County Ordinance No. 659 is rescinded, this condition will no longer be applicable. However, should Riverside County Ordinance No. 659 be rescinded and superseded by a subsequent mitigation fee ordinance, payment of the appropriate fee set forth in that ordinance shall be required.

90.PLANNING. 35 USE - MITIGATION MONITORING

RECOMMND

The permit holder shall prepare and submit a written report to the Riverside County Planning Department demonstrating compliance with all remaining conditions of approval and mitigation measures of this permit and EIR No. 450.

The Planning Director may require inspection or other monitoring to ensure such compliance.

90.PLANNING. 36 USE - LC LNDS CP INSPECT DEPOSIT

RECOMMND

Prior to building permit final inspection, the developer/permit holder shall file an Inspection Request Form and deposit sufficient funds to cover the costs of Installation, Six Month Establishment, and One Year Post-Establishment inspections. In the event that an open landscape case is not available, then the applicant shall open a FEE ONLY case to conduct inspections. The deposit required for landscape inspections shall be determined by the Riverside County Landscape Division. The Planning Department shall clear this condition upon determination of compliance.

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

90. PRIOR TO BLDG FINAL INSPECTION

90.PLANNING. 37 USE - LC COMPLY W/ LNDSCP/ IRR RECOMMND

The developer/permit holder shall coordinate with their designated landscape representative and the Riverside County Planning Department's landscape inspector to ensure all landscape planting and irrigation systems have been installed in accordance with APPROVED EXHIBITS, landscaping, irrigation, and shading plans. The Planning Department will ensure that all landscaping is healthy, free of weeds, disease and pests; and, irrigation systems are properly constructed and determined to be in good working order. The developer/permit holder's designated landscape representative and the Riverside County Planning Department's landscape inspector shall determine compliance with this condition and execute a Landscape Certificate of Completion. Upon determination of compliance, the Planning Department shall clear this condition.

TRANS DEPARTMENT

90.TRANS. 1 USE - IMPROVEMENTS NOTAPPLY

Hopkins Street and De Forest Circle are County maintained roads and shall be improved with 34 feet of asphalt concrete pavement within a 48 foot part-width dedicated right-of-way in accordance with County Standatd No. 111.

Note: 6' wide curb adjacent sidewalk will be ocnstructed along the frontage of this site on both streets.

90.TRANS. 2 USE - IMP PLANS NOTAPPLY

Improvement plans for the required improvements must be prepared and shall be based upon a design profile extending a minimum of 300 feet beyond the project boundaries at a grade and alignment as approved by the Riverside County Transportation Department. Completion of road improvements does not imply acceptance for maintenance by County.

90.TRANS. 9 USE - WRCOG TUMF RECOMMND

Prior to the issuance of an occupancy permit, the project proponent shall pay the Transportation Uniform Mitigation Fee (TUMF) in accordance with the fee schedule in effect at the time of issuance, pursuant to Ordinance No. 824.

04/21/11  
14:30

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 44

PLAN: TRANSMITTED Case #: PP18875

Parcel: 156-360-015

90. PRIOR TO BLDG FINAL INSPECTION

90.TRANS. 14 USE - TS/INSTALLATION

INEFFECT

The project proponent shall be responsible for the construction and installation of traffic signals at the following locations:

Etiwanda Avenue (NS) at Inland Avenue (EW)

with no fee credit given for Traffic Signal Mitigation fees.

Or as approved by the Transportation Department

Traffic Signal Interconnect shall be installed as approved by the Transportation Department.

90.TRANS. 15 USE- EXISTING CURB & GUTTER

RECOMMND

On existing curb and gutter, new driveways, closure of existing driveways, sidewalks and/or drainage devices within County right-of-way, including sewer and water laterals on De Forest Circle and Hopkins Street shall be constructed within the dedicated right-of-way in accordance with County Draft Standards No. 207A and 401, Ordinance 461. Such construction shall be shown on existing street improvement plans and approved and permitted by the Transportation Department. Process a plan revision through the Plan Check Section per Section I, Part E, page 10 of the "Policies and Guidelines" available on the Internet at:  
[www.tlma.co.riverside.ca.us/trans/land\\_dev\\_plan\\_check\\_guidelines.html](http://www.tlma.co.riverside.ca.us/trans/land_dev_plan_check_guidelines.html). If you have questions, please call the Plan Check Section at (951) 955-6527.

NOTE: 1. A 6' wide curb-face sidewalk will be constructed along the frontages of Hopkins Street and De Forest Circle. See Plan and Profile file number 869-FF.

2. Driveway shall be constructed in accordance with County Standard No. 207A.

90.TRANS. 16 USE - ST DESIGN/IMP CONCEPT

RECOMMND

The street design and improvement concept of this project shall be coordinated with plan and profile file number 869-FF.

PLAN:TRANSMITTED Case #: PP18875

Parcel: 156-360-015

90. PRIOR TO BLDG FINAL INSPECTION

90.TRANS. 17 USE - ANNEX L&LMD/OTHER DIST

RECOMMND

Prior to issuance of an occupancy permit, the project proponent shall complete annexation to Landscaping and Lighting Maintenance District No. 89-1-Consolidated, and/or any other maintenance district approved by the Transportation Department or by processing and filing a 'Landscape Maintenance Agreement' through the Transportation Department Plan Check Division for continuous maintenance within public road rights-of-way, in accordance with Ordinance 461, Comprehensive Landscaping Guidelines & Standards, and Ordinance 859. Said annexation should include the following:

- (1) Landscaping along Hopkins Street and De Forest Circle.
- (2) Traffic signals per 90.TRANS.14 condition.
- (3) Street sweeping.

90.TRANS. 18 USE - LANDSCAPING COMM/IND

RECOMMND

Landscaping within public road right-of-way shall comply with Transportation Department standards and Ordinance 461 and shall require approval by the Transportation Department. Landscaping shall be improved within Hopkins Street and De Forest Circle.

Assurance of continuous maintenance is required by processing and filing a 'Landscape Maintenance Agreement' through the Transportation Department Plan Check Division; or if desired the developer may file an application for annexation into Landscaping and Lighting Maintenance District No. 89-1-Consolidated by contacting the Transportation Department at (951) 955-6767.

90.TRANS. 19 USE - SIGN & STRIIPING

RECOMMND

A signing and striping plan is required for this project. The project proponent shall be responsible for any additional paving and/or striping removal caused by the striping plan. Traffic signing and striping shall be performed by County forces with all incurred costs borne by the applicant, unless otherwise approved by the County Traffic Engineer.

P PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

EVERY DEPARTMENT

10. EVERY. 1 USE - PROJECT DESCRIPTION

RECOMMND

The use hereby permitted is to develop twelve (12) industrial buildings with a total building area of 97,010 square feet with 83,810 square feet of storage space, 13,200 square feet of office space, 42,948 square feet of landscaping area (15%) and 243 parking spaces on a 6.83 gross (6.42 net) acre site with a floor area ratio of 0.33 (Light Industrial requires a 0.25-0.60 floor area ratio).

The project site is located in the Community of Glen Avon of the Jurupa Area Plan in Western Riverside County; more specifically, northerly of State Highway 60, southerly of Philadelphia Avenue, easterly of Etiwanda Avenue and westerly of Grapevine Street.

10. EVERY. 2 USE - HOLD HARMLESS

RECOMMND

The applicant/permittee or any successor-in-interest shall defend, indemnify, and hold harmless the County of Riverside or its agents, officers, and employees (COUNTY) from the following:

(a) any claim, action, or proceeding against the COUNTY to attack, set aside, void, or annul an approval of the COUNTY, its advisory agencies, appeal boards, or legislative body concerning the PLOT PLAN; and,

(b) any claim, action or proceeding against the COUNTY to attack, set aside, void or annul any other decision made by the COUNTY concerning the PLOT PLAN, including, but not limited to, decisions made in response to California Public Records Act requests.

The COUNTY shall promptly notify the applicant/permittee of any such claim, action, or proceeding and shall cooperate fully in the defense. If the COUNTY fails to promptly notify the applicant/permittee of any such claim, action, or proceeding or fails to cooperate fully in the defense, the applicant/permittee shall not, thereafter, be responsible to defend, indemnify or hold harmless the COUNTY.

The obligations imposed by this condition include, but are not limited to, the following: the applicant/permittee shall pay all legal services expenses the COUNTY incurs in

04/21/11  
14:31

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 2

PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10. EVERY. 2 USE - HOLD HARMLESS (cont.) RECOMMND

connection with any such claim, action or proceeding, whether it incurs such expenses directly, whether it is ordered by a court to pay such expenses, or whether it incurs such expenses by providing legal services through its Office of County Counsel.

10. EVERY. 3 USE - DEFINITIONS RECOMMND

The words identified in the following list that appear in all capitals in the attached conditions of Plot Plan No. 18876 shall be henceforth defined as follows:

APPROVED EXHIBIT A = Site Plan for Plot Plan No. 18876 Amended No. 4, dated July 12, 2010.

APPROVED EXHIBITS B & C = Project Elevations and Floor Plans (Sheets 1-6) for Plot Plan No. 18876 Amended No. 4, dated July 12, 2010.

APPROVED EXHIBIT G = Conceptual Grading Plan for Plot Plan No. 18876 Amended No. 4, dated July 12, 2010.

APPROVED EXHIBIT L = Preliminary Landscaping Plans for Plot Plan No. 18876 Amended No. 4, dated July 12, 2010.

APPROVED EXHIBIT M = Project Colors and Materials (Sheets 1-2) for Plot Plan No. 18876 Amended No. 4, dated July 12, 2010.

APPROVED EXHIBIT P = Photometric Plan for Plot Plan No. 18876 Amended No. 4, dated July 12, 2010.

APPROVED EXHIBIT S = Sign Program (Sheets 1-5) for Plot Plan No. 18876 Amended No. 4, dated July 12, 2010.

APPROVED EXHIBIT W = Wall Plan for Plot Plan No. 18876 Amended No. 4, dated July 12, 2010.

10. EVERY. 4 USE - 90 DAYS TO PROTEST RECOMMND

The project developer has 90 days from the date of approval of these conditions to protest, in accordance with the procedures set forth in Government Code Section 66020, the imposition of any and all fees, dedications, reservations and/or other exactions imposed on this project as a result of this approval or conditional approval of this project.

PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

BS GRADE DEPARTMENT

10.BS GRADE. 1 USE - GENERAL INTRODUCTION RECOMMND

Improvements such as grading, filling, over excavation and recompaction, and base or paving which require a grading permit are subject to the included Building and Safety Department Grading Division conditions of approval.

10.BS GRADE. 3 USE - OBEY ALL GDG REGS RECOMMND

All grading shall conform to the California Building Code, Ordinance 457, and all other relevant laws, rules, and regulations governing grading in Riverside County and prior to commencing any grading which includes 50 or more cubic yards, the applicant shall obtain a grading permit from the Building and Safety Department.

10.BS GRADE. 4 USE - DISTURBS NEED G/PMT RECOMMND

Ordinance 457 requires a grading permit prior to clearing, grubbing, or any top soil disturbances related to construction grading.

10.BS GRADE. 5 USE - DUST CONTROL RECOMMND

All necessary measures to control dust shall be implemented by the developer during grading. A PM10 plan may be required at the time a grading permit is issued.

10.BS GRADE. 6 USE-G2.3SLOPE EROS CL PLAN RECOMMND

Erosion control - landscape plans, required for manufactured slopes greater than 3 feet in vertical height, are to be signed by a registered landscape architect and bonded per the requirements of Ordinance 457 (refer to dept. form 284-47).

10.BS GRADE. 7 USE - 2:1 MAX SLOPE RATIO RECOMMND

Graded slopes shall be limited to a maximum steepness ratio of 2:1 (horizontal to vertical) unless otherwise approved.

10.BS GRADE. 10 USE - MINIMUM DRNAGE GRADE RECOMMND

Minimum drainage grade shall be 1% except on portland cement concrete where .35% shall be the minimum.

PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10.BS GRADE. 12 USE - SLOPE SETBACKS RECOMMND

Observe slope setbacks from buildings & property lines per the California Building Code as amended by Ordinance 457.

10.BS GRADE. 19 USE-G4.3PAVING INSPECTIONS RECOMMND

The developer/applicant shall be responsible for obtaining the paving inspections required by Ordinance 457.

FIRE DEPARTMENT

10.FIRE. 1 USE-#01A - SHELL/FPE/COMM. RECOMMND

THESE CONDITIONS ARE FOR A SHELL BUILDING ONLY. Shell building will receive a shell final only. No Certificate of Occupancy (human occupant and/or materials) will be issued until the building occupant has been identified with their occupancy classification and have been conditioned by Riverside County Fire Department. Occupant or tenant identification is imperative for orderly and prompt processing. Upon identification of the occupant or tenant a Fire Protection Analysis report maybe required prior to establishing the requirements for the occupancy permit. Failure to provide a comprehensive data analysis and/or technical information acceptable to the fire department may result in project delays. A complete commodity listing disclosing type, quantity, level of hazard and potential for "Reactivity" must be provided within \_\_\_ days. The foregoing is necessary to properly occupancy classify the building(s). Failure to provide comprehensive data and/or highly technical information, will result in project delay and requirement for a complete Fire Protection Study for review.

10.FIRE. 2 USE-#50-BLUE DOT REFLECTOR RECOMMND

Blue retroreflective pavement markers shall be mounted on private street, public streets and driveways to indicate location of fire hydrants. Prior to installation, placement of markers must be approved by the Riverside County Fire Department.

10.FIRE. 3 USE-#23-MIN REQ FIRE FLOW RECOMMND

Minimum required fire flow shall be 1750 GPM for a 2 hour duration at 20 PSI residual operating pressure, which must

PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10.FIRE. 3 USE-#23-MIN REQ FIRE FLOW (cont.) RECOMMND

be available before any combustible material is placed on the job site. Fire flow is based on type IIIN construction per the 2001 CBC and Building(s) having a fire sprinkler system.

10.FIRE. 5 USE-#84-TANK PERMITS RECOMMND

Applicant or Developer shall be responsible for obtaining under/aboveground fuel, chemical and mixed liquid storage tank permits, from the Riverside County Fire Department and Environmental Health Departments. Plans must be submitted for approval prior to installation. Aboveground fuel/mixed liquid tanks(s) shall meet the following standard: Tank must be tested and labeled to UL2085 Protected Tank Standard or SwRI 93-01. The test must include the Projectile Penetration Test and the Heavy Vehicle Impact Test. A sample copy of the tank's label from an independent test laboratory must be included with your plans.

10.FIRE. 6 USE-#89-RAPID HAZMAT BOX RECOMMND

Rapid entry Hazardous Material data and key storage cabinet shall be installed on the outside of the building. Plans shall be submitted to the Riverside County Fire Department for approval prior to installation.

10.FIRE. 7 USE-#25-GATE ENTRANCES RECOMMND

ny gate providing access from a road to a driveway shall be located at least 35 feet from the roadway and shall open to allow a vehicle to stop without obstructing traffic on the road. Where a one-way road with a single traffic lane provides access to a gate entrance, a 38 foot turning radius shall be used.

10.FIRE. 8 USE-#88A-AUTO/MAN GATES RECOMMND

Gate(s) shall be automatic or manual operated, minimum 24 feet in width, with a setback of 35 feet from face of curb/flow line. Gate access shall be equipped with a rapid entry system. Plans shall be submitted to the Fire Department for approval prior to installation. Automatic/manual gate pins shall be rated with shear pin force, not to exceed 30 foot pounds. Automatic gates shall be equipped with emergency backup power. Gates activated

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10.FIRE. 8 USE-#88A-AUTO/MAN GATES (cont.) RECOMMND

by the rapid entry system shall remain open until closed by the rapid entry system. (current plan check deposit base fee is \$126.00)

10.FIRE. 9 USE-#31-ON/OFF NOT LOOPED HYD RECOMMND

A combination of on-site and off-site super fire hydrant(s) (6"x4"x 2-2-1/2"), will be located not less than 25 feet or more than 165 feet from any portion of the building as measured along approved vehicular travel ways. The required fire flow shall be available from any adjacent hydrants(s) in the system.

FLOOD RI DEPARTMENT

10.FLOOD RI. 1 USE FLOOD HAZARD REPORT RECOMMND

Plot Plan 18876 is a proposal to construct a speculative warehouse building on 6.41-acre parcel in the Mira Loma area. The project site is located on the east side of Etiwanda Avenue, just north of the 60 FWY. This project is being concurrently processed with PP 18875, PP 18877 and PP 18879.

The site is Parcel 37 of underlying Parcel Map 26365 for the Mira Loma Commerce Center. The site has been mass graded and the street improvements have been completed under the parcel map. The underlying parcel map also constructed a storm drain (Line A) within De Forest Circle right of way. The storm drain outlets to the District's San Sevaine Channel. The hydrology for the underlying parcel map shows this site to drain to Line A. An exhibit received by the District August 14, 2007 shows the site graded to the south west corner where a catch basin on Etiwanda Avenue and existing Line D on a south side picks up the onsite flows as well as surface flows from the street and outlets to Line "A" on De Forest Circle. Existing Line D parallels the south property line to a junction with the De Forest Circle storm drain. Line D was only designed to convey runoff emanating from the roadway surface for Etiwanda Avenue and Philadelphia Avenue; it is unlikely to have capacity for flows from this site. The developer shall either prove that Line "D" has capacity to accept the onsite flows or propose an alternate storm drain to convey the onsite flows to Line "A".

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10.FLOOD RI. 1 USE FLOOD HAZARD REPORT (cont.) RECOMMND

The District has reviewed the preliminary WQMP dated December 2006, the developer is proposing filters to mitigate for water quality that is acceptable to the District.

10.FLOOD RI. 2 USE DRAIN ONSITE TO LINE A RECOMMND

All onsite flows from the project area shall be collected and conveyed to Line A in De Forest Circle.

10.FLOOD RI. 4 USE WQMP ESTABL MAINT ENTITY RECOMMND

This project proposes BMP facilities that will require maintenance by public agency or commercial property owner association. To ensure that the public is not unduly burdened with future costs, prior to final approval or recordation of this case, the District will require an acceptable financial mechanism be implemented to provide for maintenance of treatment control BMPs in perpetuity. This may consist of a mechanism to assess individual benefiting property owners, or other means approved by the District. The site's treatment control BMPs must be shown on the project's improvement plans - either the street plans, grading plans, or landscaping plans. The type of improvement plans that will show the BMPs will depend on the selected maintenance entity.

10.FLOOD RI. 5 XXU SUBMIT FINAL WQMP >PRELIM RECOMMND

In compliance with Santa Ana Region and San Diego Region Regional Water Quality Control Board Orders, and Beginning January 1, 2005, projects submitted within the western region of the unincorporated area of Riverside County for discretionary approval will be required to comply with the Water Quality Management Plan for Urban Runoff (WQMP). The WQMP addresses post-development water quality impacts from new development and redevelopment projects. The WQMP requirements will vary depending on the project's geographic location (Santa Ana, Santa Margarita or Whitewater River watersheds). The WQMP provides detailed guidelines and templates to assist the developer in completing the necessary studies. These documents are available on-line at: [www.floodcontrol.co.riverside.ca.us](http://www.floodcontrol.co.riverside.ca.us) under Programs and Services, Stormwater Quality.

To comply with the WQMP a developer must submit a "Project

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10.FLOOD RI. 5

XXU SUBMIT FINAL WQMP >PRELIM (cont.)

RECOMMND

Specific" WQMP. This report is intended to a) identify potential post-project pollutants and hydrologic impacts associated with the development; b) identify proposed mitigation measures (BMPs) for identified impacts including site design, source control and treatment control post-development BMPs; and c) identify sustainable funding and maintenance mechanisms for the aforementioned BMPs. A template for this report is included as 'exhibit A' in the WQMP. A final Project Specific WQMP must be approved by the District prior to issuance of building or grading permits.

Projects requiring Project Specific WQMPs are required to submit a PRELIMINARY Project Specific WQMP along with the land-use application package. The format of the PRELIMINARY report shall mimic the format/template of the final report but can be less detailed. For example, points a, b & c above must be covered, rough calculations supporting sizing must be included, and footprint/locations for the BMPs must be identified on the tentative exhibit. Detailed drawings will not be required. This preliminary project specific WQMP must be approved by the District prior to issuance of recommended conditions of approval.

The developer has submitted a report that minimally meets the criteria for a preliminary project specific WQMP. The report will need significant revisions to meet the requirements of a final project specific WQMP. Also, it should be noted that if 401 certification is necessary for the project, the Water Quality Control Board may require additional water quality measures.

PLANNING DEPARTMENT

10.PLANNING. 1

USE - COMPLY WITH ORD./CODES

RECOMMND

The development of these premises shall comply with the standards of Ordinance No. 348 and all other applicable Riverside County ordinances and State and Federal codes.

The development of the premises shall conform substantially with that as shown on APPROVED EXHIBIT A, unless otherwise amended by these conditions of approval.

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10.PLANNING. 2 USE - FEES FOR REVIEW RECOMMND

Any subsequent submittals required by these conditions of approval, including but not limited to grading plan, building plan or mitigation monitoring review, shall be reviewed on an hourly basis (research fee), or other such review fee as may be in effect at the time of submittal, as required by Ordinance No. 671. Each submittal shall be accompanied with a letter clearly indicating which condition or conditions the submittal is intended to comply with.

10.PLANNING. 3 USE - LIGHTING HOODED/DIRECTED RECOMMND

Any outside lighting shall be fully hooded and directed so as not to shine directly upon adjoining property or public rights-of-way. The project shall use energy efficient outdoor lighting.

10.PLANNING. 4 USE - COLORS & MATERIALS RECOMMND

Building colors and materials shall be in substantial conformance with those shown on APPROVED EXHIBIT M.

10.PLANNING. 7 USE - BASIS FOR PARKING RECOMMND

Parking for this project was determined primarily on the basis of County Ordinance No. 348, Section 18.12. a.(2).b), Industrial uses: If number of workers cannot be determined: 1 space per 250 square feet of office area, and PLUS 1 space per 1,000 square feet of storage area.

The project is proposing 13,200 square feet of office area and 83,810 square feet of storage area with a total building area of 97,010 square feet that requires 137 parking spaces. The project is providing a total of 243 parking spaces.

10.PLANNING. 8 USE - LIMIT ON SIGNAGE RECOMMND

Signage for this project shall be limited to the sign program shown on APPROVED EXHIBIT S. Any additional signage shall be approved by the Planning Department pursuant to the requirements of Section 18.30 (Planning Department review only) of Ordinance No. 348.

PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10. PLANNING. 9 USE - NO OUTDOOR ADVERTISING RECOMMND

No outdoor advertising display, sign or billboard (not including on-site advertising or directional signs) shall be constructed or maintained within the property subject to this approval.

10. PLANNING. 17 USE - RECLAIMED WATER RECOMMND

The permit holder shall connect to a reclaimed water supply for landscape watering purposes when secondary or reclaimed water is made available to the site.

10. PLANNING. 19 USE - NO RESIDENT OCCUPANCY RECOMMND

No permanent occupancy shall be permitted within the property approved under this plot plan as a principal place of residence. No person shall use the premises as a permanent mailing address nor be entitled to vote using an address within the premises as a place of residence.

10. PLANNING. 20 USE - MAINTAIN LICENSING RECOMMND

At all times during the conduct of the permitted use the permittee shall maintain and keep in effect valid licensing approval from the South Coast Air Quality Management District (SCAQMD), or equivalent agency as provided by law. Should such licensing be denied, expire or lapse at any time in the future, this permit shall become null and void.

10. PLANNING. 21 USE - EXTERIOR NOISE LEVELS RECOMMND

The following conditions shall be applied to the project based on the information provided by the acoustical consultant:

1. Facility-related noise, as projected to any portion of any surrounding property containing a "sensitive receiver, habitable dwelling, hospital, school, library or nursing home", must not exceed the following worst-case noise levels 45 dB(A) - 10 minute noise equivalent level ("leq"), between the hours of 10:00 p.m. to 7:00 a.m. (nighttime standard) and 65 dB (A) - 10 minute leq, between 7:00 a.m. and 10:00 p. m. (daytime standard).

2. Whenever a construction site is within one-quarter (1/4) of a mile of an occupied residence or residences, no construction activities shall be undertaken between the

PLOT PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10. PLANNING. 21

USE - EXTERIOR NOISE LEVELS (cont.)

RECOMMEND

hours of 6:00 p.m. and 6:00 a.m. during the months of June through September and between the hours of 6:00 p.m. and 7:00 a.m. during the months of October through May. Exceptions to these standards shall be allowed only with the written consent of the building official.

Each Plot Plan is to provide a noise report that provides daily and hourly number of trucks, operating hours, dBA 10 minute Leq levels with worse case scenarios, noise readings from similar operations and distances to the nearest sensitive receivers for the below recommendations to apply or be modified.

3. The proposed 6-foot high separation wall between project parcels adjacent to existing residential uses should be raised to 8 feet if daytime trucking activity occurs within 200 feet of the property line.

4. A 12-foot high perimeter barrier shall be required if nocturnal (10 p.m. to 7 a.m.) loading dock material handling activities are conducted within 300 feet of any residence. If nocturnal trucking activities are conducted simultaneously of the warehouse/loading dock, the 12-foot-high barrier shall be required if such combined activities occur within 600 feet of an existing home.

5. No nocturnal loading / unloading shall occur within 100 feet of any residence for Plot Plans 18876 and 18877. No combined trucking movements and unloading /loading shall occur within 200 feet of any residence from 10 p.m. to 7 a.m.

6. Our Department must receive, review and approve an acoustical report addressing the noise that might be produced from each specific tenant / plot plan. The Office of Industrial Hygiene will determine which businesses will be required to have an acoustical report.

7. The applicant shall pay review fees (prior to pulling your building permits) to the Department of Public Health for all time spent in review of this project. Fees will be assessed at the Department's hourly rate for Industrial Hygienists.

PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10. PLANNING. 22 USE - NOISE MONITORING REPORTS RECOMMND

The permit holder may be required to submit periodic noise monitoring reports as determined by the Department of Building and Safety as part of a code enforcement action. Upon written notice from the Department of Building and Safety requiring such a report, the permittee or the permittee's successor-in-interest shall prepare and submit an approved report within thirty (30) calendar days to the Department of Building and Safety, unless more time is allowed through written agreement by the Department of Building and Safety. The noise monitoring report shall be approved by the Office of Industrial Hygiene of the Health Service Agency (the permittee or the permittee's successor-in-interest shall be required to place on deposit sufficient funds to cover the costs of this approval prior to commencing the required report).

10. PLANNING. 25 USE - CAUSES FOR REVOCATION RECOMMND

In the event the use hereby permitted under this permit,  
a) is found to be in violation of the terms and conditions of this permit,  
b) is found to have been obtained by fraud or perjured testimony, or  
c) is found to be detrimental to the public health, safety or general welfare, or is a public nuisance, this permit shall be subject to the revocation procedures.

10. PLANNING. 26 USE - CEASED OPERATIONS RECOMMND

In the event the use hereby permitted ceases operation for a period of one (1) year or more, this approval shall become null and void.

10. PLANNING. 28 USE - IND OCCUPANT CHANGE RECOMMND

Prior to initial occupancy, upon tenant/occupant change, or upon change in industrial use, the permit holder shall provide a letter from the Planning Department to Building & Safety verifying no need for further environmental, hazardous materials or air quality review as a result of the change.

10. PLANNING. 32 USE - ELECTRICAL HOOK-UPS RECOMMND

Tenant(s) receiving shipping container refrigerated units shall provide electrical hook-ups at all dock door

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10.PLANNING. 32 USE - ELECTRICAL HOOK-UPS (cont.) RECOMMND

positions as a part of the tenant improvement project for the building. The use of truck engines or auxiliary generators to power refrigerated shipping container units for more than 5 minutes is not allowed.

10.PLANNING. 33 USE - ORD 810 O S FEE (1) RECOMMND

In accordance with Riverside County Ordinance No. 810, to assist in providing revenue to acquire and preserve open space and habitat, an Interim Open Space Mitigation Fee shall be paid for each development project or portion of an expanded development project to be constructed in Western Riverside County. The amount of the fee for commercial or industrial development shall be calculated on the basis of "Project Area," which shall mean the net area, measured in acres, from the adjacent road right-of-way to the limits of the project development.

Any area identified as "NO USE PROPOSED" on the APPROVED EXHIBIT shall not be included in the Project Area.

10.PLANNING. 34 USE - 2ND DIST LS GUIDELINES RECOMMND

The permit holder shall comply with the intent of the "DESIGN AND LANDSCAPE GUIDELINES FOR DEVELOPMENT IN THE SECOND SUPERVISORIAL DISTRICT (Revised)", approved by the Board of Supervisors, September 15, 1998, and revised October 23, 1998 to APPROVED EXHIBITS B, L, and M.

Note: In the event of a conflict between the Design Guidelines and Approved Landscape Plans, the Approved Plans shall take precedence.

10.PLANNING. 35 USE - BUSINESS LICENSING RECOMMND

Every person conducting a business within the unincorporated area of Riverside County, as defined in Riverside County Ordinance No. 857, shall obtain a business license. For more information regarding business registration, contact the Business Registration and License Program Office of the Building and Safety Department at [www.rctlma.org.buslic](http://www.rctlma.org.buslic).

PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10. PLANNING. 36

USE - WASTE MGMT CLEARANCE

RECOMMND

A clearance letter from Riverside County Waste Management District shall be provided to the Riverside County Planning Department verifying compliance with the conditions contained in their letter dated June 12, 2007, summarized as follows:

The Riverside County Waste Management Department (Department) has reviewed the proposed project. In order to mitigate the project's potential solid waste impacts and to help the County's efforts to comply with State law in diverting solid waste from landfill disposal, the Department is recommending that the following conditions be made a part of any Conditions of Approval for the project:

1. Prior to issuance of a building permit for EACH building, the applicant shall submit three (3) copies of a Recyclables Collection and Loading Area plot plan to the Riverside County Waste Management Department for review and approval. The plot plan shall conform to Design Guidelines for Recyclables Collection and Loading Areas, provided by the Waste Management Department, and shall show the location of and access to the collection area for recyclable materials, along with its dimensions and construction detail, including elevation/facade, construction materials and signage. The plot plan shall clearly indicate how the trash and recycling enclosures shall be accessed by the hauler.

2. Prior to final building inspection for EACH building, the applicant shall construct the recyclables collection and loading area in compliance with the Recyclables Collection and Loading Area plot plan, as approved and stamped by the Riverside County Waste Management Department and as verified by the Riverside County Building and Safety Department through site inspection.

3. Prior to issuance of a building permit, a Waste Recycling Plan (WRP) shall be submitted to the Waste Management Department for approval. At a minimum, the WRP must identify the materials (i.e., concrete, asphalt, wood, etc.) that will be generated by construction and development, the projected amounts, the measures/methods that will be taken to recycle, reuse, and/or reduce the amount of materials, the facilities and/or haulers that will be utilized, and the targeted recycling or reduction rate. Materials can be taken directly to recycling

PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10. PLANNING. 36 USE - WASTE MGMT CLEARANCE (cont.)

RECOMMND

facilities (Riverside County Waste Management Department, Recycling Section, can be contacted directly at 951.486.3200 for a list of facilities), or arrangements can be made through the franchise hauler and/or a construction clean-up business.

4. Prior to issuance of an occupancy permit, evidence (i.e., receipts or other type verification) to demonstrate project compliance with the approved WRP shall be presented by the project proponent to the Planning/Recycling Division of the Riverside County Waste Management Department in order to clear the project for occupancy permits.

5. Since hazardous materials are not accepted at Riverside County landfills, the project proponent shall take any hazardous wastes, including paint used during construction, to facilities that are permitted to receive them, in accordance with local, state, and federal regulations. For further information, please contact the Household Hazardous Waste Collection Program at 1-800-304-2226.

6. Use mulch and/or compost in the development and maintenance of landscaped areas within the project boundaries. Recycle green waste through either onsite composting of grass, i.e., leaving the grass clippings on the lawn, or sending separated green waste to a composting facility.

7. Consider xeriscaping and using drought tolerant/low maintenance vegetation in all landscaped areas of the project.

Any questions, please contact Ryan Ross, Planner from the Riverside County Waste Management Department Phone (951) 486-3351

10. PLANNING. 37 USE - ARB SIGN FOR IDLING

RECOMMND

Signs stating that "The driver of a diesel-fueled motor vehicle with a gross vehicle weight rating (GVWR) greater than 10,000 pounds is prohibited from idling the vehicle's primary engine for more than five (5) minutes at any location and may not operate a diesel fueled auxiliary power system (APS) for more than 5 minutes at any location within 100 feet of a restricted area (residences). The minimum penalty for an idling violation is \$300.00. To

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10.PLANNING. 37 USE - ARB SIGN FOR IDLING (cont.) RECOMMND

report a violation please contact 1800-END-SMOG" Signs shall be placed at every other loading dock and not be less than twenty four inches square.

10.PLANNING. 38 USE - LAND DIVISION REQUIRED RECOMMND

Prior to the sale of any individual structure as shown on APPROVED EXHIBIT A, a land division shall be recorded in accordance with verside County Ordinance No. 460, and any other pertinent ordinance.

10.PLANNING. 52 USE - GEO01827 RECOMMND

County Geologic Report (GEO) No. 1827, submitted for this project (PP18876, PM35536), was prepared by Norcal Engineering and is entitled: "Geotechnical Engineering Investigation, Proposed Industrial Development, Northeast Corner of Etiwanda Avenue and Iberia Street, Mira Loma, California", dated March 30, 2007. In addition, Norcal Engineering prepared the following responses:

1."Geotechnical Evaluation of Potential Faulting, Proposed Industrial Development, Three Nearby Sites, Mira Loma, California, 3. Northeast Corner of Etiwanda Avenue and Iberia Street, Riverside County Case #PP18876", prepared by Andrew Stone, Engineering Geology and dated July 6, 2007.

2."Response to County Geologic Report Review Sheet - Proposed Industrial Development - Located at the Northeast Corner of Etiwanda Avenue and Iberia Street, Mira Loma, in the County of Riverside, California" dated August 15, 2007.

3."Response to County Geotechnical Report Review Sheet - Proposed Industrial Development - Located at the Northwest Corner of Etiwanda Avenue and Iberia Street, Mira Loma, in the County of Riverside, California" dated August 15, 2007.

These additional reports are now included as part of GEO No. 1827.

GEO No 1827 concluded:

1.Research that indicates groundwater at the site is greater than 100 feet below the existing ground surface and the potential for groundwater rise is considered very low.

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10.PLANNING. 52 USE - GEO01827 (cont.)

RECOMMND

This, combined with the relative high density of the subsurface soils below the loose surficial soils which will be reworked, indicates a low potential for this site to be affected by seismically induced liquefaction.

2.Based on aerial photography review, literature research and site mapping, no active faults are known or were found to traverse or trend toward the site, thus the potential for damage due to surface fault rupture is considered to be very low.

3.The potential for this site to be affected by secondary seismic hazards such as seismically induced settlement, flooding, seiche/tsunami and seismically induced landsliding or slope failure is also considered to be low. There is a high potential for this site to be affected by strong seismic shaking during the lifetime of the proposed development.

GEO No 1827 recommended:

1.All vegetation, trash piles, pavements and other debris should be removed from the proposed grading areas. All strippings and debris should be removed from the site in order to preclude their incorporation in the proposed fills.

2.The existing site soils beneath the proposed building area should be removed to a minimum depth of 24 inches below the bottom of the proposed footings. These removals should extend at least five feet laterally beyond the footing lines. Subsequent to acceptance of the over-excavation bottoms, the exposed surface should be scarified to a depth of 12 inches, brought to near optimum moisture content and compacted to at least 90% of the maximum dry density as determined by ASTM D-1557 prior to placing any fill.

3.The excavated soils may be used as compacted fill provided they are cleaned of debris, vegetation and any other deleterious materials. The fill soils should be moisture conditioned to near optimum moisture content, spread in thin lifts and uniformly compacted to at least 90% of the maximum dry density as determined by ASTM D-1557. Compaction and moisture content should be verified by field density testing.

PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10. PLANNING. 52

USE - GEO01827 (cont.) (cont.)

RECOMMND

4. Although this site appears to have a low potential to be affected by surface fault rupture, the site is located within a seismically active area of Southern California and should be expected to experience strong seismic shaking during the lifetime of the proposed improvements. All structures should be designed according to the latest provisions of the most recent edition of the Uniform Building Code for a site located in UBC Seismic Zone 4, located 17 km from a UBC Type A seismic source and overlying a UBC Type Sd soil. The site should be expected to experience a peak horizontal ground acceleration of about 0.40 g with a 10% probability of exceedence in 50 years from an earthquake on the Cucamonga fault zone located approximately 10 miles away..

GEO No. 1827 satisfies the requirement for a Geologic/Seismic Study for Planning /CEQA purposes. GEO No. 1827 is hereby accepted for Planning purposes. This approval is not intended, and should not be misconstrued as approval for grading permit. Engineering and other building code parameters will be reviewed and additional comments and/or conditions may be imposed by the Building and Safety Department upon application for grading and/or building permits.

10. PLANNING. 53

GEN - IF HUMAN REMAINS FOUND

RECOMMND

The developer/permit holder or any successor in interest shall comply with the following codes for the life of this project:

If human remains are encountered, State Health and Safety Code Section 7050.5 states that no further disturbance shall occur until the County Coroner has made the necessary findings as to origin. Further, pursuant to Public Resources Code Section 5097.98 (b), remains shall be left in place and free from disturbance until a final decision as to the treatment and their disposition has been made. If the Riverside County Coroner determines the remains to be Native American, the Native American Heritage Commission shall be contacted within the period specified by law. Subsequently, the Native American Heritage Commission shall identify the "Most Likely Descendant." The Most Likely Descendant shall then make recommendations and engage in consultation with the County and the property owner

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10.PLANNING. 53

GEN - IF HUMAN REMAINS FOUND (cont.)

RECOMMND

concerning the treatment of the remains as provided in Public Resources Code Section 5097.98. Human remains from other ethnic/cultural groups with recognized historical associations to the project area shall also be subject to consultation between appropriate representatives from that group and the County Planning /Director.

10.PLANNING. 54

GEN - INADVERTANT ARCHAEO FIND

RECOMMND

The developer/permit holder or any successor in interest shall comply with the following for the life of this project:

If during ground disturbance activities, cultural resources are discovered that were not assessed by the archaeological reports and/or environmental assessment conducted prior to project approval, the following procedures shall be followed. A cultural resources site is defined, for this condition, as being three or more artifacts in close association with each other, but may include fewer artifacts if the area of the find is determined to be of significance due to its sacred or cultural importance.

1.All ground disturbance activities within 100 feet of the discovered cultural resource shall be halted until a meeting is convened between the developer, the project archaeologist, the Native American tribal representative (or other appropriate ethnic/cultural group representative), and the Planning Director to discuss the significance of the find.

2.At the meeting, the significance of the discoveries shall be discussed and after consultation with the Native American tribal (or other appropriate ethnic/cultural group representative) and the archaeologist, a decision is made, with the concurrence of the Planning Director, as to the appropriate mitigation (documentation, recovery, avoidance, etc) for the cultural resource.

3.Further ground disturbance shall not resume within the area of the discovery until an agreement has been reached by all parties as to the appropriate preservation or mitigation measures.

P PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10.PLANNING. 55 USE - LC LANDSCAPE REQUIREMENT RECOMMND

The developer/ permit holder shall:

- 1)Ensure all landscape and irrigation plans are in conformance with the APPROVED EXHIBITS;
- 2)Ensure all landscaping is provided with California Friendly landscaping and a weather based irrigation controller(s) as defined by County Ordinance No. 859;
- 3)Ensure that irrigation plans which may use reclaimed water conform with the requirements of the local water purveyor; and,
- 4)Be responsible for maintenance, viability and upkeep of all slopes, landscaped areas, and irrigation systems until the successful completion of the twelve (12) month inspection or those operations become the responsibility of the individual property owner(s), a property owner's association, or any other successor-in-interest, whichever occurs later.

To ensure ongoing maintenance, the developer/ permit holder or any successor in interest shall:

- 1)Connect to a reclaimed water supply for landscape irrigation purposes when reclaimed water is made available.
- 2)Ensure that landscaping, irrigation and maintenance systems comply with the Riverside County Guide to California Friendly Landscaping, and Ordinance No. 859.
- 3)Ensure that all landscaping is healthy, free of weeds, disease and pests.

10.PLANNING. 56 USE - SHERIFF CLEARANCE RECOMMND

A clearance letter from Riverside County Sheriff shall be provided to the Riverside County Planning Department verifying compliance with the conditions contained in their letter dated June 13, 2007.

10.PLANNING. 57 USE - OFF-SITE CIRCULATION RECOMMND

There shall be no trucks serving the project site from unnecessarily traversing through residential neighborhoods.

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10.PLANNING. 58 USE - NO OFF-SITE REPAIR RECOMMND

There shall be no trucks serving the project site from using residential areas and repairing vehicles on any streets.

10.PLANNING. 59 USE - ON-SITE TRUCK IDLING RECOMMND

The developer/owner of the project shall reduce all truck idling time (including off-road equipment used during construction or operation) to a maximum of three (3) minutes within the site.

10.PLANNING. 60 USE - EDUCATION PROGRAM RECOMMND

The developer/owner shall include in the tenant lease an education program to inform truck drivers of the health effects of diesel particulate and importance of reducing their idling time. A copy of the tenant lease shall be provided to the County prior to issuance of a business license and occupancy of the lease space.

10.PLANNING. 61 USE - STREET SWEEPERS RECOMMND

Street sweepers shall be contracted and used during Project construction on the Project site in accordance with SCAQMD Rule 1186.1 for Less-Polluting Sweepers.

10.PLANNING. 62 USE - SCAQMD FUNDING PROGRAMS RECOMMND

The developer shall require future tenants to apply in good faith for funding for the replacement or retrofit of trucks, and shall actually utilize any received funding for the implementation of the replacement or retrofit of trucks, through programs such as the Carl Moyer, Prop 1B, VIP, HVIP, and SOON funding programs, as identified on SCAQMD's website (<http://www.aqmd.gov>).

10.PLANNING. 63 USE - SIX INCHES OF FREEBOARD RECOMMND

All trucks hauling dirt, sand, soil, or other loose materials shall maintain at least six inches of freeboard space from the top of the container.

10.PLANNING. 64 USE - PREFERENTIAL PARKING RECOMMND

Preferential parking shall be provided for EV, hybrid, and CNG vehicles.

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10.PLANNING. 65 USE - LEED CERTIFIED BUILDING RECOMMND

The project shall comply with the requirements for a LEED Certified building, in accordance with the edition of the USGBC New Construction (NC) Reference Manual in effect at time of project registration. The building(s) and facilities shall be maintained in the condition that awarded LEED certification.

TRANS DEPARTMENT

10.TRANS. 2 USE - NO ADD'L ON-SITE R-O-W RECOMMND

No additional on-site right-of-way shall be required on Etiwanda Avenue and De Forest Circle since adequate right-of-way exists.

10.TRANS. 4 USE - NO ADD'L ROAD IMPRVMENTS RECOMMND

No additional road improvements will be required at this time along Etiwanda Avenue due to existing improvements.

10.TRANS. 6 USE - STD INTRO 3(ORD 460/461) RECOMMND

With respect to the conditions of approval for the referenced tentative exhibit, the landowner shall provide all street improvements, street improvement plans and/or road dedications set forth herein in accordance with Ordinance 460 and Riverside County Road Improvement Standards (Ordinance 461). It is understood that the exhibit correctly shows acceptable centerline elevations, all existing easements, traveled ways, and drainage courses with appropriate Q's, and that their omission or unacceptability may require the exhibit to be resubmitted for further consideration. These Ordinances and all conditions of approval are essential parts and a requirement occurring in ONE is as binding as though occurring in all. All questions regarding the true meaning of the conditions shall be referred to the Transportation Department.

10.TRANS. 8 USE - TS/EXEMPT RECOMMND

The Transportation Department has not required a traffic study for the subject project. The Transportation Department has determined that the project is exempt from traffic study requirements.

04/21/11  
14:31

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 23

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

10. GENERAL CONDITIONS

10.TRANS. 9 USE - COUNTY WEB SITE

RECOMMND

Additional information, standards, ordinances, policies, and design guidelines can be obtained from the Transportation Department Web site: <http://rctlma.org/trans/>. If you have questions, please call the Plan Check Section at (951) 955-6527.

20. PRIOR TO A CERTAIN DATE

PLANNING DEPARTMENT

20.PLANNING. 1 USE - EXPIRATION DATE-PP

RECOMMND

This approval shall be used within two (2) years of approval date; otherwise, it shall become null and void and of no effect whatsoever. By use is meant the beginning of substantial construction contemplated by this approval within a two (2) year period which is thereafter diligently pursued to completion or of the actual occupancy of existing buildings or land under the terms of the authorized use.

Prior to the expiration of the two year period, the permittee may request a one (1) year extension of time request in which to use this plot plan. A maximum of three one-year extension of time requests shall be permitted. Should the time period established by any of the extension of time requests lapse, or should all three one-year extensions be obtained and no substantial construction or use of this plot plan be initiated within five (5) years of the effective date of the issuance of this plot plan, this plot plan shall become null and void.

60. PRIOR TO GRADING PRMT ISSUANCE

BS GRADE DEPARTMENT

60.BS GRADE. 1 USE-G2.1 GRADING BONDS

RECOMMND

Grading in excess of 199 cubic yards will require performance security to be posted with the Building and Safety Department. Single Family Dwelling units graded one lot per permit and proposing to grade less than 5,000 cubic yards are exempt.

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

60. PRIOR TO GRADING PRMT ISSUANCE

60.BS GRADE. 2 USE-G2.3SLOPE EROS CL PLAN

RECOMMND

Erosion control - landscape plans, required for manufactured slopes greater than 3 feet in vertical height, are to be signed by a registered landscape architect and bonded per the requirements of Ordinance 457, see form 284-47.

60.BS GRADE. 3 USE-G2.4GEOTECH/SOILS RPTS

RECOMMND

Geotechnical soils reports, required in order to obtain a grading permit, shall be submitted to the Building and Safety Department's Grading Division for review and approval prior to issuance of a grading permit.

All grading shall be in conformance with the recommendations of the geotechnical/soils reports as approved by Riverside County.\*

\*The geotechnical/soils, compaction and inspection reports will be reviewed in accordance with the RIVERSIDE COUNTY GEOTECHNICAL GUIDELINES FOR REVIEW OF GEOTECHNICAL AND GEOLOGIC REPORTS.

60.BS GRADE. 4 USE-G2.7DRNAGE DESIGN Q100

RECOMMND

All grading and drainage shall be designed in accordance with Riverside County Flood Control & Water Conservation District's conditions of approval regarding this application. If not specifically addressed in their conditions, drainage shall be designed to accommodate 100 year storm flows.

Additionally, the Building and Safety Department's conditional approval of this application includes an expectation that the conceptual grading plan reviewed and approved for it complies or can comply with any WQMP (water Quality Management Plan) required by Riverside County Flood Control & Water Conservation District.

60.BS GRADE. 6 USE-G2.14OFFSITE GDG ONUS

RECOMMND

Prior to the issuance of a grading permit, it shall be the sole responsibility of the owner/applicant to obtain any and all proposed or required easements and/or permissions necessary to perform the grading herein proposed.

04/21/11  
14:31

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 25

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

60. PRIOR TO GRADING PRMT ISSUANCE

60.BS GRADE. 9

USE-G1.4 NPDES/SWPPP

RECOMMND

Prior to issuance of any grading or construction permits - whichever comes first - the applicant shall provide the Building and Safety Department evidence of compliance with the following: "Effective March 10, 2003 owner operators of grading or construction projects are required to comply with the N.P.D.E.S. (National Pollutant Discharge Elimination System) requirement to obtain a construction permit from the State Water Resource Control Board (SWRCB). The permit requirement applies to grading and construction sites of "ONE" acre or larger. The owner operator can comply by submitting a "Notice of Intent" (NOI), develop and implement a STORM WATER POLLUTION PREVENTION PLAN (SWPPP) and a monitoring program and reporting plan for the construction site. For additional information and to obtain a copy of the NPDES State Construction Permit contact the SWRCB at (916) 657-1146.

Additionally, at the time the county adopts, as part of any ordinance, regulations specific to the N.P.D.E.S., this project (or subdivision) shall comply with them.

60.BS GRADE. 10

USE IMPORT/EXPORT

RECOMMND

In instances where a grading plan involves import or export, prior to obtaining a grading permit, the applicant shall have obtained approval for the import/export location from the Building and Safety department. If an Environmental Assessment, prior to issuing a grading permit, did not previously approve either location, a Grading Environmental Assessment shall be submitted to the Planning Director and the Environmental Programs Director for review and comment and to the Building and Safety Department Director for approval. Additionally, if the movement of import/export occurs using county roads, review and approval of the haul routes by the Transportation Department will be required.

60.BS GRADE. 11

USE NPDES Supplement "A"

RECOMMND

In order to insure compliance with supplement "A" - New Development Guidelines for Santa Ana, Santa Margarita and Whitewater Drainage Management Plan, all Specific Land Use cases (plot plans, conditional use cases, & public use permits) shall provide, as part of their conceptual grading and drainage exhibit, for the control of impervious areas graded to drain to a BMP filtration system. Direct drainage

04/21/11  
14:31

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 26

P. PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

60. PRIOR TO GRADING PRMT ISSUANCE

60.BS GRADE. 11 USE NPDES Supplement "A" (cont.) RECOMMND

from impervious areas to the street or a storm drain facility shall be avoided.

EPD DEPARTMENT

60.EPD. 1 EPD - 30 DAY BURROWING OWL SUR RECOMMND

Pursuant to Objective 6 and Objective 7 of the Species Account for the Burrowing Owl included in the Western Riverside County Multiple Species Habitat Conservation Plan, within 30 days prior to the issuance of a grading permit, a pre-construction presence/absence survey for the burrowing owl shall be conducted by a qualified biologist and the results of this presence/absence survey shall be provided in writing to the Environmental Programs Department. If it is determined that the project site is occupied by the Burrowing Owl, take of "active" nests shall be avoided pursuant to the MSHCP and the Migratory Bird Treaty Act. However, when the Burrowing Owl is present, relocation outside of the nesting season (March 1 through August 31) by a qualified biologist shall be required. The County Biologist shall be consulted to determine appropriate type of relocation (active or passive) and translocation sites. Occupation of this species on the project site may result in the need to revise grading plans so that take of "active" nests is avoided or alternatively, a grading permit may be issued once the species has been actively relocated.

If the grading permit is not obtained within 30 days of the survey a new survey shall be required.

FLOOD RI DEPARTMENT

60.FLOOD RI. 1 USE-SUBMIT PLANS RECOMMND

A copy of the improvement plans, grading plans and any other necessary documentation along with supporting hydrologic and hydraulic calculations shall be submitted to the District for review. The plans shall receive District approval prior to issuance of grading permits. All submittals shall be date stamped by the engineer and include a completed Flood Control Deposit Based Fee Worksheet and the appropriate plan check fee deposit.

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

60. PRIOR TO GRADING PRMT ISSUANCE

60.FLOOD RI. 3 USE SUBMIT FINAL WQMP RECOMMND

A copy of the project specific WQMP shall be submitted to the District for review and approval.

60.FLOOD RI. 4 USE ENCROACHMENT PERMIT REQ RECOMMND

An encroachment permit shall be obtained for any work within the District right of way or with District facilities. The encroachment permit application shall be processed and approved concurrently with the improvement plans.

PLANNING DEPARTMENT

60.PLANNING. 2 USE - PLNTLOGST RETAINED (1) RECOMMND

Prior to issuance of grading permits, a qualified paleontologist shall be retained by the developer for consultation and comment on the proposed grading with respect to potential paleontological impacts. Should the paleontologist find the potential is high for impact to significant resources, a pre-grade meeting between the paleontologist and the excavation and grading contractor shall be arranged. When necessary, the paleontologist or representative shall have the authority to temporarily divert, redirect, or halt grading activity to allow recovery of fossils. The developer shall submit the name, telephone number and address of the retained paleontologist to the Planning Department.

The paleontologist shall submit in writing to the Planning Department the results of the initial consultation and the details of the fossil recovery plan if recovery was deemed necessary. The written results shall be submitted prior to issuance of grading permit.

60.PLANNING. 12 USE - FEE STATUS RECOMMND

Prior to the issuance of grading permits for Plot Plan No. 18876, the Planning Department shall determine the status of the deposit based fees. If the fees are in a negative status, the permit holder shall pay the outstanding balance.

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

60. PRIOR TO GRADING PRMT ISSUANCE

60.PLANNING. 21 USE - PARCEL MERGR REQD (1) RECOMMND

Prior to the issuance of a grading permit, a Certificate of Parcel Merger shall be reviewed and approved by the Planning Department. The Parcel Merger shall merge Assessor Parcel Nos. 156-360-020 and 156-360-021. The permit holder shall submit proof of recordation of the parcel merger to the Planning Department within 6 (six) months of Planning Department approval. The proposed parcel shall comply with the development standards of the Industrial Park (IP) zone.

60.PLANNING. 22 USE - GRADING PLAN REVIEW RECOMMND

The permit holder shall submit an application for a grading plan check to be submitted to the County T.L.M.A - Land Use Division for review by the County Planning Department. Said grading plan shall be in conformance with the APPROVED EXHIBITS of this plot plan, in compliance with County Ordinance No. 457, and the conditions of approval.

60.PLANNING. 23 USE - PLANNING DEPT REVIEW RECOMMND

As part of the plan check review of the proposed grading plan for the subject property, the Department of Building and Safety - Grading Division shall submit a copy of the proposed grading plan, along with the applicable Log/Permit Numbers for reference, to the county Planning Department to be reviewed for compliance with the approved site plan.

TRANS DEPARTMENT

60.TRANS. 1 USE-SBMT/APPVD GRADG PLAN/TRAN RECOMMND

When you submit a grading plan to the Department of Building and Safety, a copy of the grading plan shall be submitted and approved by the Transportation Department prior to a grading permit issuance.

Submit required grading plan to the Transportation Department, Plan Check Section, 8th Floor, 4080 Lemon Street, Riverside, CA.

60.TRANS. 2 USE - REVISE STREET IMP PLAN RECOMMND

Prior to the submittal of the required street improvement plan per condition of approval 90.TRANS.16, obtain the existing street improvement plan and profile No. 869-FF and show the revision of the plan.

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

60. PRIOR TO GRADING PRMT ISSUANCE

60.TRANS. 2 USE - REVISE STREET IMP PLAN (cont.) RECOMMND

Please process a plan revision through the Plan Check Section per Section I, Part "E", page 10 of the "Improvement Plan Check - Policies and Guidelines" manual available on the Internet at:  
[www.tlma.co.riverside.ca.us/trans/land\\_dev\\_plan\\_check\\_guidelines.html](http://www.tlma.co.riverside.ca.us/trans/land_dev_plan_check_guidelines.html)  
If you have any questions, please call the Plan Check Section at (951) 955-6527.

60.TRANS. 3 USE - OBTAIN L&LMD APPLICATION RECOMMND

Obtain an application from the Transportation Department, L&LMD Section, 8th Floor, 4080 Lemon Street, Riverside, CA, to submit application for required annexation per condition of approval 80.TRANS.5 and 90.TRANS.18.

If you have any questions or for the processing fee amount, please call the L&LMD Section at (951) 955-6748.

80. PRIOR TO BLDG PRMT ISSUANCE

BS GRADE DEPARTMENT

80.BS GRADE. 1 USE\* -G3.1NO B/PMT W/O G/PMT RECOMMND

Prior to issuance of any building permit, the property owner shall obtain a grading permit and/or approval to construct from the Grading Division of the Building and Safety Department.

E HEALTH DEPARTMENT

80.E HEALTH. 1 USE - WATER WILL SERVE RECOMMND

A "Will-Serve" letter is required from the appropriate water agency.

80.E HEALTH. 2 USE - FOOD PLANS REQD RECOMMND

A total of 3 complete set of plans for each food establishment are needed including a fixture schedule, a finish schedule, and a plumbing schedule in order to ensure compliance with current State and Local regulations.

04/21/11  
14:31

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 30

PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

80. PRIOR TO BLDG PRMT ISSUANCE

80.E HEALTH. 3 USE - LEA CLEARANCE RECOMMND

Clearance from the Environmental Resources Management  
Division LEA

80.E HEALTH. 4 USE - PERC TEST REQD RECOMMND

satisfactory detailed soils percolation test in accordance  
with the procedures outlined in the Riverside County Waste  
Disposal Booklet entitled "Waste Disposal for Individual  
Homes, Commercial and Industrial".

FIRE DEPARTMENT

80.FIRE. 1 USE-#17A-BLDG PLAN CHECK \$ RECOMMND

Building Plan check deposit base fee of \$1,056.00, shall be  
paid in a check or money order to the Riverside County Fire  
Department after plans have been approved by our office.

80.FIRE. 2 USE-#4-WATER PLANS RECOMMND

The applicant or developer shall separately submit two  
copies of the water system plans to the Fire Department for  
review and approval. Calculated velocities shall not exceed  
10 feet per second. Plans shall conform to the fire hydrant  
types, location and spacing, and the system shall meet the  
fire flow requirements.

Plans shall be signed and approved by a registered civil  
engineer and the local water company with the following  
certification: "I certify that the design of the water  
system is in accordance with the requirements prescribed by  
the Riverside County Fire Department."

FLOOD RI DEPARTMENT

80.FLOOD RI. 1 USE-SUBMIT PLANS RECOMMND

A copy of the improvement plans, grading plans and any other  
necessary documentation along with supporting hydrologic  
and hydraulic calculations shall be submitted to the  
District for review. The plans shall receive District  
approval prior to issuance of building permits. All  
submittals shall be date stamped by the engineer and  
include a completed Flood Control Deposit Based Fee  
Worksheet and the appropriate plan check fee deposit.

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

80. PRIOR TO BLDG PRMT ISSUANCE

80.FLOOD RI. 2 USE SUBMIT FINAL WQMP

RECOMMND

A copy of the project specific WQMP shall be submitted to the District for review and approval.

PLANNING DEPARTMENT

80.PLANNING. 3 USE - CONFORM TO ELEVATIONS

RECOMMND

Elevations of all buildings and structures submitted for building plan check approval shall be in substantial conformance with the elevations shown on APPROVED EXHIBITS B and M.

In addition, architectural enhancements shall be provided to enhance views along Etiwanda Avenue.

The west elevation shall include a pop-up center, similar to the raised parapet on the southerly side of the western elevation. This portion shall maintain the same architectural elements as the building front entry, and storefront glazing shall be applied where appropriate.

The southwest corner shall also maintain the same architectural elements as the building front entry. This includes the application of storefront glazing where appropriate.

80.PLANNING. 4 USE - CONFORM TO FLOOR PLANS

RECOMMND

Floor plans shall be in substantial conformance with that shown on APPROVED EXHIBIT C.

80.PLANNING. 5 USE - ROOF EQUIPMENT SHIELDING

RECOMMND

Roof mounted equipment shall be shielded from ground view. Screening material shall be subject to Planning Department approval.

80.PLANNING. 12 USE - PLANS SHOWING BIKE RACKS

RECOMMND

Bike rack spaces or bike lockers shall be shown on the project's parking and landscaping plan submitted to the Planning Department for approval. A minimum of six spaces shall be provided.

PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

80. PRIOR TO BLDG PRMT ISSUANCE

80.PLANNING. 21 USE - LIGHTING PLANS RECOMMND

All parking lot lights and other outdoor lighting shall be shown on electrical plans submitted to the Department of Building and Safety for plan check approval and shall comply with the requirements of Riverside County Ordinance No. 655 and the Riverside County Comprehensive General Plan. All parking and outdoor lighting shall be in substantial conformance with that shown on APPROVED EXHIBIT P.

80.PLANNING. 22 USE - SCHOOL MITIGATION RECOMMND

Impacts to the Jurupa Unified School District shall be mitigated in accordance with California State law.

80.PLANNING. 23 USE - FEE STATUS RECOMMND

Prior to issuance of building permits for Plot Plan No. 18876, the Planning Department shall determine the status of the deposit based fees for project. If the case fees are in a negative state, the permit holder shall pay the outstanding balance.

80.PLANNING. 24 USE - WASTE MGMT CLEARANCE RECOMMND

A clearance letter from Riverside County Waste Management District shall be provided to the Riverside County Planning Department verifying compliance with the conditions contained in their letter dated June 12, 2007, summarized as follows:

1. Prior to issuance of a building permit for EACH building, the applicant shall submit three (3) copies of a Recyclables Collection and Loading Area plot plan to the Riverside County Waste Management Department for review and approval. The plot plan shall conform to Design Guidelines for Recyclables Collection and Loading Areas, provided by the Waste Management Department, and shall show the location of and access to the collection area for recyclable materials, along with its dimensions and construction detail, including elevation/facade, construction materials and signage. The plot plan shall clearly indicate how the trash and recycling enclosures shall be accessed by the hauler.

2. Prior to issuance of a building permit, a Waste Recycling Plan (WRP) shall be submitted to the Waste

I PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

80. PRIOR TO BLDG PRMT ISSUANCE

80.PLANNING. 24 USE - WASTE MGMT CLEARANCE (cont.)

RECOMMND

Management Department for approval. At a minimum, the WRP must identify the materials (i.e., concrete, asphalt, wood, etc.) that will be generated by construction and development, the projected amounts, the measures/methods that will be taken to recycle, reuse, and/or reduce the amount of materials, the facilities and/or haulers that will be utilized, and the targeted recycling or reduction rate. Materials can be taken directly to recycling facilities (Riverside County Waste Management Department, Recycling Section, can be contacted directly at 951.486.3200 for a list of facilities), or arrangements can be made through the franchise hauler and/or a construction clean-up business.

80.PLANNING. 25 USE - TITLE 24 BLD EFF STNDARD

RECOMMND

Construction of all nonresidential buildings or structures shall exceed the energy standards of the 2008 Building Efficiency Standards as set forth in the 2008 California Energy Code (Title 24, Part 6 of the California Code of Regulations) by a minimum of five percent (5%) in aggregate. Submission of a Title 24 worksheet with building plans for each implementing development project shall be required by the Department of Building and Safety in order to obtain a building permit and set the condition to MET status. The worksheet shall include both the calculations showing the minimum Title 24 compliance requirements and calculations for the implementing development project. Compliance is determined by comparing the energy use of the proposed development to a minimally Title 24 compliant development. The calculations must be from an energy analysis computer program approved by the California Energy Commission in accordance with Title 24, Part 6, Article 1, Section 10-109.

80.PLANNING. 26 USE - PARCEL MERGR REQD (2)

RECOMMND

Prior to the issuance of a building permit, a Certificate of Parcel Merger shall be reviewed and approved by the Planning Department. The Parcel Merger shall merge Assessor Parcel Nos. 156-360-020 and 156-360-021. The permit holder shall submit proof of recordation of the parcel merger to the Planning department within six (6) months of Planning Department approval. The proposed parcel shall comply with the development standard of the Industrial Park (IP) zone.

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

80. PRIOR TO BLDG PRMT ISSUANCE

80.PLANNING. 26 USE - PARCEL MERGR REQD (2) (cont.) RECOMMND

This condition shall be considered MET if Condition Of Approval No. 60.PLANNING.21 is satisfied.

80.PLANNING. 27 USE - LC LANDSCAPE PLOT PLAN RECOMMND

Prior to issuance of building permits, the developer/permit holder shall file a Landscaping Minor Plot Plan Application to the Riverside County Planning Department for review and approval along with the current fee. The landscaping plans shall be in conformance with the APPROVED EXHIBITS; in compliance with Ordinance No. 348, Section 18.12; Ordinance No. 859; and, be prepared consistent with the County of Riverside Guide to California Friendly Landscaping.

At minimum, plans shall include the following components:

1)Landscape and irrigation working drawings "stamped" by a California certified landscape architect;

2)Weather based controllers and necessary components to eliminate water waste;

3)A copy of the "stamped" approved grading plans; and,

4)Emphasis on native and drought tolerant species.

When applicable, plans shall include the following components:

1)Identification of all common/open space areas;

2)Natural open space areas and those regulated/conserved by the prevailing MSHCP;

3)Shading plans for projects that include parking lots/areas;

4)The use of canopy trees (24" box or greater) within the parking areas;

5)Landscaping plans for slopes exceeding 3 feet in height;

6)Landscaping and irrigation plans associated with entry monuments. All monument locations and dimensions shall be provided on the plan; and/or,

7)If this is a phased development, then a copy of the approved phasing plan shall be submitted for reference.

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

80. PRIOR TO BLDG PRMT ISSUANCE

80.PLANNING. 27 USE - LC LANDSCAPE PLOT PLAN (cont.)

RECOMMND

NOTE:

1)Landscaping plans for areas within the road right-of-way shall be submitted for review and approval by the Transportation Department only. The Planning Department shall not approve landscape plans within the Road Right-of-Way.

)When the Landscaping Plot Plan is located within a special district such as Valley-Wide Recreation and Park District, Jurupa Community Services District, Coachella Valley Water District, a County Service Area (CSA) or other maintenance district, the developer/permit holder shall submit plans for review to the appropriate special district for simultaneous review. The permit holder shall show evidence to the Planning Department that the subject District has approved said plans.

As part of the plan check review process and request for condition clearance, the developer/permit holder shall show proof of the approved landscaping plot plan by providing the Plot Plan number. The planning department shall verify the landscape route is approved and the Plot Plan is in TENTAPPR status. Upon verification of compliance with this condition and the APPROVED EXHIBITS, the Planning Department shall clear this condition.

80.PLANNING. 28 USE - LC LANDSCAPE SECURITIES

RECOMMND

Prior to the issuance of building permits, the developer/permit holder shall submit an estimate to replace plantings, irrigation systems, ornamental landscape elements, walls and/or fences, in amounts to be approved by the Riverside County Planning Department, Landscape Division. Once the Planning Department has approved the estimate, the developer/permit holder shall submit the estimate to the Riverside County Department of Building and Safety who will then provide the developer/permit holder with the requisite forms. The required forms shall be completed and submitted to Building and Safety for processing and review in conjunction with County Counsel. Upon determination of compliance, the Department of Building and Safety shall clear this condition.

NOTE:

A cash security shall be required when the estimated cost

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

80. PRIOR TO BLDG PRMT ISSUANCE

80.PLANNING. 28 USE - LC LANDSCAPE SECURITIES (cont.) RECOMMND

is \$2,500.00 or less. It is highly encouraged to allow adequate time to ensure that securities are in place. The performance security shall be released following a successful completion of the One Year Post-Establishment Inspection, and the inspection report confirms that the planting and irrigation components are thriving and in good working order consistent with the approved landscaping plans.

TRANS DEPARTMENT

80.TRANS. 4 USE - R & B B D RECOMMND

Prior to the issuance of a building permit, the project proponent shall pay fees in accordance with Zone A of the Mira Loma Road and Bridge Benefit District. All fees are based upon the fee schedule in effect at the time of issuance of the permit.

The project gross acreage is 6.83 acres.

80.TRANS. 5 USE - ANNEX L&LMD/OTHER DIST RECOMMND

Prior to the issuance of a building permit, the project proponent shall comply with County requirements within public road rights-of-way, in accordance with Ordinance 461. Assurance of maintenance is required by filing an application for annexation to Landscaping and Lighting Maintenance District No. 89-1-Consolidated by contacting the Transportation Department at (951) 955-6767, and/or any other maintenance district approved by the Transportation Department or by processing and filing a 'Landscape Maintenance Agreement' through the Transportation Department Plan Check Division. Said annexation should include the following:

- (1) Landscaping along De Forest Circle.
- (2) Street sweeping.

80.TRANS. 6 USE - LANDSCAPING RECOMMND

Landscaping within public road right-of-way shall comply with Transportation Department standards, Ordinance 461, Comprehensive Landscaping Guidelines & Standards, and Ordinance 859 and shall require approval by the

P. PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

80. PRIOR TO BLDG PRMT ISSUANCE

80.TRANS. 6 USE - LANDSCAPING (cont.)

RECOMMND

Transportation Department.

Landscaping plans shall be designed within De Forest Circle and submitted to the Transportation Department. Landscaping plans shall be submitted on standard County plan sheet format (24" x 36"). Landscaping plans shall be submitted with the street improvement plans.

90. PRIOR TO BLDG FINAL INSPECTION

BS GRADE DEPARTMENT

90.BS GRADE. 1 USE\*G4.3PAVING INSPECTIONS

RECOMMND

The developer/applicant shall be responsible for obtaining the paving inspections required by Ordinance 457.

E HEALTH DEPARTMENT

90.E HEALTH. 1 USE - HAZMAT BUS PLAN

RECOMMND

The facility will require a business emergency plan for the storage of hazardous materials greater than 55 gallons, 200 cubic feet or 500 pounds, or any acutely hazardous materials or extremely hazardous substances.

90.E HEALTH. 2 USE - HAZMAT REVIEW

RECOMMND

If further review of the site indicates additional environmental health issues, the Hazardous Materials Management Division reserves the right to regulate the business in accordance with applicable County Ordinances.

90.E HEALTH. 3 USE - HAZMAT CONTACT

RECOMMND

Contact a Hazardous Materials Specialist, Hazardous Materials Management Division, at (951) 358-5055 for any additional requirements.

FIRE DEPARTMENT

90.FIRE. 1 USE-#45-FIRE LANES

RECOMMND

The applicant shall prepare and submit to the Fire Department for approval, a site plan designating required fire lanes with appropriate lane painting and/or signs.

PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

90. PRIOR TO BLDG FINAL INSPECTION

90.FIRE. 2

USE-#12A-SPRINKLER SYSTEM

RECOMMND

Install a complete fire sprinkler system per NFPA 13 1999 edition in all buildings requiring a fire flow of 1500 GPM or greater. Sprinkler system(s) with pipe sizes in excess of 4" in diameter will require the project structural engineer to certify (wet signature) the stability of the building system for seismic and gravity loads to support the sprinkler system. All fire sprinkler risers shall be protected from any physical damage. The post indicator valve and fire department connection shall be located to the front, within 50 feet of a hydrant, and a minimum of 25 feet from the building(s). A statement that the building(s) will be automatically fire sprinkled must be included on the title page of the building plans.

Applicant or developer shall be responsible to install a U.L. Central Station Monitored Fire Alarm System. Monitoring system shall monitor the fire sprinkler system(s) water flow, P.I.V.'s and all control valves. Plans must be submitted to the Fire Department for approval prior to installation. Contact fire department for guideline handout

90.FIRE. 3

USE-#27-EXTINGUISHERS

RECOMMND

Install portable fire extinguishers with a minimum rating of 2A-10BC and signage. Fire Extinguishers located in public areas shall be in recessed cabinets mounted 48" (inches) to center above floor level with maximum 4" projection from the wall. Contact Fire Department for proper placement of equipment prior to installation.

FLOOD RI DEPARTMENT

90.FLOOD RI. 1

XXU BMP - MAINT & INSPECT

RECOMMND

The permit holder shall contain provisions for all structural BMPs to be inspected, and if required, cleaned no later than October 15 each year. Required documentation shall identify the entity that will inspect and maintain all structural BMP's within the project boundaries. A copy of all necessary documentation shall be submitted to the District for review and approval prior to the issuance of occupancy permits.

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

90. PRIOR TO BLDG FINAL INSPECTION

90.FLOOD RI. 2 USE BMP - EDUCATION

RECOMMND

The developer shall distribute environmental awareness education materials on general good housekeeping practices that contribute to protection of stormwater quality to all initial users. The developer may obtain NPDES Public Educational Program materials from the District's NPDES Section by either the District's website [www.floodcontrol.co.riverside.ca.us](http://www.floodcontrol.co.riverside.ca.us), e-mail [fcnpdes@co.riverside.ca.us](mailto:fcnpdes@co.riverside.ca.us), or the toll free number 1-800-506-2555. Please provide Project number, number of units and location of development. Note that there is a five-day minimum processing period requested for all orders.

The developer must provide to the District's PLAN CHECK Department a notarized affidavit stating that the distribution of educational materials to the tenants is assured prior to the issuance of occupancy permits.

90.FLOOD RI. 3 USE IMPLEMENT WQMP

RECOMMND

All structural BMPs described in the project-specific WQMP shall be constructed and installed in conformance with approved plans and specifications. It shall be demonstrated that the applicant is prepared to implement all non-structural BMPs described in the approved project specific WQMP and that copies of the approved project-specific WQMP are available for the future owners/occupants. The District will not release occupancy permits for any portion of the project exceeding 80% of the project area prior to the completion of these tasks.

PLANNING DEPARTMENT

90.PLANNING. 3 USE - PARKING PAVING MATERIAL

RECOMMND

A minimum of two hundred forty-three (243) parking spaces shall be provided as shown on the APPROVED EXHIBIT A, unless otherwise approved by the Planning Department. The parking area shall be surfaced with asphaltic concrete or concrete to current standards as approved by the Department of Building and Safety.

90.PLANNING. 4 USE - ACCESSIBLE PARKING

RECOMMND

A minimum of thirteen (13) accessible parking spaces for persons with disabilities shall be provided as shown on

PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

90. PRIOR TO BLDG FINAL INSPECTION

90.PLANNING. 4 USE - ACCESSIBLE PARKING (cont.) RECOMMND

APPROVED EXHIBIT A. Each parking space reserved for persons with disabilities shall be identified by a permanently affixed reflectorized sign constructed of porcelain on steel, beaded text or equal, displaying the International Symbol of Accessibility. The sign shall not be smaller than 70 square inches in area and shall be centered at the interior end of the parking space at a minimum height of 80 inches from the bottom of the sign to the parking space finished grade, or centered at a minimum height of 36 inches from the parking space finished grade, ground, or sidewalk. A sign shall also be posted in a conspicuous place, at each entrance to the off-street parking facility, not less than 17 inches by 22 inches, clearly and conspicuously stating the following:

"Unauthorized vehicles not displaying distinguishing placards or license plates issued for physically handicapped persons may be towed away at owner's expense."

In addition to the above requirements, the surface of each parking space shall have a surface identification sign duplicating the symbol of accessibility in blue paint of at least 3 square feet in size.

90.PLANNING. 8 USE - ROOF EQUIPMENT SHIELDING RECOMMND

Roof-mounted equipment shall be shielded from ground view. Screening material shall be subject to Planning Department approval.

90.PLANNING. 10 USE - INSTALL BIKE RACKS RECOMMND

A bicycle rack with a minimum of six (6) spaces shall be provided in convenient locations to facilitate bicycle access to the project area as shown on APPROVED EXHIBIT A. The bicycle racks shall be shown on project landscaping and improvement plans submitted for Planning Department approval, and shall be installed in accordance with those plans. All bicycle racks shall be weather-protected.

90.PLANNING. 11 USE - UTILITIES UNDERGROUND RECOMMND

All utilities, except electrical lines rated 33 kV or greater, shall be installed underground. If the permittee provides to the Department of Building and Safety and the Planning Department a definitive statement from the utility

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

90. PRIOR TO BLDG FINAL INSPECTION

90.PLANNING. 11 USE - UTILITIES UNDERGROUND (cont.) RECOMMND

provider refusing to allow underground installation of the utilities they provide, this condition shall be null and void with respect to that utility.

90.PLANNING. 12 USE - CURBS ALONG PLANTERS RECOMMND

A six inch high curb with a twelve (12) inch wide walkway shall be constructed along planters on end stalls adjacent to automobile parking areas. Public parking areas shall be designed with permanent curb, bumper, or wheel stop or similar device so that a parked vehicle does not overhang required sidewalks, planters, or landscaped areas.

90.PLANNING. 16 USE - TRASH ENCLOSURES RECOMMND

Six (6) trash enclosures which are adequate to enclose a minimum of two (2) bins shall be located as shown on the APPROVED EXHIBIT A, and shall be constructed prior to the issuance of occupancy permits. The enclosures shall be a minimum of six (6) feet in height and shall be made with masonry block with landscaping screening and a solid gate which screens the bins from external view. Additional enclosed area for collection of recyclable materials shall be located within, near or adjacent to each trash and rubbish disposal area. The recycling collection area shall be a minimum of fifty percent (50%) of the area provided for the trash/rubbish enclosure(s) or as approved by the Riverside County Waste Management Department. All recycling bins shall be labeled with the universal recycling symbol and with signage indicating to the users the type of material to be deposited in each bin.

90.PLANNING. 21 USE - REMOVE OUTDOOR ADVERTISE RECOMMND

All existing outdoor advertising displays, signs or billboards shall be removed.

90.PLANNING. 22 USE - WALL & FENCE LOCATIONS RECOMMND

Wall and/or fence locations shall be in conformance with APPROVED EXHIBITS A and W.

90.PLANNING. 23 USE - WASTE MGMT CLEARANCE RECOMMND

A clearance letter from Riverside County Waste Management District shall be provided to the Riverside County Planning

PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

90. PRIOR TO BLDG FINAL INSPECTION

90.PLANNING. 23 USE - WASTE MGMT CLEARANCE (cont.) RECOMMND

Department verifying compliance with the conditions contained in their letter dated June 12, 2007, summarized as follows:

1. Prior to final building inspection for EACH building, the applicant shall construct the recyclables collection and loading area in compliance with the Recyclables Collection and Loading Area plot plan, as approved and stamped by the Riverside County Waste Management Department and as verified by the Riverside County Building and Safety Department through site inspection.

2. Prior to issuance of an occupancy permit, evidence (i.e., receipts or other type verification) to demonstrate project compliance with the approved WRP shall be presented by the project proponent to the Planning/Recycling Division of the Riverside County Waste Management Department in order to clear the project for occupancy permits.

90.PLANNING. 27 USE - CONDITION COMPLIANCE RECOMMND

The Department of Building and Safety shall verify that the Development Standards of this approval and all other preceding conditions have been complied with prior to any use allowed by this permit.

90.PLANNING. 28 USE - EXTENDED TRUCK IDLING RECOMMND

Sign(s) stating that "EXTENDED IDLING TRUCK ENGINES IS NOT PERMITTED" shall be located at the entrance to the facility and at the truck parking area. The sign(s) at the entrance to facility shall not be less than twenty four inches square and will provide directions to truck parking spaces with electrical hookups. The hookups will provide power for refrigerated trailers that need to be parked on-sight for more than 5 minutes.

90.PLANNING. 30 USE - ORD 810 O S FEE (2) RECOMMND

Prior to the issuance of a certificate of occupancy, or upon building permit final inspection prior to use or occupancy for cases without final inspection or certificate of occupancy (such as an SMP), whichever comes first, the applicant shall comply with the provisions of Riverside County Ordinance No. 810, which requires the payment of the appropriate fee set forth in the Ordinance. The amount of

04/21/11  
14:31

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 43

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

90. PRIOR TO BLDG FINAL INSPECTION

90.PLANNING. 30 USE - ORD 810 O S FEE (2) (cont.)

RECOMMND

the fee will be based on the "Project Area" as defined in the Ordinance and the aforementioned Condition of Approval. The Project Area for Plot Plan No. 18876 is calculated to be 6.42 net acres. In the event Riverside County Ordinance No. 810 is rescinded, this condition will no longer be applicable. However, should Riverside County Ordinance No. 810 be rescinded and superseded by a subsequent mitigation fee ordinance, payment of the appropriate fee set forth in that ordinance shall be required.

90.PLANNING. 31 USE - ORD NO. 659 (DIF)

RECOMMND

Prior to the issuance of either a certificate of occupancy or prior to building permit final inspection, the applicant shall comply with the provisions of Riverside County Ordinance No. 659, which requires the payment of the appropriate fee set forth in the Ordinance. Riverside County Ordinance No. 659 has been established to set forth policies, regulations and fees related to the funding and installation of facilities and the acquisition of open space and habitat necessary to address the direct and cumulative environmental effects generated by new development project described and defined in this Ordinance, and it establishes the authorized uses of the fees collected.

The amount of the fee for commercial or industrial development shall be calculated on the basis of the "Project Area," as defined in the Ordinance, which shall mean the net area, measured in acres, from the adjacent road right-of-way to the limits of the project development. The Project Area for Plot Plan No. 18876 has been calculated to be 6.42 net acres.

In the event Riverside County Ordinance No. 659 is rescinded, this condition will no longer be applicable. However, should Riverside County Ordinance No. 659 be rescinded and superseded by a subsequent mitigation fee ordinance, payment of the appropriate fee set forth in that ordinance shall be required.

90.PLANNING. 32 USE - MITIGATION MONITORING

RECOMMND

The permit holder shall prepare and submit a written report to the Riverside County Planning Department demonstrating compliance with all remaining conditions of approval and

04/21/11  
14:31

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 44

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

90. PRIOR TO BLDG FINAL INSPECTION

90.PLANNING. 32 USE - MITIGATION MONITORING (cont.) RECOMMND

mitigation measures of this permit and EIR No. 450.

The Planning Director may require inspection or other monitoring to ensure such compliance.

90.PLANNING. 33 USE - LC LNDS CP INSPECT DEPOSIT RECOMMND

Prior to building permit final inspection, the developer/permit holder shall file an Inspection Request Form and deposit sufficient funds to cover the costs of Installation, Six Month Establishment, and One Year Post-Establishment inspections. In the event that an open landscape case is not available, then the applicant shall open a FEE ONLY case to conduct inspections. The deposit required for landscape inspections shall be determined by the Riverside County Landscape Division. The Planning Department shall clear this condition upon determination of compliance.

90.PLANNING. 34 USE - LC COMPLY W/ LNDS CP/ IRR RECOMMND

The developer/permit holder shall coordinate with their designated landscape representative and the Riverside County Planning Department's landscape inspector to ensure all landscape planting and irrigation systems have been installed in accordance with APPROVED EXHIBITS, landscaping, irrigation, and shading plans. The Planning Department will ensure that all landscaping is healthy, free of weeds, disease and pests; and, irrigation systems are properly constructed and determined to be in good working order. The developer/permit holder's designated landscape representative and the Riverside County Planning Department's landscape inspector shall determine compliance with this condition and execute a Landscape Certificate of Completion. Upon determination of compliance, the Planning Department shall clear this condition.

TRANS DEPARTMENT

90.TRANS. 9 USE - WRCOG TUMF RECOMMND

Prior to the issuance of an occupancy permit, the project proponent shall pay the Transportation Uniform Mitigation Fee (TUMF) in accordance with the fee schedule in effect at the time of issuance, pursuant to Ordinance No. 824.

04/21/11  
14:31

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 45

PLAN: TRANSMITTED Case #: PP18876

Parcel: 156-360-021

90. PRIOR TO BLDG FINAL INSPECTION

90.TRANS. 16 USE- EXISTING CURB & GUTTER

RECOMMND

On existing curb and gutter, new driveways, closure of existing driveways, sidewalks and/or drainage devices within County right-of-way, including sewer and water laterals on De Forest Circle shall be constructed within the dedicated right-of-way in accordance with County Draft Standards No. 207A and 401, Ordinance 461. Such construction shall be shown on existing street improvement plans and approved and permitted by the Transportation Department. Process a plan revision through the Plan Check Section per Section I, Part E, page 10 of the "Policies and Guidelines" available on the Internet at: [www.tlma.co.riverside.ca.us/trans/land\\_dev\\_plan\\_check\\_guidelines.html](http://www.tlma.co.riverside.ca.us/trans/land_dev_plan_check_guidelines.html). If you have questions, please call the Plan Check Section at (951) 955-6527.

- NOTE: 1. A 6' wide curb-face sidewalk will be constructed along the frontage of De Forest Circle. See plan and profile file number 869-FF.
2. A driveway shall be constructed in accordance with County Standard No. 207A.

90.TRANS. 17 USE - ST DESIGN/IMP CONCEPT

RECOMMND

The street design and improvement concept of this project shall be coordinated with plan and profile file number 869-FF.

90.TRANS. 18 USE - ANNEX L&LMD/OTHER DIST

RECOMMND

Prior to issuance of an occupancy permit, the project proponent shall complete annexation to Landscaping and Lighting Maintenance District No. 89-1-Consolidated, and/or any other maintenance district approved by the Transportation Department or by processing and filing a 'Landscape Maintenance Agreement' through the Transportation Department Plan Check Division for continuous maintenance within public road rights-of-way, in accordance with Ordinance 461, Comprehensive Landscaping Guidelines & Standards, and Ordinance 859. Said annexation should include the following:

- (1) Landscaping along De Forest Circle.
- (2) Street sweeping.

04/21/11  
14:31

Riverside County LMS  
CONDITIONS OF APPROVAL

Page: 46

PLAN:TRANSMITTED Case #: PP18876

Parcel: 156-360-021

90. PRIOR TO BLDG FINAL INSPECTION

90.TRANS. 19 USE - LANDSCAPING COMM/IND

RECOMMND

Landscaping within public road right-of-way shall comply with Transportation Department standards and Ordinance 461 and shall require approval by the Transportation Department. Landscaping shall be improved within DeForest Circle.

Assurance of continuous maintenance is required by processing and filing a 'Landscape Maintenance Agreement' through the Transportation Department Plan Check Division; or if desired the developer may file an application for annexation into Landscaping and Lighting Maintenance District No. 89-1-Consolidated by contacting the Transportation Department at (951) 955-6767.

90.TRANS. 20 USE - SIGNING & STRIPING

RECOMMND

A signing and striping plan is required for this project. The project proponent shall be responsible for any additional paving and/or striping removal caused by the striping plan. Traffic signing and striping shall be performed by County forces with all incurred costs borne by the applicant, unless otherwise approved by the County Traffic Engineer.