

SUBMITTAL TO THE BOARD OF SUPERVISORS
COUNTY OF RIVERSIDE, STATE OF CALIFORNIA

968



FROM: Stanley Sniff, Sheriff - Coroner - PA

SUBMITTAL DATE:
06/02/11

SUBJECT: Approval of Logos Imaging LLC as the Sole Source Provider of Phosphoric Imaging Plates and Digital Imaging Systems for the Sheriff's Hazardous Device Team

RECOMMENDED MOTION: Move that the Board of Supervisors authorize the Purchasing Agent to purchase phosphoric imaging products from Logos Imaging for an annual cost of \$50,000 until June 30, 2016, without securing competitive bids, in accordance with Ordinance 459.4.

BACKGROUND: The Sheriff's Hazardous Device Team (HDT) exclusively utilizes the Logos x-ray imaging system to produce images of the internal workings of explosive devices. The Logos system creates digital images which can immediately be downloaded to laptops for closer inspection at the scene.

BR 11-086 (Continued on Page 2)

Stanley L. Sniff, Jr., Sheriff - Coroner - PA
Gerald Williams, Assistant Sheriff

FINANCIAL
DATA

Current F.Y. Total Cost: \$13,152
Current F.Y. Net County Cost: \$0
Annual Net County Cost: \$0

In Current Year Budget: Yes
Budget Adjustment: No
For Fiscal Year: 2010-11

SOURCE OF FUNDS: Federal Homeland Security Grant Program

Positions To Be Deleted Per A-30 ☐

Requires 4/5 Vote ☒

C.E.O. RECOMMENDATION:

APPROVE

BY:

Robert Tremaine

County Executive Office Signature

MINUTES OF THE BOARD OF SUPERVISORS

On motion of Supervisor Buster, seconded by Supervisor Stone and duly carried by unanimous vote, IT WAS ORDERED that the above matter is approved as recommended.

Ayes: Buster, Tavaglione, Stone, Benoit and Ashley

Nays: None

Absent: None

Date: June 14, 2011

xc: Sheriff, Purchasing

Kecia Harper-Ihem

Clerk of the Board

By:
Deputy

Prev. Agn. Ref.: 11/30/10 3.51

District: ALL

Agenda Number:

3.47

Dep't Recomm.:
Per Exec. Ofc.:
Consent ☐
Policy ☒
Purchasing:
Mark Seiler, Assistant Director
Departmental Concurrence

Further, the Logos system is the only system which produces a scalable image format to accommodate one-shot radiography of packages ranging in size from 8"x10" to more than 32" x 34".

Earlier this fiscal year, County Purchasing approved the purchase of a Logos x-ray imaging system. In addition, with the acknowledgement that the Logos system must use Logos phosphoric image plates, County Purchasing has approved the Sheriff's sole source purchases with Logos up to \$25,000 annually.

Now, the HDT has a special opportunity to utilize approximately \$13,000 in State Homeland Security Grant funds, administered by the County Community Health Agency, to purchase image plate kits for the Logos Systems. Therefore, the Sheriff's Department is requesting the Board approve sole source purchases with Logos Imaging above the \$25,000 limit, and set a new annual sole source expense limit at \$50,000 with Logos Imaging.

Price Reasonableness

Logos is offering GSA pricing for this purchase.

Date: December 8, 2010

From: Frank Anderson Department/Agency: RSO/SEB/HDT

To: Board of Supervisors

Via: Purchasing Agent

Subject: Sole Source Procurement; **Request for bomb digital XRAY phosphoric plate kits.**

The below information is provided in support of my Department requesting approval for a sole source.

Supply/Service being requested: Additional 8 X 17 phosphoric plates to enable XRAY of larger targets such as Vehicle Born Improvised Explosive Devices (LVBIED); 8 X 10 phosphoric plates and appropriate carousels to create XRAY images that may be printed on standard computer printer.

Supplier being requested: Logos Imaging, LLC. – Vendor Number 69513

Alternative suppliers that can or might be able to provide supply/service: There are no known alternative suppliers of image plates for the Logos XRAY Imaging System, which is the system in use by HDT.

Extent of market search conducted: International Bomb Technicians and Investigators vendor group; medical and industrial XRAY equipment vendors.

Unique features of the supply/service being requested from this supplier, which no alternative supplier can provide: There are no known alternative suppliers of image plates for the Logos XRAY Imaging System, which is the system in use by HDT. The requested items are useable with current HDT technology.

Reasons why my department requires these unique features and what benefit will accrue to the county: Using multiple 8 X 17 plates will enable more rapid evaluation of a possible VBIED; Use of 8 X 10 plates will enable printing an XRAY on a standard (and thus cost-effective) document printer.

Price Reasonableness: Logos is offering GSA pricing for the phosphoric image plates.

Does moving forward on this product or service further obligate the county to future similar contractual arrangements? No

Period of Performance: Five Years. This vendor is the sole source of replacement parts for the characterized radiographic image processing systems now in use by the Hazardous Device Team. Total expenditure with this vendor will not exceed \$50,000.00 for this period.

Department Head Signature
Purchasing Department Comments:

Date


Approve
Purchasing Agent

Approve with Condition/s

Disapprove
Date

6-2-11