

1
2
3 **ORDINANCE 742.1**

4 AN ORDINANCE OF THE COUNTY OF RIVERSIDE AMENDING ORDINANCE No. 742
5 RELATING TO THE CONTROL OF FUGITIVE DUST AND THE CORRESPONDING PM10
6 EMISSION IN THE COACHELLA VALLEY, AND ALSO ADOPTING THE COACHELLA VALLEY
7 FUGITIVE DUST CONTROL HANDBOOK PRODUCED BY AIR QUALITY MANAGEMENT
8 DISTRICT (AQMD).

9 **Section 1. Purpose**

10 The purpose of this ordinance is to establish minimum requirements for construction and
11 demolition activities and other specified sources in order to reduce man-made fugitive dust and
12 the corresponding PM10 emissions.

13 **Section 2. Definitions**

14 For the purpose of this ordinance, the following definitions are applicable:

- 15 1 AGRICULTURAL OPERATIONS are any operation directly related to the growing of crops, or
16 raising of fowls or animals for the primary purpose of making a livelihood.
- 17 2 AQMD is the South Coast Air Quality Management District and the representatives thereof.
- 18 3 AVERAGE DAILY TRAFFIC (ADT) is the number of motor vehicles that traverses a given
19 unpaved or paved surface during a specified 24-hour period. ADT levels are calculated as the
20 average daily volume over a specified 48-hour period as determined by the County in
21 consultation with the AQMD.
- 22 4 BULK MATERIAL is all sand, gravel, soil, aggregate and other organic and inorganic
23 particulate matter.
- 24 CHEMICAL DUST SUPPRESSANTS are non-toxic chemical soil binders that are not
25 prohibited for use by the County, the California Regional Water Quality Control Board, the
26 California Air Resources Board, the U.S. Environmental Protection Agency (U.S. EPA), or any
27 other law, rule or regulation, used to reduce dust on disturbed surfaces.
- 28 COACHELLA VALLEY BEST AVAILABLE CONTROL MEASURES (CV BACM) are

FORM APPROVED
COUNTY COUNSEL

DEC 29 2003

BY *Mark C. Jones*
///

1 methods to prevent or mitigate the emission and/or airborne transport of fugitive dust, as identified in
2 the Coachella Valley Fugitive Dust Control Handbook.

3 7 COACHELLA VALLEY FUGITIVE DUST CONTROL HANDBOOK is the most recently
4 approved reference document by the AQMD that includes a description of fugitive dust control
5 measures, guidance for preparation of Fugitive Dust Control Plans, notification forms, signage
6 provisions, and test methods.

7 8 COUNTY means the County of Riverside.

8 9 CONSTRUCTION ACTIVITIES are any on-site activities preparatory to or related to the
9 building, alteration, rehabilitation, or improvement of property, including, but not limited to the
10 following activities; grading, excavation, trenching, loading, vehicular travel, crushing, blasting,
11 cutting, planning, shaping, breaking, equipment staging/storage areas, weed abatement activities
12 or adding or removing bulk materials from storage piles.

13 10 DEMOLITION ACTIVITIES are the wrecking or taking out of any load-supporting structural
14 member of a structure or building and related handling operations or the intentional burning of
15 any structure or building.

16 11 DISTURBED SURFACE AREA is any portion of the earth's surface (or material placed
17 thereupon) that has been physically moved, uncovered, destabilized, or otherwise modified from
18 its undisturbed native condition (including vehicular disturbances) thereby increasing the
19 potential for the emission of fugitive dust. This definition does not include land that has been
20 restored to a native condition, such that the vegetative ground cover and soil characteristics are
21 equal to surrounding native conditions.

22 12 EARTH-MOVING OPERATIONS are the use of any equipment for an activity where soil is
23 being moved or uncovered.

24 13 FINISH GRADE is the final grade of the site that conforms to the approved grading plan.

25 14 FUGITIVE DUST is any solid particulate matter that becomes airborne, other than that emitted
26 from an exhaust stack, directly or indirectly as a result of human activities. PM10 is a subset of
27 fugitive dust and is defined as particulate matter with an aerodynamic diameter of ten (10)
28 microns or less.

- 1 15 FUGITIVE DUST CONTROL PLAN is a document that describes fugitive dust sources at a site
2 and the corresponding control measures and is prepared in accordance with the guidance
3 contained in the Coachella Valley Fugitive Dust Control Handbook.
- 4 16 HIGH-WIND EPISODE is when wind speeds exceed 25 miles per hour as measured by:
5 A. The closest AQMD monitoring station, or
6 B. A certified meteorological monitoring station, or
7 C. An on-site wind monitor calibrated and operated on-site in accordance with the
8 manufacturer's specifications with a data logger or strip chart.
- 9 17 OPERATOR is any person who owns, leases, operates, controls, or supervises any potential
10 fugitive dust generating operation subject to the requirements of this ordinance. This definition
11 includes any person who has been officially designated by a property owner as the person
12 responsible for fugitive dust control at a site, as indicated in an approved Fugitive Dust Control
13 Plan.
- 14 18 PAVED ROAD is an improved street, highway, alley, public way, or easement that is covered
15 by roadway materials (e.g., cement, asphalt or asphaltic concrete).
- 16 19 PHYSICAL ACCESS RESTRICTION is any barrier, including but not limited to; curbs, fences,
17 gates, posts with fencing, shrubs, trees, or other measures that are effective in preventing
18 vehicular and Off-Highway Vehicle (OHV) use of a specified site.
- 19 20 SILT is any bulk material with a particle size less than 75 micrometers in diameter that passes
20 through a Number 200 sieve as determined by American Society of Testing and Materials
21 (ASTM) Test Method C 136 or any other test method approved by the U.S. EPA and AQMD.
- 22 21 SITE is the real property on which construction, demolition, or other activities subject to this
23 ordinance may occur.
- 24 22 STABILIZED SURFACE is any portion of land that meets the minimum standards as
25 established by the applicable test method contained in the Coachella Valley Fugitive Dust
26 Control Handbook.
- 27 23 STORAGE PILE is any accumulation of bulk material with a height of three feet or more and a
28 total surface area of 300 or more square feet.

1 24 UNPAVED PARKING LOT is an area utilized for parking vehicles and associated vehicle
2 maneuvering that is not covered with roadway materials (e.g., cement, asphalt or asphaltic
3 concrete).

4 25 UNPAVED ROAD is any service roads, internal access roads, heavy and light duty equipment
5 paths and other roadways covered by typical roadway materials (e.g., cement, asphalt, asphaltic
6 concrete).

7 26 TEMPORARY UNPAVED PARKING LOTS are those UNPAVED PARKING LOTS used
8 less than 24 days per year.

9 **Section 3. Performance Standards and Test Methods**

10 All performance standards and test methods referenced in this ordinance shall be based on the
11 methodologies included in the Coachella Valley Dust Control Handbook, which is adopted and
12 incorporated herein by this reference.

13 **Section 4. Control Requirements**

14 **4.1 Work Practices – All Fugitive Dust Sources**

15 4.1.1 No operator shall conduct any potential dust-generating activity on a site unless the
16 operator utilizes one or more Coachella Valley Best Available Control Measures, as
17 identified in the Coachella Valley Fugitive Dust Control Handbook for each fugitive dust
18 source such that the applicable performance standards are met.

19 4.1.2 Any operator involved in any potential dust-generating activity on a site with a disturbed
20 surface area greater than one acre shall, at a minimum, operate a water application system
21 as identified in the Coachella Valley Fugitive Dust Control Handbook, if watering is the
22 selected control measure.

23 4.1.3 No person subject to the requirements contained in Section 4.1.1 shall cause or allow
24 visible fugitive dust emissions to exceed twenty (20) percent opacity, or extend more than
25 100 feet either horizontally or vertically from the origin of a source, or cross any property
26 line.

27 ///

28 ///

1 **4.2 Construction and Demolition Activities**

2 4.2.1 Any operator applying for a grading permit, or a building permit for an activity with a
3 disturbed surface area of more than 5,000 square feet, shall not initiate any earth-moving
4 operations unless a Fugitive Dust Control Plan has been prepared pursuant to the provisions
5 of the Coachella Valley Fugitive Dust Control Handbook and approved by the County.

6 4.2.2 A complete copy of the approved Fugitive Dust Control Plan must be kept on site in a
7 conspicuous place at all times and provided to the County and AQMD upon request.

8 4.2.3 Any operator involved in demolition activities shall comply with AQMD Rule 1403
9 (Asbestos Emissions from Demolition/Renovation Activities) requirements, and the
10 requirements of Title 40, Part 61 of the code of Federal Regulations.

11 4.2.4 Any operator involved in earth-moving operations shall implement at least one of the
12 following short-term stabilization methods during non-working hours:

- 13 A. Maintaining soils in a damp condition as determined by sight or touch; or
- 14 B. Establishment of a stabilized surface through watering; or
- 15 C. Application of a chemical dust suppressant in sufficient quantities and concentrations to
16 maintain stabilized surface.

17 4.2.5 Within 10 days of ceasing activity, an operator shall implement at least one of the following
18 long-term stabilization techniques for any disturbed surface area where construction activities
19 are not scheduled to occur for at least 30 days:

- 20 A. Re-vegetation that results in 75 percent ground coverage provided that an active watering
21 system is in place at all times; or
- 22 B. Establishment of a stabilized surface through watering with physical access restriction
23 surrounding the area; or
- 24 C. Use of chemical stabilizers to establish a stabilized surface with physical access restriction
25 surrounding the area.

26 4.2.6 Any operator shall remove all bulk material track-out from any site access point onto any
27 paved road open to through traffic:

28 ///

- 1 A. Within one hour if such material extends for a cumulative distance of greater than twenty
- 2 five (25) feet from any site access point; and
- 3 B. At the conclusion of each workday.

4 4.2.7 Any operator of a project with a disturbed surface area of five or more acres, or of any
5 project that involves the import or export of at least 100 cubic yards of bulk material per day
6 shall install and maintain at least one of the following control measures at the intersection of
7 each site entrance and any paved road open to through traffic with all vehicles exiting the site
8 routed over the selected device(s):

- 9 A. Pad consisting of minimum one inch washed gravel maintained in a clean condition to a
- 10 depth of at least six inches and extending at least 30 feet wide and at least 50 feet long; or
- 11 B. Paved surface extending at least 100 feet and at least 20 feet wide; or
- 12 C. Wheel shaker / wheel spreading device consisting of raised dividers (rails, pipe, or grates) at
- 13 least three inches tall and at least six inches apart and 20 feet long; or
- 14 D. a wheel washing system.

15 4.2.8 Any operator required to submit a Fugitive Dust Control Plan under Section 420.1 shall
16 install and maintain project contact signage that meets the minimum standards of the
17 Coachella Valley Fugitive Dust Control Handbook, including a 24-hour manned toll-free or
18 local phone number, prior to initiating any type of earth-moving operations.

19 4.2.9 Any operator of a project with a disturbed surface area of 50 or more acres shall have an
20 Environmental Observer on the site or available on-site within 30 minutes of initial contact
21 that:

- 22 A. Is hired by the property owner or developer; and
- 23 B. Has dust control as the sole or primary responsibility; and
- 24 C. Has successfully completed the AQMD Coachella Valley Fugitive Dust Control Class and
- 25 has been issued a Certificate of Completion for the class; and
- 26 D. Is identified in the approved Fugitive Dust Control Plan as having the authority to
- 27 immediately employ sufficient dust mitigation 24-hours per day, seven days a week and to

28 ///

1 ensure compliance with this ordinance, the approved Fugitive Dust Control Plan, and AQMD
2 regulations.

3 4.2.10 No operator required to submit a Fugitive Dust Control Plan under Section 4.2.1 shall cause
4 or allow visible fugitive dust emissions to exceed 20 percent opacity, or extend more than
5 100 feet either horizontally or vertically from the origin of a source, or cross any property
6 line.

7 4.2.11 Exceedance of the visible emissions prohibition in Section 4.2.10 occurring due to a high-
8 wind episode shall constitute a violation of Section 4.2.10, unless the operator demonstrates
9 to County all the following conditions:

- 10 A. All Fugitive Dust Control Plan measures or applicable Coachella Valley Best Available
11 Control Measures were implemented and maintained on site; and
12 B. The exceedance could not have been prevented by better application, implementation,
13 operation, or maintenance of control measures; and
14 C. Appropriate record keeping was complied and retained in accordance with the requirements
15 in Section 4.2.12 through 4.2.15; and
16 D. Documentation of the high-wind episode on the day(s) in question is provided by
17 appropriate records.

18 4.2.12 The operator of a project with ten (10) acres or more of earth-moving operations shall:

- 19 A. Forward two copies of a Site-Specific, Stand Alone [8½ by 11 inch] Fugitive Dust Control
20 Plan to the AQMD within ten days after approval by the County. [Note: A separate AQMD
21 approval will not be issued]; and
22 B. Notify the County and the AQMD at least 24-hours prior to initiating earth-moving
23 operations.

24 4.2.13 Any operator involved in earth-moving operations shall compile, and maintain for a period
25 of not less than three (3) years, daily self-inspection record keeping forms in accordance with
26 the guidelines contained in the Coachella Valley Fugitive Dust Control Handbook.

27 4.2.14 Any operator involved in earth-moving operations that utilizes chemical dust suppressants
28 for dust control on a site shall compile records indicating the type of product applied, vendor

1 name, and the method, frequency, concentration, quantity and date(s) of application and shall
2 retain such records for a period of not less than three years.

3 4.2.15 Any operator subject to the provisions of Section 4.2.12 shall notify the County and the
4 AQMD within ten (10) days of the establishment of the finish grade or at the conclusion of
5 the finished grading inspection.

6 **4.3 Disturbed Vacant Lands / Weed Abatement Activities**

7 4.3.1 Owners of property with a disturbed surface area greater than 5,000 square feet shall within
8 thirty (30) days of receiving official notice by the County prevent trespass through physical
9 access restriction as permitted by the County.

10 4.3.2 In the event that implementation of Section 4.3.1 is not effective in establishing a stabilized
11 surface within 45 days of restricting access, the owner shall implement at least one of the
12 following long term stabilization techniques within an additional 15 days, unless the County
13 has determined that the land has been restabilized:

- 14 A. Uniformly apply and maintain surface gravel or chemical dust suppressants such that a
15 stabilized surface is formed; or
- 16 B. Begin restoring disturbed surfaces such that the vegetative cover and soil characteristics are
17 similar to adjacent or nearby undisturbed native conditions. Such restoration control
18 measure(s) must be maintained and reapplied, if necessary, such that a stabilized surface is
19 formed within eight (8) months of the initial application.

20 4.3.3 Any operator conducting weed abatement activities on a site that results in a disturbed surface
21 area of 5,000 or more square feet shall:

- 22 A. Apply sufficient water before and during weed abatement activities such that the applicable
23 performance standards are met; and
- 24 B. Ensure that the affected area is a stabilized surface once weed abatement activities have
25 ceased.

26 4.3.4 No person subject to the provisions of Sections 4.3.1 through 4.3.3 shall cause or allow visible
27 fugitive dust emissions to exceed twenty (20) percent opacity, or extend more than one
28

///

1 hundred (100) feet either horizontally or vertically from a source, or cross any property line,
2 and shall either:

3 A. Maintain a stabilized surface; or

4 B. Maintain a threshold friction velocity for disturbed surface areas corrected for non-erodible
5 elements of one hundred (100) centimeters per second or higher.

6 4.3.5 Within ninety (90) days of ordinance adoption, operators of property with disturbed surface
7 area of five thousand (5,000) or more square feet shall notify the County of the location of
8 such lands and provide owner contact information.

9 4.3.6 Any person subject to the provisions of Sections 4.3.1 through 4.3.3 shall compile, and retain
10 for a period of not less than three (3) years, records indicating the name and contact person of
11 all firms contracted with for dust mitigation, listing of dust control implements used on-site,
12 and invoices from dust suppressant contractors/vendors.

13 **4.4 Unpaved Roads**

14 4.4.1 Owners of private unpaved roads with average daily traffic levels between 20 and 150 vehicles
15 must take measures (signage or speed control devices) to reduce vehicular speeds to no more
16 than 15 miles per hour.

17 4.4.2 Owners of a cumulative distance of six or less miles of private unpaved roads shall pave each
18 segment having 150 or more average daily trips or, alternatively apply and maintain chemical
19 dust suppressants in accordance with the manufacturer's specifications for a travel surface and
20 the performance standards included in Section 4.4.4 in accordance with the following
21 treatment schedule:

22 A. One-third (1/3) of qualifying unpaved road segments within one (1) year of ordinance
23 adoption; and

24 C. Remainder of qualifying unpaved road segments within (3) three years of ordinance
25 adoption. (Note: treatments in excess of annual requirements can apply to future years.)

26 4.4.3 Owners of a cumulative distance of more than six miles of private unpaved roads shall
27 stabilize each segment having 150 or more average daily trips in accordance with the
28 following treatment schedule:

- 1 A. At least two (2) miles paved or four (4) miles stabilized with chemical dust suppressants in
2 accordance with the manufacturer's specifications for a travel surface and the performance
3 standards established in Section 4.4.4 within one year of the ordinance adoption; and
4 B. At least two (2) miles paved or four (4) miles stabilized with chemical dust suppressants in
5 accordance with the manufacturer's specifications for a travel surface and the performance
6 standards included in Section 4.4.4 in accordance with the following treatment schedule
7 annually thereafter until all qualifying unpaved roads have been stabilized. (Note: treatments in
8 excess of annual requirements can apply to future years).

9 4.4.4 Owners of any private unpaved road shall not allow visible fugitive dust emissions to exceed
10 twenty (20) percent opacity, or extend more than 100 feet either horizontally or vertically from
11 the origin of a source, and shall either:

- 12 A. Not allow silt loading to be equal to or greater than 0.33 ounces per square foot; or
13 B. Not allow the silt content to exceed six (6) percent.

14 4.4.5 Within 90 days of ordinance adoption, owners of unpaved roads shall provide to the City
15 (County) and the AQMD the location and ADT estimates for all unpaved roads.

16 4.4.6 Owners of unpaved roads that utilize chemical dust suppressants shall compile, and retain for
17 a period of not less than three (3) years, records indicating the type of product applied, vendor
18 name, and the method, frequency, concentration, quantity and date(s) of application.

19 **4.5 Unpaved Parking Lots**

20 4.5.1 Owners of parking lots established subsequent to ordinance adoption are required to pave such
21 areas, or alternatively apply and maintain chemical dust suppressants in accordance with the
22 manufacturer's specifications for traffic areas and the performance standards included in
23 Section 4.5.4.

24 4.5.2 Owners of existing private unpaved parking lots shall implement one of the following control
25 strategies within 180 days of ordinance adoption:

- 26 A. Pave; or
27 B. Apply and maintain dust suppressants in accordance with the manufacturer's specifications
28 for traffic areas and the performance standards included in Section 4.5.4;

1 C. Apply and maintain washed gravel in accordance with the performance standards included
2 in Section 4.5.4.

3 4.5.3 Owners of private temporary unpaved parking lots (those that are used 24 days or less per
4 year) shall apply and maintain chemical dust suppressants in accordance with the
5 manufacturer's specifications for traffic areas and the performance standards included in
6 Section 4.5.4 prior to any 24-hour period when more than 40 vehicles are expected to enter
7 and park. The owner of any temporary unpaved parking lot greater than 5,000 square feet
8 shall implement the disturbed vacant land requirements contained in Section 4.3 during non-
9 parking periods.

10 4.5.4 The operator of any private unpaved parking lot shall not allow visible fugitive dust emissions
11 to exceed twenty (20) percent opacity, or extend more than 100 feet either horizontally or
12 vertically from the origin of a source, and shall either:

13 A. Not allow silt loading to be equal to or greater than 0.33 ounces per square foot; or

14 B. Not allow the silt content to exceed eight (8) percent.

15 4.5.5 Within 90 days of ordinance adoption, owners of unpaved parking lots shall provide to the
16 County and the AQMD the location and ADT estimates and the size (in square feet) of
17 unpaved parking lots.

18 4.5.6 Owners of unpaved parking lots that utilize chemical dust suppressants or apply gravel shall
19 compile, and retain for a period of not less than three (3) years, records indicating the type of
20 product applied, vendor name, and the method, frequency, concentration, quantity and date(s)
21 of application.

22 **4.6 Public or Private Paved Roads**

23 4.6.1 Any owner of paved roads shall construct, or require to be constructed all new or widened
24 paved roads in accordance with the following standards:

25 A. Curbing in accordance with the American Association of State Highway and Transportation
26 Officials guidelines or as an alternative, road shoulders paved or treated with chemical dust
27 suppressants or washed gravel in accordance with the performance standards included in

28 ///

1 Section 4.4.4 with the following minimum widths:

Average Daily Trips	Minimum Shoulder Width
500 - 3,000	4 feet
3,000 or greater	8 feet

5 B. Paved medians or as an alternative, medians surrounded by curbing and treated with
6 landscaping, chemical dust suppressants, or washed gravel applied and maintained in
7 accordance with the performance standards included in Section 4.4.4.

8 4.6.2 Any owner of public or private paved roads shall remove or cause to be removed any erosion-
9 caused deposits of greater than 2,500 square feet within 24-hours after receiving notice by the
10 County or the AQMD or prior to resumption of traffic where the paved area has been closed to
11 vehicular traffic.

12 **Section 5.**

13 **5.1 Administrative Requirements**

14 5.1.1 Any operator preparing a Fugitive Dust Control Plan shall complete the AQMD
15 Coachella Valley Fugitive Dust Control Class and maintain a current valid Certificate of Completion.

16 5.1.2 At least one representative of each construction or demolition general contractor and
17 subcontractor responsible for earth-movement operations shall complete the AQMD Coachella
18 Valley Fugitive Dust Control Class and maintain a current valid Certificate of Completion.

19 5.1.3 All reporting / record keeping required by Section 4.2 shall be provided to the County and
20 AQMD representatives immediately upon request.

21 5.1.4 All reporting / record keeping required by Section 4.3 through Section 4.6 shall be provided to
22 the County and AQMD representatives within 24-hours of a written request.

23 **Section 6.**

24 **6.1 Exemptions**

25 6.1.1 The provisions of this ordinance shall not apply to:

26 A. Agricultural operations including on-field sources and unpaved roads used solely for
27 agricultural operations.

1 B. Any dust-generating activity where necessary fugitive dust preventive or mitigative actions
2 are in conflict with either federal or State Endangered Species Act provisions as determined
3 in writing by the appropriate federal or state agency.

4 C. Any action required or authorized to implement emergency operations that are officially
5 declared by the County to ensure the public health and safety.

6 6.1.2 The provisions of Section 4.2.1 shall not apply to any construction or demolition activity
7 meeting any of the following activity levels or requirements:

8 A. The activity is occurring entirely within an enclosed structure from which no visible airborne
9 particulate matter escapes; or

10 B. Activities that do not require issuance of a grading permit or those that require a building
11 permit provided that the project results in 5,000 or less square feet of soil disturbance.

12 6.1.3 The provisions of Section 4.2.8 shall not apply to:

13 A. Projects that takes two (2) weeks or less to complete provided that a long-term stabilization
14 technique(s) identified in Section 4.3 are implemented; and

15 B. Line projects (i.e., pipelines, cable access lines, etc.).

16 **Section 7.**

17 **7.1 Compliance**

18 7.1.1 Any person violating any section of this ordinance or with any portion of an approved Dust
19 Control Plan is guilty of an infraction punishable by a fine of not more than one hundred
20 dollars (\$100.00) for a first violation and a fine not exceeding two hundred dollars (\$200.00)
21 for a second violation within one (1) year. A third violation, or more, within one (1) year shall
22 each be prosecuted at a level consistent with a misdemeanor violation.

23 7.1.2 In addition to any other remedy provided by law, failure to correct any condition indicated in a
24 notice of violation within one hour of issuance will allow the County to initiate one or more of
25 the following actions where appropriate:

26 A Criminal proceedings.

27 B Refusal to issue future permits and/or release of securities held until owner or operator has
28 adequately demonstrated compliance with the notice of violation.

1 C The procedures, remedies and penalties for violation of this ordinance and for recovery of
2 costs related to enforcement are provided for in Ordinance No. 725, which is incorporated
3 herein by this reference.

4 **Section 8.**

5 **8.1.1 ENFORCEMENT.**

- 6 A. The Sheriff, District Attorney, County Counsel, County Clerk, Director and all County
7 Officials charged with the issuance of use permits, plot plans, subdivisions, parcel maps,
8 and other discretionary and administrative permits, shall enforce the provisions of this
9 ordinance.
- 10 B. Failure to comply with any provision of this ordinance or with any provision of an approved
11 Fugitive Dust Control Plan shall be a violation of this ordinance.

12 **Section 9.**

13 9.1.1 **AREA OF APPLICATION.** This ordinance applies only to the urban areas of the
14 unincorporated territory within the Coachella Valley as defined by the Federal-Aid Highway Law,
15 Section 101 of Title 23, U. S. Code.

16 **Section 10.**

17 10.1.1 **CONFLICT BETWEEN ORDINANCE REQUIREMENTS.** If there is any conflict in
18 the requirements of this ordinance or between the requirements of this and any other ordinance, the more
19 stringent requirements shall apply.

20 **Section 11. SEVERABILITY.**

21 If any provision of this ordinance or the application thereof to any person or circumstance is held
22 invalid, the remainder of the ordinance and application of such provision(s) to other persons or
23 circumstances shall not be affected.

24 **Section 12. SAVINGS CLAUSE.**

25 Neither the adoption of this ordinance nor the repeal of any other ordinance in which violations
26 were committed prior to the effective date hereof, shall be construed as a waiver of any license or penalty
27 or the penal provisions application to any violation thereof. The provisions of the ordinance, insofar as
28 they are substantially the same as ordinance provisions previously adopted by the County relating to the

1 same subject matter, shall be construed as restatements and continuations, and shall not be construed as a
2 new enactment unless substantial revisions or provisions are required by the ordinance.

3 **Section 13. SECTION HEADINGS.**

4 The section headings herein are for convenience only, and shall not be deemed to govern, limit,
5 modify or in any manner affect the scope, meaning or intent of the provisions or language of this
6 ordinance.

7 **Section 14. EFFECTIVE DATE.**

8 This ordinance shall take effect 30 days after the date of adoption.

9
10
11
12
13 g:\property\mtran\pm10\ordinance 742\proposed ordinance.doc
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

**SUBMITTAL TO THE BOARD OF SUPERVISORS
COUNTY OF RIVERSIDE, STATE OF CALIFORNIA**



FROM: BOARD OF SUPERVISORS
SUPERVISOR, ROY S. WILSON, 4th Dist.
SUPERVISOR, MARION ASHLEY, 5th Dist.


SUBMITTAL DATE: January 6, 2004

SUBJECT: PM10 Dust Control Measurers – Action Plan

RECOMMENDED MOTION: The Board of Supervisors:

- 1) Approve the attached Ordinance No. 742.1 Fugitive Dust Control Ordinance thereby amending the current Dust Control Ordinance No. 742;
- 2) Authorize the execution of the attached Memorandum of Understanding between the South Coast Air Quality Management District (SCAQMD) Coachella Valley Association of Governments (CVAG) and the nine incorporated cities within CVAG; and,
- 3) Adopt the Coachella Valley Dust Control Handbook as the operations manual with respect to PM10.

BACKGROUND: The air quality in the Coachella Valley has been out of compliance with United States Environmental Protection Agency's (EPA) standards since 1999. The region has been given five years to get back into compliance by self-regulation. Failure to reach attainment status, could require the EPA to take over regulation and impose extremely stringent requirements in the area. In an effort to regain our attainment status the SCAQMD prepared three documents to provide the various agencies with the tools they need to administer their areas of responsibility. The model ordinance represents a minimum level of commitment by the County in its effort to control fugitive dust. The MOU makes the County accountable to the SCAQMD and CVAG if we fail to fulfill the obligations contained therein. The dust control handbook is the exhaustive reference manual for use by the jurisdictions and the contractors. The nine incorporated Cities and the County of Riverside are required to adopt the minimum standards in the ordinance and to enter into the MOU with the SCAQMD and CVAG. Approval of the recommended motion will help insure that the desert's air quality will comply with Federal standards.



Supervisor, Roy S. Wilson



Supervisor, Marion Ashley



Consent Policy
 Consent Policy

Department Recommendation:
Per Executive Office:

MINUTES OF THE BOARD OF SUPERVISORS

On motion of Supervisor Wilson, seconded by Supervisor Buster and duly carried by unanimous vote, IT WAS ORDERED that the above ordinance is approved as introduced, and that the above MOU is approved as recommended.

Ayes: Buster, Tavaglione, Venable, Wilson and Ashley
Noes: None
Absent: None
Date: January 6, 2004
xc: Supv. Wilson, Supv. Ashley, COB


Nancy Romero
Clerk of the Board
By: 
Deputy

Prev. Agn. ref. _____ Dist. _____

AGENDA NO. **3.1**